




Richee



 213-814-1638
 1600 West Washington Blvd, Los Angeles, CA 90007
 RicheeLighting@gmail.com
 www.RicheeLighting.com

Flexible LED Strips	
Indoor 12V	5 - 7
Indoor 24V	8 - 13
Outdoor 12V	14 - 15
Outdoor 24V	16 - 19
Outdoor 120V	20 - 21
Color Changing RGB	22 - 23
Color Temperature Adjustable	24
Indoor/Outdoor Spotless	25
Mini Narrow	26
LED Sheet	27
Long Run	28
Side View	29
Aluminum Channels	30 - 37
Power Supply	
Indoor and Outdoor	39
Adapter	40
Dimmable	41
Dimmable with AC Plug-in	42
Triac and 0-10	43
Under Cabinet	45 - 48
Ceiling Light	
Slim Panel	50
Retrofit	51 - 52
Gimbal	53 - 54
Surface Mount	55
RGB Ceiling Light	56
Garden Light	
Up Lights	58
Well Lights	60 - 62
Underwater Lights	63
Step Lights	64
RGB	65
Wall Washer	66
LED Controllers	
Dimmers	68 - 70
Multi-Color	71 - 74
Multi-Zone	75 - 76
Smart-RGB IC	77
DMX	78
Amplifiers and Sensors	79
Industrial Flood	80 - 87
Linear Light	88 - 93
Panel Light	94 - 98
Bulbs	99 - 101
Modules	102 - 104
Track Lights	105 - 107
Recessed Fixtures	108 - 109
Accessories	110 - 116

LED STRIP LIGHTS



INDOOR 12VDC



ACCENT LIGHT 1.1W, 90LM/FT

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	LUMEN	CCT	LENGTH	CRI	DESCRIPTION
6174-30K-ECO	1.1W/ft	12VDC	80lm	3000K	16.4ft	>80	1.1W, 12V, 30k, 16 FT
6174-60K-ECO	1.1W/ft	12VDC	90lm	6000K	16.4ft	>80	1.1W, 12V, 30k, 16 FT

ACCENT LIGHT 1.5W, 110LM/FT

6374-22K-CRI90	1.5W/ft	12VDC	100lm	2200K	16.4ft	>90	1.5W, 12V, 22K, 16 FT
6374-24K-CRI90	1.5W/ft	12VDC	100lm	2400K	16.4ft	>90	1.5W, 12V, 24K, 16 FT
6374-27K-CRI90	1.5W/ft	12VDC	110lm	2700K	16.4ft	>90	1.5W, 12V, 27K, 16 FT
6374-27K-CRI90-100	1.5W/ft	12VDC	110lm	2700K	100ft	>90	1.5W, 12V, 27K, 100FT
6374-30K-CRI90	1.5W/ft	12VDC	110lm	3000K	16.4ft	>90	1.5W, 12V, 30K, 16 FT
6374-30K-CRI90-100	1.5W/ft	12VDC	110lm	3000K	100ft	>90	1.5W, 12V, 30K, 100FT
6374-35K-CRI90	1.5W/ft	12VDC	115lm	3500K	16.4ft	>90	1.5W, 12V, 35K, 16 FT
6374-35K-CRI90-100	1.5W/ft	12VDC	115lm	3500K	100ft	>90	1.5W, 12V, 35K, 100FT
6374-40K-CRI90	1.5W/ft	12VDC	120lm	4000K	16.4ft	>90	1.5W, 12V, 40K, 16 FT
6374-40K-CRI90-100	1.5W/ft	12VDC	120lm	4000K	100ft	>90	1.5W, 12V, 40K, 100FT
6374-50K-CRI90	1.5W/ft	12VDC	120lm	5000K	16.4ft	>90	1.5W, 12V, 50K, 16 FT
6374-50K-CRI90-100	1.5W/ft	12VDC	120lm	5000K	100ft	>90	1.5W, 12V, 50K, 100FT
6374-60K-CRI90	1.5W/ft	12VDC	120lm	6000K	16.4ft	>90	1.5W, 12V, 60K, 16 FT
6374-60K-CRI90-100	1.5W/ft	12VDC	120lm	6000K	100ft	>90	1.5W, 12V, 60K, 100FT
6374-Red	1.5W/ft	12VDC	---	Red	16.4ft	---	1.5W, 12V, RED, 16 FT
6374-Red-100	1.5W/ft	12VDC	---	Red	100ft	---	1.5W, 12V, RED, 100 FT
6374-Green	1.5W/ft	12VDC	---	Green	16.4ft	---	1.5W, 12V, GREEN, 16 FT
6374-Blue	1.5W/ft	12VDC	---	Blue	16.4ft	---	1.5W, 12V, BLUE, 16 FT
6374-Blue-100	1.5W/ft	12VDC	---	Blue	100ft	---	1.5W, 12V, BLUE, 100FT
6374-Amber	1.5W/ft	12VDC	---	Amber	16.4ft	---	1.5W, 12V, AMBER, 16 FT

ACCENT LIGHT 2W, 175LM/FT

6394-27K-CRI90	2W/ft	12VDC	160LM	2700K	16.4ft	>90	2W, 12V, 27K, 16 FT
6394-30K-CRI90	2W/ft	12VDC	175LM	3000K	16.4ft	>90	2W, 12V, 30K, 16 FT
6394-40K-CRI90	2W/ft	12VDC	175LM	4000K	16.4ft	>90	2W, 12V, 40K, 16 FT
6394-60K-CRI90	2W/ft	12VDC	175LM	6000K	16.4ft	>90	2W, 12V, 60K, 16 FT

HIGH OUTPUT BRIGHTNESS 4.4W, 317LM/FT

6474-30K-ECO	4.4W/ft	12VDC	317LM	3000K	16.4ft	>80	4.4W, 12V, 30K, 16 FT
6474-60K-ECO	4.4W/ft	12VDC	350LM	6000K	16.4ft	>80	4.4W, 12V, 60K, 16 FT

INDOOR 12VDC




MEDIUM BRIGHTNESS 3W,210LM/FT

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	LUMEN	CCT	LENGTH	CRI	DESCRIPTION
6474-18K-CRI90	3W/Ft	12VDC	170LM	1800K	16.4ft	>90	3W, 12V, 18K, 16 FT
6474-22K-CRI90	3W/Ft	12VDC	180LM	2200K	16.4ft	>90	3W, 12V, 22K, 16 FT
6474-24K-CRI90	3W/Ft	12VDC	180LM	2400K	16.4ft	>90	3W, 12V, 24K, 16 FT
6474-27K-CRI90	3W/Ft	12VDC	190LM	2700K	16.4ft	>90	3W, 12V, 27K, 16 FT
6474-27K-CRI90-100	3W/Ft	12VDC	190LM	2700K	100ft	>90	3W, 12V, 27K, 100FT
6474-30K-CRI90	3W/Ft	12VDC	200LM	3000K	16.4ft	>90	3W, 12V, 30K, 16 FT
6474-30K-CRI90-100	3W/Ft	12VDC	200LM	3000K	100ft	>90	3W, 12V, 30K, 100FT
6474-35K-CRI90	3W/Ft	12VDC	210LM	3500K	16.4ft	>90	3W, 12V, 35K, 16 FT
6474-35K-CRI90-100	3W/Ft	12VDC	210LM	3500K	100ft	>90	3W, 12V, 35K, 100FT
6474-40K-CRI90	3W/Ft	12VDC	220LM	4000K	16.4ft	>90	3W, 12V, 40K, 16 FT
6474-40K-CRI90-100	3W/Ft	12VDC	220LM	4000K	100ft	>90	3W, 12V, 40K, 100FT
6474-50K-CRI90	3W/Ft	12VDC	220LM	5000K	16.4ft	>90	3W, 12V, 50K, 16 FT
6474-50K-CRI90-100	3W/Ft	12VDC	220LM	5000K	100ft	>90	3W, 12V, 50K, 100FT
6474-60K-CRI90	3W/Ft	12VDC	220LM	6000K	16.4ft	>90	3W, 12V, 60K, 16 FT
6474-60K-CRI90-100	3W/Ft	12VDC	220LM	6000K	100ft	>90	3W, 12V, 60K, 100FT
6474-Red	3W/Ft	12VDC	---	Red	16.4ft	---	3W, 12V, Red, 16 FT
6474-Red-100	3W/Ft	12VDC	---	Red	100ft	---	3W, 12V, Red, 100FT
6474-Blue	3W/Ft	12VDC	---	Blue	16.4ft	---	3W, 12V, Blue, 16 FT
6474-Blue-100	3W/Ft	12VDC	---	Blue	100ft	---	3W, 12V, Blue, 100FT
6474-Pink	3W/Ft	12VDC	---	Pink	16.4ft	---	3W, 12V, Pink, 16 FT
6474-Amber	3W/Ft	12VDC	---	Amber	16.4ft	---	3W, 12V, Amber, 16 FT

HIGH BRIGHTNESS 4.4W,360LM/FT

6584-2835-27K-CRI90	4.4W/Ft	12VDC	321LM	2700K	16.4ft	>90	4.4W, 12V, 27K, 16 FT
6584-2835-27K-CRI90-100	4.4W/Ft	12VDC	321LM	2700K	100ft	>90	4.4W, 12V, 27K, 100FT
6584-2835-30K-CRI90	4.4W/Ft	12VDC	321LM	3000K	16.4ft	>90	4.4W, 12V, 30K, 16 FT
6584-2835-30K-CRI90-100	4.4W/Ft	12VDC	321LM	3000K	100ft	>90	4.4W, 12V, 30K, 100FT
6584-2835-40K-CRI90	4.4W/Ft	12VDC	333LM	4000K	16.4ft	>90	4.4W, 12V, 40K, 16 FT
6584-2835-40K-CRI90-100	4.4W/Ft	12VDC	333LM	4000K	100ft	>90	4.4W, 12V, 40K, 100FT
6584-2835-50K-CRI90	4.4W/Ft	12VDC	360LM	5000K	16.4ft	>90	4.4W, 12V, 50K, 16 FT
6584-2835-50K-CRI90-100	4.4W/Ft	12VDC	360LM	5000K	100ft	>90	4.4W, 12V, 50K, 100FT
6584-2835-60K-CRI90	4.4W/Ft	12VDC	360LM	6000K	16.4ft	>90	4.4W, 12V, 60K, 16 FT
6584-2835-60K-CRI90-100	4.4W/Ft	12VDC	360LM	6000K	100ft	>90	4.4W, 12V, 60K, 100FT

INDOOR 12VDC



HIGH BRIGHTNESS 4W,310LM/FT

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	LUMEN	CCT	LENGTH	CRI	DESCRIPTION
6494-40K-12V-CRI90-100	4W/ft	12VDC	310LM	4000K	100ft	>90	4W, 12V, 40K, 100FT

HIGH BRIGHTNESS 4.4W,360LM/FT

6584-5050-27K-CRI90	4.4W/ft	12VDC	340LM	2700K	16.4ft	>90	4.4W, 12V, 27K, 16 FT
6584-5050-30K-CRI90	4.4W/ft	12VDC	340LM	3000K	16.4ft	>90	4.4W, 12V, 30K, 16 FT
6584-5050-40K-CRI90	4.4W/ft	12VDC	360LM	4000K	16.4ft	>90	4.4W, 12V, 40K, 16 FT
6584-5050-50K-CRI90	4.4W/ft	12VDC	380LM	5000K	16.4ft	>90	4.4W, 12V, 50K, 16FT

ECONOMIC HIGH BRIGHTNESS 4.4W,400LM/FT

6584-30K-ECO	4.4W/ft	12VDC	421LM	3000K	16.4ft	>80	4.4W, 12V, 30K, 16 FT
6584-60K-ECO	4.4W/ft	12VDC	421LM	6000K	16.4ft	>80	4.4W, 12V, 60K, 16FT
6584-Blue-ECO	4.4W/ft	12VDC	---	BLUE	16.4ft	---	4.4W, 12V, BLUE, 16 FT
6584-Red-ECO	4.4W/ft	12VDC	---	RED	16.4ft	---	4.4W, 12V, RED, 16 FT
6584-Green-ECO	4.4W/ft	12VDC	---	GREEN	16.4ft	---	4.4W, 12V, GREEN, 16 FT
6584-Amber-ECO	4.4W/ft	12VDC	---	AMBER	16.4ft	---	4.4W, 12V, AMBER, 16 FT

HIGH BRIGHTNESS 5W,550LM/FT

6710-60K-HF-CRI90	5W/ft	12VDC	510LM	6000K	16.4ft	>90	5W, 12V, 60K, 16 FT
6710-60K-HF-CRI90-100	5W/ft	12VDC	510LM	6000K	100ft	>90	5W, 12V, 60K, 100FT
6710-90K-HF-100	5W/ft	12VDC	510LM	9000K	100ft	>80	5W, 12V, 90K, 100 FT

LED STRIP LIGHTS

INDOOR 24VDC




ACCENT LIGHT 1.5W,110LM/FT

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	LUMEN	CCT	LENGTH	CRI	DESCRIPTION
6374-22K-24V-CRI90	1.5W/Ft	24VDC	100LM	2200K	16.4ft	>90	1.5W, 24V, 22K, 16 FT
6374-24K-24V-CRI90	1.5W/Ft	24VDC	100LM	2400K	16.4ft	>90	1.5W, 24V, 24K, 16 FT
6374-27K-24V-CRI90	1.5W/Ft	24VDC	110LM	2700K	16.4ft	>90	1.5W, 24V, 27K, 16 FT
6374-27K-24V-CRI90-100	1.5W/Ft	24VDC	110LM	2700K	100ft	>90	1.5W, 24V, 27K, 100 FT
6374-30K-24V-CRI90	1.5W/Ft	24VDC	110LM	3000K	16.4ft	>90	1.5W, 24V, 30K, 16 FT
6374-30K-24V-CRI90-100	1.5W/Ft	24VDC	110LM	3000K	100ft	>90	1.5W, 24V, 30K, 100 FT
6374-35K-24V-CRI90	1.5W/Ft	24VDC	115LM	3500K	16.4ft	>90	1.5W, 24V, 35K, 16 FT
6374-35K-24V-CRI90-100	1.5W/Ft	24VDC	115LM	3500K	100ft	>90	1.5W, 24V, 35K, 100 FT
6374-40K-24V-CRI90	1.5W/Ft	24VDC	120LM	4000K	16.4ft	>90	1.5W, 24V, 40K, 16 FT
6374-40K-24V-CRI90-100	1.5W/Ft	24VDC	120LM	4000K	100ft	>90	1.5W, 24V, 40K, 100 FT
6374-50K-24V-CRI90	1.5W/Ft	24VDC	120LM	5000K	16.4ft	>90	1.5W, 24V, 50K, 16 FT
6374-50K-24V-CRI90-100	1.5W/Ft	24VDC	120LM	5000K	100ft	>90	1.5W, 24V, 50K, 100 FT
6374-60K-24V-CRI90	1.5W/Ft	24VDC	120LM	6000K	16.4ft	>90	1.5W, 24V, 60K, 16 FT
6374-60K-24V-CRI90-100	1.5W/Ft	24VDC	120LM	6000K	100ft	>90	1.5W, 24V, 60K, 100 FT
6374-Blue-24V	1.5W/Ft	24VDC	---	BLUE	16.4ft	---	1.5W, 24V, BLUE, 16 FT
6374-Blue-24V-100	1.5W/Ft	24VDC	---	BLUE	100ft	---	1.5W, 24V, BLUE, 100 FT
6374-Red-24V	1.5W/Ft	24VDC	---	RED	16.4ft	---	1.5W, 24V, RED, 16 FT
6374-Red-24V-100	1.5W/Ft	24VDC	---	RED	100ft	---	1.5W, 24V, RED, 100 FT
6374-Amber-24V	1.5W/Ft	24VDC	---	AMBER	16.4ft	---	1.5W, 24V, AMBER, 16 FT

ACCENT LIGHT 2W,175LM/FT

6394-27K-24V-CRI90	2W/Ft	24VDC	160LM	2700K	16.4ft	>90	2W, 24V, 27K, 16 FT
6394-27K-24V-CRI90-100	2W/Ft	24VDC	160LM	2700K	100ft	>90	2W, 24V, 27K, 100 FT
6394-30K-24V-CRI90	2W/Ft	24VDC	160LM	3000K	16.4ft	>90	2W, 24V, 30K, 16 FT
6394-30K-24V-CRI90-100	2W/Ft	24VDC	160LM	3000K	100ft	>90	2W, 24V, 30K, 100 FT
6394-40K-24V-CRI90	2W/Ft	24VDC	175LM	4000K	16.4ft	>90	2W, 24V, 40K, 16 FT
6394-40K-24V-CRI90-100	2W/Ft	24VDC	175LM	4000K	100ft	>90	2W, 24V, 40K, 100 FT
6394-60K-24V-CRI90-100	2W/Ft	24VDC	175LM	6000K	100ft	>90	2W, 24V, 60K, 100 FT

INDOOR 24VDC



ECONOMIC STRONG HIGH LIGHT 6.4W, 755LM/FT

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	LUMEN	CCT	LENGTH	CRI	DESCRIPTION
6710-30K-24V-ECO	6.4W/Ft	24VDC	740LM	3000K	16.4ft	>80	6.4W, 24V, 30K, 16 FT
6710-30K-24V-ECO-100	6.4W/Ft	24VDC	740LM	3000K	100ft	>80	6.4W, 24V, 30K, 100 FT
6710-40K-24V-ECO	6.4W/Ft	24VDC	755LM	4000K	16.4ft	>80	6.4W, 24V, 40K, 16 FT
6710-40K-24V-ECO-100	6.4W/Ft	24VDC	755LM	4000K	100ft	>80	6.4W, 24V, 40K, 100 FT
6710-60K-24V-ECO	6.4W/Ft	24VDC	755LM	6000K	16.4ft	>80	6.4W, 24V, 60K, 16 FT
6710-60K-24V-ECO-100	6.4W/Ft	24VDC	755LM	6000K	100ft	>80	6.4W, 24V, 60K, 100 FT

STRONG LIGHT HIGH BRIGHTNESS 7.3W,560LM/FT

6712-27K-24V-CRI90	7.3W/Ft	24VDC	500LM	2700K	16.4ft	>90	7.3W, 24V, 27K, 16 FT
6712-30K-24V-CRI90	7.3W/Ft	24VDC	520LM	3000K	16.4ft	>90	7.3W, 24V, 30K, 16 FT
6712-30K-24V-100-CRI90	7.3W/Ft	24VDC	520LM	3000K	100ft	>90	7.3W, 24V, 30K, 100 FT
6712-40K-24V-CRI90	7.3W/Ft	24VDC	540LM	4000K	16.4ft	>90	7.3W, 24V, 40K, 16 FT
6712-40K-24V-100-CRI90	7.3W/Ft	24VDC	540LM	4000K	100ft	>90	7.3W, 24V, 40K, 100 FT
6712-60K-24V-CRI90	7.3W/Ft	24VDC	560LM	6000K	16.4ft	>90	7.3W, 24V, 60K, 16 FT
6712-60K-24V-100-CRI90	7.3W/Ft	24VDC	560LM	6000K	100ft	>90	7.3W, 24V, 60K, 100 FT

LONG RUN ACCENT LIGHT 1.8W, 133LM/FT

6394-27K-24V-66-LONG	1.8W/Ft	24VDC	109 LM	2700K	66ft	>90	1.8W, 24V, 27K, 66 FT
6394-30K-24V-66-LONG	1.8W/Ft	24VDC	124 LM	3000K	66ft	>90	1.8W, 24V, 30K, 66 FT
6394-40K-24V-66-LONG	1.8W/Ft	24VDC	133 LM	4000K	66ft	>90	1.8W, 24V, 40K, 66 FT
6394-60K-24V-66-LONG	1.8W/Ft	24VDC	140 LM	6000K	66ft	>90	1.8W, 24V, 60K, 66 FT

INDOOR 24VDC



MEDIUM BRIGHTNESS 24V 3W,220LM/FT

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	LUMEN	CCT	LENGTH	CRI	DESCRIPTION
6474-24K-24V-CRI90	3W/Ft	24VDC	180LM	2400K	16.4ft	>90	3W, 24V, 24K, 16 FT
6474-27K-24V-CRI90	3W/Ft	24VDC	190LM	2700K	16.4ft	>90	3W, 24V, 27K, 16 FT
6474-27K-24V-CRI90-100	3W/Ft	24VDC	190LM	2700K	100ft	>90	3W, 24V, 27K, 100 FT
6474-30K-24V-CRI90	3W/Ft	24VDC	200LM	3000K	16.4ft	>90	3W, 24V, 30K, 16 FT
6474-30K-24V-CRI90-100	3W/Ft	24VDC	200LM	3000K	100ft	>90	3W, 24V, 30K, 100 FT
6474-35K-24V-CRI90	3W/Ft	24VDC	210LM	3500K	16.4ft	>90	3W, 24V, 35K, 16 FT
6474-35K-24V-CRI90-100	3W/Ft	24VDC	210LM	3500K	100ft	>90	3W, 24V, 35K, 100 FT
6474-40K-24V-CRI90	3W/Ft	24VDC	220LM	4000K	16.4ft	>90	3W, 24V, 40K, 16 FT
6474-40K-24V-CRI90-100	3W/Ft	24VDC	220LM	4000K	100ft	>90	3W, 24V, 40K, 100 FT
6474-50K-24V-CRI90	3W/Ft	24VDC	220LM	5000K	16.4ft	>90	3W, 24V, 50K, 16 FT
6474-50K-24V-CRI90-100	3W/Ft	24VDC	220LM	5000K	100ft	>90	3W, 24V, 50K, 100 FT
6474-60K-24V-CRI90	3W/Ft	24VDC	220LM	6000K	16.4ft	>90	3W, 24V, 60K, 16 FT
6474-60K-24V-CRI90-100	3W/Ft	24VDC	220LM	6000K	100ft	>90	3W, 24V, 60K, 100 FT
6474-Red-24V	3W/Ft	24VDC	---	RED	16.4ft	---	3W, 24V, Red, 16 FT
6474-Blue-24V	3W/Ft	24VDC	---	BLUE	16.4ft	---	3W, 24V, Blue, 16 FT
6474-Blue-24V-100	3W/Ft	24VDC	---	BLUE	100ft	---	3W, 24V, Blue, 100 FT

HIGH CRI MEDIUM BRIGHTNESS 24V 3W,260LM/FT

6474-27K-24V-CRI97	3W/Ft	24VDC	232LM	2700K	16.4ft	>97	3W, 24V, 27K, 16 FT
6474-27K-24V-CRI97-100	3W/Ft	24VDC	232LM	2700K	100ft	>97	3W, 24V, 27K, 100 FT
6474-30K-24V-CRI97	3W/Ft	24VDC	240LM	3000K	16.4ft	>97	3W, 24V, 30K, 16 FT
6474-30K-24V-CRI97-100	3W/Ft	24VDC	240LM	3000K	100ft	>97	3W, 24V, 30K, 100 FT
6474-35K-24V-CRI97	3W/Ft	24VDC	245LM	3500k	16.4ft	>97	3W, 24V, 35K, 16 FT
6474-35K-24V-CRI97-100	3W/Ft	24VDC	245LM	3500k	100ft	>97	3W, 24V, 35K, 100 FT
6474-40K-24V-CRI97	3W/Ft	24VDC	250LM	4000K	16.4ft	>97	3W,24V,40K, 16FT
6474-40K-24V-CRI97-100	3W/Ft	24VDC	250LM	4000K	100ft	>97	3W,24V,40K, 100FT
6474-50K-24V-CRI97	3W/Ft	24VDC	260LM	4000K	16.4ft	>97	3W,24V,50K, 16FT
6474-50K-24V-CRI97-100	3W/Ft	24VDC	260LM	4000K	100ft	>97	3W,24V,50K, 100FT

INDOOR 24VDC



LONG RUN MEDIUM LIGHT 3W/FT

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	LUMEN	CCT	LENGTH	CRI	DISCRIPTION
6474-27K-24V-50-LONG	3W/Ft	24VDC	200 LM	2700K	50ft	>90	3W, 24V, 27K, 50 FT
6474-30K-24V-50-LONG	3W/Ft	24VDC	205 LM	3000K	50ft	>90	3W, 24V, 30K, 50 FT
6474-40K-24V-50-LONG	3W/Ft	24VDC	233 LM	4000K	50ft	>90	3W, 24V, 40K, 50 FT
6474-60K-24V-50-LONG	3W/Ft	24VDC	255 LM	6000K	50ft	>90	3W, 24V, 60K, 50 FT

MEDIUM BRIGHTNESS 3.5W,280LM/FT

6582-27K-24V-CRI90	3.5W/Ft	24VDC	275LM	2700K	16.4ft	>90	3.5W, 24V, 27K, 16 FT
6582-30K-24V-CRI90	3.5W/Ft	24VDC	275LM	3000K	16.4ft	>90	3.5W, 24V, 30K, 16 FT
6582-40K-24V-CRI90	3.5W/Ft	24VDC	290LM	4000K	16.4ft	>90	3.5W, 24V, 40K, 16 FT
6582-50K-24V-CRI90	3.5W/Ft	24VDC	290LM	5000K	16.4ft	>90	3.5W, 24V, 50K, 16 FT
6582-60K-24V-CRI90	3.5W/Ft	24VDC	290LM	6000K	16.4ft	>90	3.5W, 24V, 60K, 16 FT

HIGH BRIGHTNESS 4W,320LM/FT

6494-30K-24V-CRI90-100	4W/Ft	24VDC	310LM	3000K	100ft	>90	4W, 24V, 30K, 100 FT
6494-40K-24V-CRI90-100	4W/Ft	24VDC	310LM	4000K	100ft	>90	4W, 24V, 40K, 100 FT
6494-60K-24V-CRI90-100	4W/Ft	24VDC	320LM	6000K	100ft	>90	4W, 24V, 60K, 100 FT

INDOOR 24VDC



HIGH BRIGHTNESS 4.4W,320LM/FT

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	LUMEN	CCT	LENGTH	CRI	DESCRIPTION
6474-30K-24V-ECO	4.4W/Ft	24VDC	330LM	3000K	16.4ft	>80	4.4W, 24V, 30K, 16 FT
6474-60K-24V-ECO	4.4W/Ft	24VDC	375LM	6000K	16.4ft	>80	4.4W, 24V, 60K, 16 FT


HIGH BRIGHTNESS 4.4W,340LM/FT

6584-2835-27K-24V-CRI90	4.4W/Ft	24VDC	321LM	2700K	16.4ft	>90	4.4W, 24V, 2700K, 16 FT
6584-2835-27K-24V-CRI90-100	4.4W/Ft	24VDC	321LM	2700K	100ft	>90	4.4W, 24V, 2700K, 100 FT
6584-2835-30K-24V-CRI90	4.4W/Ft	24VDC	321LM	3000K	16.4ft	>90	4.4W, 24V, 3000K, 16 FT
6584-2835-30K-24V-CRI90-100	4.4W/Ft	24VDC	321LM	3000K	100ft	>90	4.4W, 24V, 3000K, 100 FT
6584-2835-40K-24V-CRI90	4.4W/Ft	24VDC	333LM	4000K	16.4ft	>90	4.4W, 24V, 4000K, 16 FT
6584-2835-40K-24V-CRI90-100	4.4W/Ft	24VDC	333LM	4000K	100ft	>90	4.4W, 24V, 4000K, 100 FT
6584-2835-50K-24V-CRI90	4.4W/Ft	24VDC	360LM	5000K	16.4ft	>90	4.4W, 24V, 5000K, 16 FT
6584-2835-50K-24V-CRI90-100	4.4W/Ft	24VDC	360LM	5000K	100ft	>90	4.4W, 24V, 5000K, 100 FT
6584-2835-60K-24V-CRI90	4.4W/Ft	24VDC	360LM	6000K	16.4ft	>90	4.4W, 24V, 6000K, 16 FT
6584-2835-60K-24V-CRI90-100	4.4W/Ft	24VDC	360LM	6000K	100ft	>90	4.4W, 24V, 6000K, 100 FT

STRONG HIGH LIGHT 5W,400LM/FT

6710-27K-24V-CRI90-100	5W/Ft	24VDC	338LM	2700K	100ft	>90	5W, 24V, 27K, 100 FT
6710-30K-24V-CRI90	5W/Ft	24VDC	343LM	3000K	16.4ft	>90	5W, 24V, 30K, 16 FT
6710-30K-24V-CRI90-100	5W/Ft	24VDC	343LM	3000K	100ft	>90	5W, 24V, 30K, 100 FT
6710-40K-24V-CRI90	5W/Ft	24VDC	390LM	4000K	16.4ft	>90	5W, 24V, 40K, 16 FT
6710-40K-24V-CRI90-100	5W/Ft	24VDC	390LM	4000K	100ft	>90	5W, 24V, 40K, 100 FT
6710-50K-24V-CRI90-100	5W/Ft	24VDC	395LM	5000K	100ft	>90	5W, 24V, 50K, 100 FT
6710-60K-24V-CRI90	5W/Ft	24VDC	404LM	6000K	16.4ft	>90	5W, 24V, 60K, 16 FT
6710-60K-24V-CRI90-100	5W/Ft	24VDC	404LM	6000K	100ft	>90	5W, 24V, 60K, 100 FT
6710-Blue-24V	5W/Ft	24VDC	---	BLUE	16.4ft	---	5W, 24V, BLUE, 16 FT
6710-Red-12V	5W/Ft	12VDC	---	RED	16.4ft	---	5W, 12V, RED, 16 FT

INDOOR 24VDC



STRONG HIGH EFFICIENCY LIGHT 4W,550LM/FT

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	LUMEN	CCT	LENGTH	CRI	DESCRIPTION
6584-27K-24V-HF	4W/Ft	24VDC	480LM	2700K	16.4ft	>80	4W, 24V, 27K, 16 FT
6584-27K-24V-HF-100	4W/Ft	24VDC	480LM	2700K	100ft	>80	4W, 24V, 27K, 100 FT
6584-30K-24V-HF	4W/Ft	24VDC	520LM	3000K	16.4ft	>80	4W, 24V, 30K, 16 FT
6584-30K-24V-HF-100	4W/Ft	24VDC	520LM	3000K	100ft	>80	4W, 24V, 30K, 100 FT
6584-40K-24V-HF	4W/Ft	24VDC	550LM	4000K	16.4ft	>80	4W, 24V, 40K, 16 FT
6584-40K-24V-HF-100	4W/Ft	24VDC	550LM	4000K	100ft	>80	4W, 24V, 40K, 100 FT
6584-60K-24V-HF	4W/Ft	24VDC	550LM	6000K	16.4ft	>80	4W, 24V, 60K, 16 FT
6584-60K-24V-HF-100	4W/Ft	24VDC	550LM	6000K	100ft	>80	4W, 24V, 60K, 100 FT

STRONG HIGH LIGHT 5W,680LM/FT

6710-30K-24V-HF-100	5W/Ft	24VDC	710LM	3000K	100ft	>80	5W, 24V, 30K, 100 FT
6710-40K-24V-HF-100	5W/Ft	24VDC	710LM	4000K	100ft	>80	5W, 24V, 40K, 100 FT

SUPER HIGH LIGHT 7W,1000LM/FT

6712-27K-24V-HF	7W/Ft	24VDC	900LM	2700K	16.4ft	>80	7W, 24V, 27K, 16 FT
6712-30K-24V-HF	7W/Ft	24VDC	910LM	3000K	16.4ft	>80	7W, 24V, 30K, 16 FT
6712-30K-24V-HF-100	7W/Ft	24VDC	910LM	3000K	100ft	>80	7W, 24V, 30K, 100 FT
6712-40K-24V-HF	7W/Ft	24VDC	960LM	4000K	16.4ft	>80	7W, 24V, 40K, 16 FT
6712-40K-24V-HF-100	7W/Ft	24VDC	960LM	4000K	100ft	>80	7W, 24V, 40K, 100 FT
6712-60K-24V-HF	7W/Ft	24VDC	1000LM	6000K	16.4ft	>80	7W, 24V, 60K, 16 FT
6712-60K-24V-HF-100	7W/Ft	24VDC	1000LM	6000K	100ft	>80	7W, 24V, 60K, 100 FT

SUPER STRONG LIGHT 7.2W/FT DOUBLE ROW

6724-27K-24V-CRI90	7W/Ft	24VDC	476LM	2700K	16.4ft	>90	7W, 24V, 27K, 16 FT
6724-30K-24V-CRI90	7W/Ft	24VDC	490LM	3000K	16.4ft	>90	7W, 24V, 30K, 16 FT
6724-40K-24V-CRI90	7W/Ft	24VDC	490LM	4000K	16.4ft	>90	7W, 24V, 40K, 16 FT
6724-60K-24V-CRI90	7W/Ft	24VDC	564LM	6000K	16.4ft	>90	7W, 24V, 60K, 16 FT

OUTDOOR 12VDC




OUTDOOR ACCENT LIGHT 1.5W,110LM/FT

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	LUMEN	CCT	LENGTH	CRI	DESCRIPTION
6374-27K-IP65-CRI90	1.5W/Ft	12VDC	110LM	2700K	16.4ft	>90	1.5W, 12V, 27K, 16FT
6374-27K-IP67-CRI90	1.5W/Ft	12VDC	110LM	2700K	16.4ft	>90	1.5W, 12V, 27K, 16FT
6374-30K-IP54-CRI90	1.5W/Ft	12VDC	110LM	3000K	16.4ft	>90	1.5W, 12V, 30K, 16FT
6374-30K-IP67-CRI90	1.5W/Ft	12VDC	110LM	3000K	16.4ft	>90	1.5W, 12V, 30K, 16FT
6374-30K-IP68-CRI90	1.5W/Ft	12VDC	110LM	3000K	16.4ft	>90	1.5W, 12V, 30K, 16FT
6374-40K-IP54-CRI90	1.5W/Ft	12VDC	120LM	4000K	16.4ft	>90	1.5W, 12V, 40K, 16FT
6374-40K-IP67-CRI90	1.5W/Ft	12VDC	120LM	4000K	16.4ft	>90	1.5W, 12V, 40K, 16FT
6374-60K-IP54-CRI90	1.5W/Ft	12VDC	120LM	6000K	16.4ft	>90	1.5W, 12V, 60K, 16FT
6374-60K-IP54-CRI90-100	1.5W/Ft	12VDC	120LM	6000K	100ft	>90	1.5W, 12V, 60K, 100FT
6374-60K-IP67-CRI90	1.5W/Ft	12VDC	120LM	6000K	16.4ft	>90	1.5W, 12V, 60K, 16FT
6374-60K-IP68-CRI90	1.5W/Ft	12VDC	120LM	6000K	16.4ft	>90	1.5W, 12V, 60K, 16FT
6374-Amber-IP67	1.5W/Ft	12VDC	---	AMBER	16.4ft	---	1.5W, 12V, Amber, 16FT
6374-Red-IP54	1.5W/Ft	12VDC	---	RED	16.4ft	---	1.5W, 12V, Red, 16FT
6374-Red-IP67	1.5W/Ft	12VDC	---	RED	16.4ft	---	1.5W, 12V, Red, 16FT
6374-Blue-IP54	1.5W/Ft	12VDC	---	BLUE	16.4ft	---	1.5W, 12V, Blue, 16FT
6374-Blue-IP67	1.5W/Ft	12VDC	---	BLUE	16.4ft	---	1.5W, 12V, Blue, 16FT

MEDIUM BRIGHTNESS 2W,160LM/FT

6394-30K-IP54-CRI90	2W/Ft	12VDC	160LM	3000K	16.4ft	>90	2W, 12V, 30K, 16FT
---------------------	-------	-------	-------	-------	--------	-----	--------------------

OUTDOOR 12VDC




OUTDOOR MEDIUM BRIGHTNESS 3W,240LM/FT

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	LUMEN	CCT	LENGTH	CRI	DESCRIPTION
6474-27K-12V-IP65-CRI90	3W/Ft	12VDC	190LM	2700K	16.4ft	>90	3W, 12V, 27K, 16FT
6474-27K-12V-IP67-CRI90	3W/Ft	12VDC	190LM	2700K	16.4ft	>90	3W, 12V, 27K, 16FT
6474-30K-12V-IP54-CRI90	3W/Ft	12VDC	200LM	3000K	16.4ft	>90	3W, 12V, 30K, 16FT
6474-30K-12V-IP67-CRI90	3W/Ft	12VDC	200LM	3000K	16.4ft	>90	3W, 12V, 30K, 16FT
6474-40K-12V-IP67-CRI90	3W/Ft	12VDC	210LM	4000K	16.4ft	>90	3W, 12V, 40K, 16FT
6474-60K-12V-IP67-CRI90	3W/Ft	12VDC	220LM	6000K	16.4ft	>90	3W, 12V, 60K, 16FT
6474-Red-12V-IP54	3W/Ft	12VDC	---	RED	16.4ft	---	3W, 12V, Red, 16FT
6474-Red-12V-IP67	3W/Ft	12VDC	---	RED	16.4ft	---	3W, 12V, Red, 16FT

HIGH BRIGHTNESS 4.4W,360LM/FT

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	LUMEN	CCT	LENGTH	CRI	DESCRIPTION
6584-5050-26K-IP54	4.4W/Ft	12VDC	340LM	2600K	16.4ft	>80	4.4W, 12V, 26K, 16FT
6584-5050-30K-IP68-ECO	4.4W/Ft	12VDC	421LM	3000K	16.4ft	>80	4.4W, 12V, 30K, 16FT
6584-5050-60K-IP68-ECO	4.4W/Ft	12VDC	421LM	6000K	16.4ft	>90	4.4W, 12V, 60K, 16FT

OUTDOOR 24VDC



ACCENT LIGHT 1W,75LM/FT

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	LUMEN	CCT	LENGTH	CRI	DESCRIPTION
6174-30K-24V-IP54-100	1W/Ft	24VDC	70LM	3000K	100ft	>90	1W, 24V, 30K, 100FT
6174-30K-24V-IP67	1W/Ft	24VDC	70LM	3000K	16.4ft	>90	1W, 24V, 30K, 16FT
6174-60K-24V-IP54-100	1W/Ft	24VDC	80LM	6000K	100ft	>90	1W, 24V, 60K, 100FT
6174-60K-24V-IP67	1W/Ft	24VDC	80LM	6000K	16.4ft	>90	1W, 24V, 60K, 16FT

ACCENT LIGHT 1.1W,85LM/FT

6274-30K-24V-IP54-100	1.1W/Ft	24VDC	80LM	3000K	100ft	>90	1.1W, 24V, 30K, 100FT
6274-30K-24V-IP67	1.1W/Ft	24VDC	80LM	3000K	16.4ft	>90	1.1W, 24V, 30K, 16FT
6274-60K-24V-IP54-100FT	1.1W/Ft	24VDC	95LM	6000K	100ft	>90	1.1W, 24V, 60K, 100FT
6274-60K-24V-IP67	1.1W/Ft	24VDC	95LM	6000K	16.4ft	>90	1.1W, 24V, 60K, 16FT
6274-Blue-24V-IP54-100FT	1.1W/Ft	24VDC	---	BLUE	100ft	---	1.1W, 24V, Blue, 100FT

ECONOMIC ACCENT LIGHT 1W,75LM/FT

6174-30K-24V-IP65-ECO	1.1W/Ft	24VDC	70LM	3000K	16.4ft	>80	1.1W, 24V, 30K, 16FT
6174-30K-24V-IP65-50-ECO	1.1W/Ft	24VDC	70LM	3000K	50ft	>80	1.1W, 24V, 30K, 50FT
6174-40K-24V-IP65-ECO	1.1W/Ft	24VDC	70LM	4000K	16.4ft	>80	1.1W, 24V, 40K, 16FT
6174-Blue-24V-IP65-ECO	1.1W/Ft	24VDC	---	BLUE	16.4ft	---	1.1W, 24V, Blue, 16FT
6174-Blue-24V-IP65-50-ECO	1.1W/Ft	24VDC	---	BLUE	50ft	---	1.1W, 24V, Blue, 50FT

LED STRIP LIGHTS

OUTDOOR 24VDC



LONG RUN OUTDOOR ACCENT LIGHT 0.73W, 48LM/FT

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	LUMEN	CCT	LENGTH	CRI	DESCRIPTION
6174-27K-24V-IP67-100-LONG	0.73W/Ft	24VDC	45 LM	2700K	100ft	>90	0.73W, 24V, 27K, 100FT
6174-30K-24V-IP67-100-LONG	0.73W/Ft	24VDC	47 LM	3000K	100ft	>90	0.73W, 24V, 30K, 100FT
6174-40K-24V-IP67-100-LONG	0.73W/Ft	24VDC	48 LM	4000K	100ft	>90	0.73W, 24V, 40K, 100FT
6174-60K-24V-IP67-100-LONG	0.73W/Ft	24VDC	51 LM	6000K	100ft	>90	0.73W, 24V, 60K, 100FT

OUTDOOR 24V ACCENT LIGHT 1.5W,110LM/FT

6374-27K-24V-IP65-CRI90	1.5W/Ft	24VDC	110LM	2700K	16.4ft	>90	1.5W, 24V, 27K, 16FT
6374-27K-24V-IP67-CRI90	1.5W/Ft	24VDC	110LM	2700K	16.4ft	>90	1.5W, 24V, 27K, 16FT
6374-30K-24V-IP54-CRI90-100	1.5W/Ft	24VDC	110LM	3000K	100ft	>90	1.5W, 24V, 30K, 100FT
6374-30K-24V-IP67-CRI90	1.5W/Ft	24VDC	110LM	3000K	16.4ft	>90	1.5W, 24V, 30K, 16FT
6374-40K-24V-IP54-CRI90	1.5W/Ft	24VDC	120LM	4000K	16.4ft	>90	1.5W, 24V, 40K, 16FT
6374-40K-24V-IP67-CRI90	1.5W/Ft	24VDC	120LM	4000K	16.4ft	>90	1.5W, 24V, 40K, 16FT
6374-60K-24V-IP67-CRI90	1.5W/Ft	24VDC	120LM	6000K	16.4ft	>90	1.5W, 24V, 60K, 16FT
6374-Red-24V-IP54	1.5W/Ft	24VDC	---	RED	16.4ft	---	1.5W, 24V, Red, 16FT
6374-Green-24V-IP54	1.5W/Ft	24VDC	---	GREEN	16.4ft	---	1.5W, 24V, Green, 16FT
6374-Blue-24V-IP54	1.5W/Ft	24VDC	---	BLUE	16.4ft	---	1.5W, 24V, Blue, 16FT
6374-Blue-24V-IP54-100	1.5W/Ft	24VDC	---	BLUE	100ft	---	1.5W, 24V, Blue, 100FT
6374-Blue-24V-IP67	1.5W/Ft	24VDC	---	BLUE	16.4ft	---	1.5W, 24V, Blue, 16FT

MEDIUM BRIGHTNESS 2W,160LM/FT

6394-30K-24V-IP54-100FT	2W/Ft	24VDC	160LM	3000K	100ft	>90	2W, 24V, 30K, 100FT
6394-60K-24V-IP54-100FT	2W/Ft	24VDC	175LM	6000K	100ft	>90	2W, 24V, 60K, 100FT

OUTDOOR 24VDC



MEDIUM BRIGHTNESS 3W,210LM/FT

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	LUMEN	CCT	LENGTH	CRI	DESCRIPTION
6474-27K-24V-IP65	3W/Ft	24VDC	190LM	2700K	16.4ft	>90	3W, 24V, 27K, 16FT
6474-27K-24V-IP67	3W/Ft	24VDC	190LM	2700K	16.4ft	>90	3W, 24V, 27K, 16FT
6474-30K-24V-IP54	3W/Ft	24VDC	200LM	3000K	16.4ft	>90	3W, 24V, 30K, 16FT
6474-30K-24V-IP54-100FT	3W/Ft	24VDC	200LM	3000K	100ft	>90	3W, 24V, 30K, 100FT
6474-30K-24V-IP67	3W/Ft	24VDC	200LM	3000K	16.4ft	>90	3W, 24V, 30K, 16FT
6474-40K-24V-IP67	3W/Ft	24VDC	210LM	4000K	16.4ft	>90	3W, 24V, 40K, 16FT
6474-60K-24V-IP54-100FT	3W/Ft	24VDC	220LM	6000K	100ft	>90	3W, 24V, 60K, 100FT
6474-60K-24V-IP65-100FT	3W/Ft	24VDC	220LM	6000K	100ft	>90	3W, 24V, 60K, 100FT
6474-60K-24V-IP67	3W/Ft	24VDC	220LM	6000K	16.4ft	>90	3W, 24V, 60K, 100FT
6474-Red-24V-IP54	3W/Ft	24VDC	---	RED	16.4ft	---	3W, 24V, Red, 16FT
6474-Red-24V-IP67	3W/Ft	24VDC	---	RED	16.4ft	---	3W, 24V, Red, 16FT
6474-Blue-24V-IP54	3W/Ft	24VDC	---	BLUE	16.4ft	---	3W, 24V, Blue, 16FT
6474-Blue-24V-IP67	3W/Ft	24VDC	---	BLUE	16.4ft	---	3W, 24V, Blue, 16FT
6474-Pink-24V-IP67	3W/Ft	24VDC	---	PINK	16.4ft	---	3W, 24V, Pink, 16FT
6474-Amber-24V-IP67	3W/Ft	24VDC	---	AMBER	16.4ft	---	3W, 24V, Amber, 16FT

HIGH OUTPUT BRIGHTNESS 4.4W,340LM/FT

6584-30K-24V-IP54	4.4W/Ft	24VDC	321LM	3000K	16.4ft	---	4.4W, 24V, 30K, 16FT
6584-30K-24V-IP67	4.4W/Ft	24VDC	321LM	3000K	16.4ft	---	4.4W, 24V, 30K, 16FT
6584-60K-24V-IP54	4.4W/Ft	24VDC	360LM	6000K	16.4ft	---	4.4W, 24V, 60K, 16FT

MEDIUM OUTPUT LIGHT 3.5W,275LM/FT

6582-30K-24V-IP54-CRI90	3.5W/Ft	24VDC	275LM	3000K	16.4ft	>90	3.5W, 24V, 30K, 16FT
-------------------------	---------	-------	-------	-------	--------	-----	----------------------

OUTDOOR DECORATIVE LIGHT

3W, 270LM/FT

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	LUMEN	CCT	LENGTH	CRI	DESCRIPTION
6474-1.5W-30K-24V-IP65-Milky-30	1.5W/Ft	24VDC	240LM	3000K	16.4ft	>90	1.5W, 24V, 30K, 33FT
6474-30K-24V-IP65-MILKY-30	3W/Ft	24VDC	240LM	3000K	32.8ft	>90	3W, 24V, 30K, 33FT
6474-30K-24V-IP65-CRI90-MILKY	3W/Ft	24VDC	240LM	3000K	16.4ft	>90	3W, 24V, 30K, 16FT
6474-40K-24V-IP65-MILKY-30	3W/Ft	24VDC	260LM	4000K	32.8ft	>90	3W, 24V, 40K, 33FT
6474-40K-24V-IP65-CRI90-MILKY	3W/Ft	24VDC	260LM	4000K	16.4ft	>90	3W, 24V, 40K, 16FT
6474-60K-24V-IP65-MILKY-30	3W/Ft	24VDC	270LM	6000K	32.8ft	>90	3W, 24V, 60K, 33FT
6474-60K-24V-IP65-CRI90-MILKY	3W/Ft	24VDC	270LM	6000K	16.4ft	>90	3W, 24V, 60K, 16FT



LED STRIP LIGHTS

OUTDOOR 120V



6374-120V-1.1W



6394-120V-2W



6584-120V-3.5W



6584-RGB-120V-3.5W

OUTDOOR 120V ACCENT LIGHT 1.1W,100LM/FT

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	LUMEN	CCT	LENGTH	DESCRIPTION
6374-27K-120V	1.1W/Ft	120VAC	85LM	2700K	328ft	1.1W, 120V, 27K, 328FT
6374-30K-120V	1.1W/Ft	120VAC	90LM	3000K	328ft	1.1W, 120V, 30K, 328FT
6374-40K-120V	1.1W/Ft	120VAC	95LM	4000K	328ft	1.1W, 120V, 40K, 328FT
6374-60K-120V	1.1W/Ft	120VAC	100LM	6000K	328ft	1.1W, 120V, 60K, 328FT

OUTDOOR 120V MEDIUM BRIGHTNESS LIGHT 2W,182LM/FT

6394-30K-120V	2W/Ft	120VAC	122LM	3000K	164ft	2W, 120V, 30K, 164FT
6394-40K-120V	2W/Ft	120VAC	142LM	4000K	164ft	2W, 120V, 40K, 164FT
6394-60K-120V	2W/Ft	120VAC	182LM	6000K	164ft	2W, 120V, 60K, 164FT


OUTDOOR 120V HIGH BRIGHTNESS LIGHT 3W,300LM/FT

6584-30K-120V	3.5W/Ft	120VAC	320LM	3000K	164ft	3.5W, 120V, 30K, 164FT
6584-60K-120V	3.5W/Ft	120VAC	350LM	6000K	164ft	3.5W, 120V, 60K, 164FT

RGB HIGH VOLTAGE STRIP 3.5W/FT

6584-RGB-120V-IP67-165	3.5W/Ft	120VAC	320LM	---	165ft	3.5W, 120V, RGB, 165FT
6584-RGB-120V-IP67-82	3.5W/Ft	120VAC	350LM	---	82ft	3.5W, 120V, RGB, 82FT


OUTDOOR 120V HIGH CRI



OUTDOOR 120V ACCENT LIGHT 1.5W CRI90

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	CCT	LENGTH	CCT	DESCRIPTION
6374-27K-120V-CRI90-50	1.5W/FT	120VAC	2700K	50FT	>90	1.5W, 120V, 2700K, 50FT
6374-27K-120V-CRI90-100	1.5W/FT	120VAC	2700K	100FT	>90	1.5W, 120V, 2700K, 100FT
6374-27K-120V-CRI90-200	1.5W/FT	120VAC	2700K	200FT	>90	1.5W, 120V, 2700K, 200FT
6374-30K-120V-CRI90-50	1.5W/FT	120VAC	3000K	50FT	>90	1.5W, 120V, 3000K, 50FT
6374-30K-120V-CRI90-100	1.5W/FT	120VAC	3000K	100FT	>90	1.5W, 120V, 3000K, 100FT
6374-30K-120V-CRI90-200	1.5W/FT	120VAC	3000K	200FT	>90	1.5W, 120V, 3000K, 200FT
6374-35K-120V-CRI90-50	1.5W/FT	120VAC	3500K	50FT	>90	1.5W, 120V, 3500K, 50FT
6374-35K-120V-CRI90-100	1.5W/FT	120VAC	3500K	100FT	>90	1.5W, 120V, 3500K, 100FT
6374-35K-120V-CRI90-200	1.5W/FT	120VAC	3500K	200FT	>90	1.5W, 120V, 3500K, 200FT
6374-40K-120V-CRI90-50	1.5W/FT	120VAC	4000K	50FT	>90	1.5W, 120V, 4000K, 50FT
6374-40K-120V-CRI90-100	1.5W/FT	120VAC	4000K	100FT	>90	1.5W, 120V, 4000K, 100FT
6374-40K-120V-CRI90-200	1.5W/FT	120VAC	4000K	200FT	>90	1.5W, 120V, 4000K, 200FT
6374-50K-120V-CRI90-50	1.5W/FT	120VAC	5000K	50FT	>90	1.5W, 120V, 5000K, 50FT
6374-50K-120V-CRI90-100	1.5W/FT	120VAC	5000K	100FT	>90	1.5W, 120V, 5000K, 100FT
6374-50K-120V-CRI90-200	1.5W/FT	120VAC	5000K	200FT	>90	1.5W, 120V, 5000K, 200FT
6374-BLUE-120V-100	1.5W/FT	120VAC	BLUE	100FT	N/A	1.5W, 120V, BLUE, 100FT
6374-BLUE-120V-200	1.5W/FT	120VAC	BLUE	200FT	N/A	1.5W, 120V, BLUE, 200FT
6374-GREEN-120V-100	1.5W/FT	120VAC	GREEN	100FT	N/A	1.5W, 120V, GREEN, 100FT
6374-GREEN-120V-200	1.5W/FT	120VAC	GREEN	200FT	N/A	1.5W, 120V, GREEN, 200FT
6374-PINK-120V-100	1.5W/FT	120VAC	PINK	100FT	N/A	1.5W, 120V, PINK, 100FT
6374-PURPLE-120V-100	1.5W/FT	120VAC	PURPLE	100FT	N/A	1.5W, 120V, PURPLE, 100FT
6374-RED-120V-100	1.5W/FT	120VAC	RED	100FT	N/A	1.5W, 120V, RED, 100FT
6374-RED-120V-200	1.5W/FT	120VAC	RED	200FT	N/A	1.5W, 120V, RED, 200FT
6374-YELLOW-120V-100	1.5W/FT	120VAC	YELLOW	100FT	N/A	1.5W, 120V, YELLOW, 100FT
6374-YELLOW-120V-200	1.5W/FT	120VAC	YELLOW	200FT	N/A	1.5W, 120V, YELLOW, 200FT

COLOR CHANGING RGB



COLOR CHANGING RGB 12V DC

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	CCT	LENGTH	DESCRIPTION
6546-RGB	2.2W/Ft	12VDC	RGB	16.4ft	2.2W, 12V, RGB, 16FT
6546-RGB-IP54	2.2W/Ft	12VDC	RGB	16.4ft	2.2W, 12V, RGB, 16FT
6546-RGB-IP65	2.2W/Ft	12VDC	RGB	16.4ft	2.2W, 12V, RGB, 16FT
6584-RGB	4.4W/Ft	12VDC	RGB	16.4ft	4.4W, 12V, RGB, 16FT
6584-RGB-IP54	4.4W/Ft	12VDC	RGB	16.4ft	4.4W, 12V, RGB, 16FT
6584-RGB-IP67	4.4W/Ft	12VDC	RGB	16.4ft	4.4W, 12V, RGB, 16FT


COLOR CHANGING RGB 24V DC

6546-RGB-24V	2.2W/Ft	24VDC	RGB	16.4ft	2.2W, 24V, RGB, 16FT
6546-RGB-24V-50	2.2W/Ft	24VDC	RGB	50ft	2.2W, 24V, RGB, 50FT
6546-RGB-24V-IP54	2.2W/Ft	24VDC	RGB	16.4ft	2.2W, 24V, RGB, 16FT
6546-RGB-24V-IP54-50	2.2W/Ft	24VDC	RGB	50ft	2.2W, 24V, RGB, 50FT
6546-RGB-24V-IP67	2.2W/Ft	24VDC	RGB	16.4ft	2.2W, 24V, RGB, 16FT
6546-RGB-24V-IP67-50	2.2W/Ft	24VDC	RGB	50ft	2.2W, 24V, RGB, 50FT
6546-RGB-24V-IP68	2.2W/Ft	24VDC	RGB	16.4ft	2.2W, 24V, RGB, 16FT
6546-RGB-24V-IP68-30	2.2W/Ft	24VDC	RGB	32.8ft	2.2W, 24V, RGB, 30FT
6584-RGB-24V	4.4W/Ft	24VDC	RGB	16.4ft	4.4W, 24V, RGB, 16FT
6584-RGB-24V-50	4.4W/Ft	24VDC	RGB	50ft	4.4W, 24V, RGB, 50FT
6584-RGB-24V-IP54	4.4W/Ft	24VDC	RGB	16.4ft	4.4W, 24V, RGB, 16FT
6584-RGB-24V-IP65	4.4W/Ft	24VDC	RGB	16.4ft	4.4W, 24V, RGB, 16FT
6584-RGB-IP67	4.4W/Ft	24VDC	RGB	16.4ft	4.4W, 24V, RGB, 16FT
6588-RGB-24V	6W/Ft	24VDC	RGB	16.4ft	6W, 24V, RGB, 16FT
6588-RGB-24V-IP67	6W/Ft	24VDC	RGB	16.4ft	6W, 24V, RGB, 16FT

COLOR CHANGING TRUE WHITE RGBW 24V DC

6584-RGB/W-24V	4.4W/Ft	24VDC	RGB/6000K	16.4ft	4.4W, 24V, RGB/30K, 16ft
6584-RGB/W-24V-50	4.4W/Ft	24VDC	RGB/6000K	50ft	4.4W, 24V, RGB/30K, 50ft
6584-RGB/WW-24V-IP54	4.4W/Ft	24VDC	RGB/3000K	16.4ft	4.4W, 24V, RGB/30K, 16ft
6584-RGB/WW-24V-IP67	4.4W/Ft	24VDC	RGB/3000K	16.4ft	4.4W, 24V, RGB/30K, 16ft
6584-RGB/WW-24V	4.4W/Ft	24VDC	RGB/3000K	16.4ft	4.4W, 24V, RGB/60K, 16ft
6584-RGB/WW-24V-50	4.4W/Ft	24VDC	RGB/3000K	50ft	4.4W, 24V, RGB/60K, 50ft
6584-RGB/W-24V-IP54	4.4W/Ft	24VDC	RGB/6000K	16.4ft	4.4W, 24V, RGB/60K, 16ft
6584-RGB/W-24V-IP67	4.4W/Ft	24VDC	RGB/6000K	16.4ft	4.4W, 24V, RGB/60K, 16ft

COLOR CHANGING RGB



RGB HIGH VOLTAGE STRIP 3.5W/FT

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	CCT	LENGTH	DESCRIPTION
6584-RGB-120V-IP67-165	3.5W/Ft	120VAC	RGB	165ft	3.5W, 120V, RGB, 165FT
6584-RGB-120V-IP67-82	3.5W/Ft	120VAC	RGB	82ft	3.5W, 120V, RGB, 82FT


RGB-LC (SMART LED)

6546-RGB-2815	2.2W/Ft	12VDC	RGB PIXEL	16.4ft	2.2W, 12V, RGB, 16FT
6566-RGB-2811	3.5W/Ft	12VDC	RGB SMART	16.4ft	3W, 12V, RGB, 16FT
6566-RGB-2811-IP54	3W/Ft	12VDC	RGB SMART	16.4ft	3W, 12V, RGB, 16FT
6584-RGB-2815	4.4W/Ft	12VDC	RGB PIXEL	16.4ft	4.4W, 12V, RGB, 16FT
6586-RGB-2815	6.W/Ft	12VDC	RGB PIXEL	16.4ft	6.6W, 12V, RGB, 16FT

RGB ECO 12V/24V

6584-RGB-ECO-12V	4.4W/Ft	12VDC	RGB	16.4ft	4.4W, 12V, RGB, 16FT
6584-RGB-ECO-24V	4.4W/Ft	24VDC	RGB	16.4ft	4.4W, 24V, RGB, 16FT

COLOR TEMPERATURE ADJUSTABLE



COLOR TEMPERATURE ADJUSTABLE

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	CCT	LENGTH	LUMEN	CRI	DESCRIPTION
6494-18K/40K-24V-CRI90	4W/Ft	24VDC	CCT CHANGE	16.4ft	260LM	>90	4W, 24V, 18K/40K, 16ft
6494-27K/60K-24V-CRI90	4W/Ft	24VDC	CCT CHANGE	16.4ft	260LM	>90	4W, 24V, 27K/60K, 16ft
6594-27K/60K-24V-CRI90	7W/Ft	24VDC	CCT CHANGE	16.4ft	600LM	>90	7W, 24V, 27K/60K, 16ft

DIM TO WARM

6494-DIM TO WARM-24V-CRI90	5.4W/Ft	24VDC	DIM TO WARM	16.4 ft	308LM	>90	5.4W/ft, 24K/40K, 16ft
----------------------------	---------	-------	-------------	---------	-------	-----	------------------------



LED STRIP LIGHTS

INDOOR-OUTDOOR SPOTLESS



SPOTLESS LIGHT 3W / 4.4W / 5W / 7W

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	CCT	LENGTH	LUMEN	CRI	DESCRIPTION
6484-27K-24V-CRI90	4.4W/Ft	24VDC	285LM	2700K	16.4ft	>90	4.4W, 24V, 27K, 16FT
6484-30K-24V	4.4W/Ft	24VDC	285LM	3000K	16.4ft	>80	4.4W, 24V, 30K, 16FT
6484-60K-24V	4.4W/Ft	24VDC	285LM	6000K	16.4ft	>80	4.4W, 24V, 60K, 16FT
6488-24K-24V-CRI90-3W	3W/Ft	24VDC	240LM	2400K	16.4ft	>90	3W, 24V, 24K, 16FT
6488-27K-24V-CRI90-3W	3W/Ft	24VDC	270LM	2700K	16.4ft	>90	3W, 24V, 27K, 16FT
6488-30K-24V-CRI90-3W	3W/Ft	24VDC	290LM	3000K	16.4ft	>90	3W, 24V, 30K, 16FT
6488-40K-24V-CRI90-3W	3W/Ft	24VDC	310LM	4000K	16.4ft	>90	3W, 24V, 40K, 16FT
6488-57K-24V-CRI90-3W	3W/Ft	24VDC	320LM	5700K	16.4ft	>90	3W, 24V, 57K, 16FT
6488-27K-24V-CRI90-5W	5W/Ft	24VDC	380LM	2700K	16.4ft	>90	5W, 24V, 27K, 16FT
6488-30K-24V-CRI90-5W	5W/Ft	24VDC	420LM	3000K	16.4ft	>90	5W, 24V, 30K, 16FT
6488-40K-24V-CRI90-5W	5W/Ft	24VDC	430LM	4000K	16.4ft	>90	5W, 24V, 40K, 16FT
6488-57K-24V-CRI90-5W	5W/Ft	24VDC	480LM	5700K	16.4ft	>90	5W, 24V, 57K, 16FT
6488-27K-24V-CRI90-7W	7W/Ft	24VDC	490LM	2700K	16.4ft	>90	7W, 24V, 27K, 16FT
6488-30K-24V-CRI90-7W	7W/Ft	24VDC	530LM	3000K	16.4ft	>90	7W, 24V, 30K, 16FT
6488-40K-24V-CRI90-7W	7W/Ft	24VDC	560LM	4000K	16.4ft	>90	7W, 24V, 40K, 16FT
6488-57K-24V-CRI90-7W	7W/Ft	24VDC	560LM	5700K	16.4ft	>90	7W, 24V, 57K, 16FT
6488-27K-24V-CRI90-3W-100	3W/Ft	24VDC	270lm	2700K	100ft	>90	3W, 24V, 27K, 100ft
6488-27K-24V-CRI90-5W-100	5W/Ft	24VDC	380lm	2700K	100ft	>90	5W, 24V, 27K, 100ft
6488-27K-24V-CRI90-7W-100	7W/Ft	24VDC	490lm	2700K	100ft	>90	7W, 24V, 27K, 100ft
6488-30K-24V-CRI90-3W-100	3W/Ft	24VDC	290lm	3000K	100ft	>90	3W, 24V, 30K, 100ft
6488-30K-24V-CRI90-5W-100	5W/Ft	24VDC	420lm	3000K	100ft	>90	5W, 24V, 30K, 100ft
6488-30K-24V-CRI90-7W-100	7W/Ft	24VDC	530lm	3000K	100ft	>90	7W, 24V, 30K, 100ft
6488-40K-24V-CRI90-7W-100	7W/Ft	24VDC	560lm	4000K	100ft	>90	7W, 24V, 40K, 100ft
6488-57K-24V-CRI90-7W-100	7W/Ft	24VDC	560lm	5700K	100ft	>90	7W, 24V, 57K, 100ft
6474-30K-1.5W-IP65-Milky-30	1.5W/Ft	24VDC	240LM	3000K	16.4ft	>90	1.5W, 24V, 30K, 33FT
6474-30K-24V-IP65-Milky-30	3W/Ft	24VDC	240LM	3000K	32.8ft	>90	3W, 24V, 30K, 33FT
6474-30K-24V-IP65-CRI90-Milky	3W/Ft	24VDC	240LM	3000K	16.4ft	>90	3W, 24V, 30K, 16FT
6474-40K-24V-IP65-Milky-30	3W/Ft	24VDC	260LM	4000K	32.8ft	>90	3W, 24V, 40K, 33FT
6474-40K-24V-IP65-CRI90-Milky	3W/Ft	24VDC	260LM	4000K	16.4ft	>90	3W, 24V, 40K, 16FT
6474-60K-24V-IP65-Milky-30	3W/Ft	24VDC	270LM	6000K	32.8ft	>90	3W, 24V, 60K, 33FT
6474-60K-24V-IP65-CRI90-Milky	3W/Ft	24VDC	270LM	6000K	16.4ft	>90	3W, 24V, 60K, 16FT

MINI NARROW

4W,400LM/FT

6494-5MM-4W



LED STRIP LIGHTS

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	CCT	LENGTH	LUMEN	DESCRIPTION
6494-30K-24V-5MM	4W/Ft	24VDC	360LM	3000K	16.4ft	4W, 24V, 30K, 16ft
6494-40K-24V-5MM	4W/Ft	24VDC	400LM	4000K	16.4ft	4W, 24V, 40K, 16ft
6494-60K-24V-5MM	4W/Ft	24VDC	400LM	6000K	16.4ft	4W, 24V, 60K, 16ft



LED SHEET

The 6990-24V LED sheet series is ideal for light boxes with a depth >1.18". Its thick PCB board and high quality SMD2835 chips will ensure constant brightness. Internal constant current for extremely long series connection without light decay. It is highly versatile, dimmable, and suitable for both lighting and accenting. Adopted XH-2Y connector easy for connection and super slim 3M double-side tape with strong adhesive. Available in a variety of color temperatures.

FLEXIBLE LED SHEET 1' X 2' 24V

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	LUMEN	CCT	Fixture Size	DESCRIPTION
6990-27K-24V-CRI90	26W	24V	2894 LM	2700K	1ft x 2ft	Flexible LED Sheet, 24V, 27K
6990-30K-24V-CRI90	26W	24V	2993 LM	3000K	1ft x 2ft	Flexible LED Sheet, 24V, 30K
6990-40K-24V-CRI90	26W	24V	3205 LM	4000K	1ft x 2ft	Flexible LED Sheet, 24V, 40K
6990-60K-24V-CRI90	26W	24V	3225 LM	6000K	1ft x 2ft	Flexible LED Sheet, 24V, 60K

COLOR CHANGING W/ WHITE FLEXIBLE LED SHEET 1' X 2' 24V

6990-RGB/27K-24V	46W	24V	1039 LM	RGB/27K	1ft x 2ft	Flexible LED Sheet, 24V, RGB/27K
6990-RGB/60K-24V	46W	24V	1039 LM	RGB/60K	1ft x 2ft	Flexible LED Sheet, 24V, RGB/60K



6990-18W



6990-RGB/27K, RGB/60K-46W

LONG RUN

LONG RUN

6174-100-Long-0.73W

6394-66-Long-1.8W

6474-50-Long-3W

LONG RUN OUTDOOR ACCENT LIGHT 0.73W, 48LM/FT

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	LUMEN	CCT	LENGTH	CRI	DESCRIPTION
6174-27K-24V-IP67-100-LONG	0.73W/Ft	24VDC	45 LM	2700K	100ft	>90	0.73W, 24V, 27K, 100ft
6174-30K-24V-IP67-100-LONG	0.73W/Ft	24VDC	47 LM	3000K	100ft	>90	0.73W, 24V, 30K, 100ft
6174-40K-24V-IP67-100-LONG	0.73W/Ft	24VDC	48 LM	4000K	100ft	>90	0.73W, 24V, 40K, 100ft
6174-60K-24V-IP67-100-LONG	0.73W/Ft	24VDC	51 LM	6000K	100ft	>90	0.73W, 24V, 60K, 100ft

LONG RUN ACCENT LIGHT 1.8W, 133LM/FT


6394-27K-24V-66-LONG	1.8W/Ft	24VDC	109 LM	2700K	66ft	>90	1.8W, 24V, 27K, 66ft
6394-30K-24V-66-LONG	1.8W/Ft	24VDC	124 LM	3000K	66ft	>90	1.8W, 24V, 30K, 66ft
6394-40K-24V-66-LONG	1.8W/Ft	24VDC	133 LM	4000K	66ft	>90	1.8W, 24V, 40K, 66ft
6394-60K-24V-66-LONG	1.8W/Ft	24VDC	140 LM	6000K	66ft	>90	1.8W, 24V, 60K, 66ft

LONG RUN MEDIUM LIGHT 3W/FT

6474-27K-24V-50-LONG	3W/Ft	24VDC	200 LM	2700K	50ft	>90	3W, 24V, 27K, 50ft
6474-30K-24V-50-LONG	3W/Ft	24VDC	205 LM	3000K	50ft	>90	3W, 24V, 30K, 50ft
6474-40K-24V-50-LONG	3W/Ft	24VDC	233 LM	4000K	50ft	>90	3W, 24V, 40K, 50ft
6474-60K-24V-50-LONG	3W/Ft	24VDC	255 LM	6000K	50ft	>90	3W, 24V, 60K, 50ft

SIDE VIEW

SIDE VIEW
LED STRIP




6394-2W


SIDEVIEW LED STRIP

6394-30K-SV	2W/Ft	12VDC	145LM	3000K	16.4ft	>90	2W, 12V, 30K, 16.4ft
6394-60K-SV	2W/Ft	12VDC	160LM	6000K	16.4ft	>90	2W, 12V, 60K, 16.4ft

LED STRIP LIGHTS




ALUMINUM CHANNEL



ALUMINUM CHANNEL


9601-A



SLIM LED ALUMINUM PROFILE
COVER OPTION: PC MILKY DIFFUSER
LENGTH: 94.5"


9601-B

SLIM LED ALUMINUM PROFILE
COVER OPTION: PC MILKY
DIFFUSER
LENGTH: 94.5"



ALUMINUM CHANNEL


9601-A,B WITH MILKY COVER



PC COVER FOR 9601 AND 9602
LENGTH: 94.5"


9602

CORNER LED ALUMINUM PROFILE
LENGTH: 94.5"



ALUMINUM CHANNEL


9603




Showcase LED Aluminum Profile
*Hidden Light source
Length: 94.5"

9604

Wide Slim LED Aluminum Profile
Length: 94.5"




9622



Deep Square LED Aluminum Profile w/ Cover
Cover Option: PC Milky diffuser
Accessories: 4 End Caps
Length: 94.5"

9622-W


Deep Square LED Aluminum Profile w/ Trim
Cover Option: PC Milky diffuser
Accessories: 4 End Caps
Length: 94.5"



ALUMINUM CHANNEL

ALUMINUM CHANNEL


9623




Aluminum Pendant Profile
Accessories: 4 End Caps,
1 2M metal piece to install
surface Mount or 2 hanging wire Set
Cover Option: Milky Diffuser
Length: 94.5"

9624

Wide Recessed Aluminum Channel
Accessories: 4 End Caps,
1 2M metal piece to install
surface Mount
Cover Option: Milky Diffuser
Length: 78.7"




9625



1" Trimless LED Aluminum Channel
Mud-In Channel for Professional
Installation
Accessories: 4 End Caps
Cover Option: PC Milky Diffuser
Length: 94.5"

9631-Mini


Slimmest and Lowest LED Channel
Accessories: 4 Set End Caps
and Clips
Cover Option: PC Milky
Length: 94.5"



ALUMINUM CHANNEL

ALUMINUM CHANNEL


9631 - B




Low Profile LED Aluminum Channel
Accessories: 4 Set End Caps and Clips
Cover Option: Milky, Frosted,
and Clear Diffuser
Length: 94.5"

9632

Low Profile LED Aluminum
Channel w/ Trim
Accessories: 4 Set End Caps
and Clips
Cover Option: Milky Diffuser
Length: 94.5"




9633-B




Thin Square LED
Aluminum Channel
Accessories: 4 Set End
Caps and Clips
Cover Option: Milky and
Frosted Diffuser
Length: 94.5"

9633-B-BLACK

Thin Square LED
Aluminum Channel
Accessories: 4 Set End
Caps and Clips
Cover Option: Milky Diffuser
Length: 94.5"



9633-C




LED Aluminum Channel
Smooth Edge
Accessories: 4 Set End
Caps and Clips
Cover Option: Milky Diffuser
Length: 94.5"

ALUMINUM CHANNEL

ALUMINUM CHANNEL


9633-C-W



LED Aluminum Channel
Smooth Edge w/ Trim
Accessories: 4 Set End Caps
and Clips
Cover Option: Milky Diffuser
Length: 94.5"


9634

Square Top LED
Aluminum Channel
Accessories: 4 Set End Caps
and Clips
Cover Option: Milky Diffuser
Length: 94.5"



ALUMINUM CHANNEL

9634-BIG



Extended PC lens for
better light diffusion
Accessories: 4 Set End
Caps and Clips
Cover Option: PC Milky Diffuser
Length: 94.5"

9634-BIG-PART

90 Degree Connector
1.5 meter Cable, 2 pc set
180 Degree Connector



9634-WIRE




9634-CONNECTOR



9634-L-CONNECTOR

ALUMINUM CHANNEL


9635




Angled LED Aluminum Channel
Accessories: 4 Set End Caps
and Clips
Cover Option: Milky Diffuser
Length: 94.5"

9635-B

Full Cover Angled LED
Aluminum Channel
Accessories: 4 Set End Caps
and Clips
Cover Option: Milky Diffuser
and Clear Diffuser
Length: 94.5"




9635-BIG



Big Full Cover Angled
LED Aluminum Channel
Accessories: 4 Set End
Caps and Clips
Cover Option: Milky Diffuser
Length: 94.5"

9636


Round Top LED
Aluminum Channel
Accessories: 4 Set End Caps
and Clips
Cover Option: Milky Diffuser
Length: 94.5"



ALUMINUM CHANNEL

ALUMINUM CHANNEL


9637




Wide Deep LED
Aluminum Channel
Accessories: 4 Set End Caps
and Clips
Cover Option: Milky and
Frosted Diffuser
Length: 94.5"

LED ALUMINUM PROFILE

ALUMINUM CHANNEL



POWER SUPPLY



OUTDOOR AND INDOOR

OUTDOOR POWER SUPPLY



PRODUCT NAME	WATTAGE	INPUT VOLTAGE	OUTPUT VOLTAGE	IP RATE	FIXTURE SIZE
8820-12(LPV-20)	20W(1.66A)	100-240V AC	12VDC	IP67	φ4.6" x 1.4" x 1"
8860-12(LPV-60)	60W(5A)	100-240V AC	12VDC	IP67	φ6.4" x 1.7" x 1.3"
8910-12V(LPV-100)	100W(8.3A)	100-240V AC	12VDC	IP67	φ7.5" x 2" x 1.5"
8915-LPVR-12V	120W (10A)	100-120VAC	12VDC	IP67	φ7.48" x 2.44 x 1.5"
8915-12V(HLG-150)	150W (12.5A)	90-305V AC	12VDC	IP67	φ8.98" x 2.68" x 1.53"
8924-12V(HLG-240)	192W(16A)	90-305V AC	12VDC	IP67	φ9.61" x 2.68" x 1.53"
8932-12V(HLG-320)	264W(22A)	90-305V AC	12VDC	IP67	φ9.92" x 3.54" x 1.72"
8860-CEN-60	60W(5A)	90-305V AC	12VDC	IP67	φ6.5" x 2.36" x 1.54"
8820-24(LPV-20)	20W(0.83A)	100-240V AC	24VDC	IP67	φ4.6" x 1.4" x 1"
8860-24(LPV-60)	60W(2.5A)	100-240V AC	24VDC	IP67	φ6.4" x 1.7" x 1.3"
8910-24V(LPV-100)	100W(4.15A)	100-240V AC	24VDC	IP67	φ7.5" x 2" x 1.5"
8915-LPVR-24V	120W (5A)	100-120VAC	24VDC	IP67	φ7.48" x 2.44 x 1.5"
8915-24V	150W (6.25A)	90-305V AC	24VDC	IP67	φ8.98" x 2.68" x 1.53"
8924-24V	192W(8A)	90-305V AC	24VDC	IP67	φ9.61" x 2.68" x 1.53"
8932-24V	320W(13.3A)	90-305V AC	24VDC	IP67	φ9.92" x 3.54" x 1.72"
8910-CEN-24	60W(5A)	90-305V AC	24VDC	IP67	φ6.89" x 2.36" x 1.54"

INDOOR POWER SUPPLY - ENCLOSED TYPE



8012-12V	12W(1A)	100-240V AC	12VDC	IP 20	φ3" x 1.5" x 0.9"
8024-12V	24W(2A)	100-240V AC	12VDC	IP 20	φ3.7" x 1.7" x 0.9"
8036-12V	36W(3A)	100-240V AC	12VDC	IP 20	φ4.13" x 1.93" x 1.26"
8060-12V	60W(5A)	100-240V AC	12VDC	IP 20	φ4.13" x 1.93" x 1.26"
8030-B-12V(PLC-30-12)	30W(2.5A)	90-264V AC	12VDC	IP 20	φ6.3" x 1.8" x 1.2"
8045-B-12V(PLC-45-12)	45W(3.75A)	90-264V AC	12VDC	IP 20	φ7.1" x 2.4" x 1.4"
8060-B-12V(PLC-60-12)	60W(5A)	90-264V AC	12VDC	IP 20	φ7.1" x 2.4" x 1.4"
8100-B-12V(PLC-100-12)	100W(8.3A)	90-264V AC	12VDC	IP 20	φ7.87" x 2.72" x 1.38"
8012-24V	12W(0.5A)	100-240V AC	24VDC	IP 20	φ3" x 1.5" x 0.9"
8024-24V	24W(1A)	100-240V AC	24VDC	IP 20	φ3.7" x 1.7" x 0.9"
8036-24V	36W(1.5A)	100-240V AC	24VDC	IP 20	φ4.13" x 1.93" x 1.26"
8060-24V	60W(2.5A)	100-240V AC	24VDC	IP 20	φ4.13" x 1.93" x 1.26"
8030-B-24V(PLC-30-24)	30W(1.25A)	90-264V AC	24VDC	IP 20	φ6.3" x 1.8" x 1.2"
8045-B-24V(PLC-45-24)	45W(1.87A)	90-264V AC	24VDC	IP 20	φ7.1" x 2.4" x 1.4"
8060-B-24V(PLC-60-24)	60W(2.5A)	90-264V AC	24VDC	IP 20	φ7.1" x 2.4" x 1.4"
8100-B-24V(PLC-100-24)	100W(4.1A)	90-264V AC	24VDC	IP 20	φ7.88" x 2.72" x 1.38"

12VDC SWITCHING TYPE



8109-12V	100W(8.3A)	100-240V AC	12VDC	IP 20	φ5.12" x 3.82" x 1.18"
8159-12V	150W(12.5A)	100-240V AC	12VDC	IP 20	φ6.30" x 3.82" x 1.18"
8309-12V	200W(16.6A)	100-240V AC	12VDC	IP 20	φ8.46" x 4.53" x 1.18"
8359-12V	350W(29A)	100-240V AC	12VDC	IP 20	φ8.46" x 4.53" x 1.18"
8109-24V	100W(4.1A)	100-240V AC	24VDC	IP 20	φ5.12" x 3.82" x 1.18"
8159-24V	150W(6.25A)	100-240V AC	24VDC	IP 20	φ6.30" x 3.82" x 1.18"
8309-24V	200W(8.3A)	100-240V AC	24VDC	IP 20	φ8.46" x 4.53" x 1.18"
8359-24V	350W(14.5A)	100-240V AC	24VDC	IP 20	φ8.46" x 4.53" x 1.18"

ADAPTER

6VDC ADAPTER

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	OUTPUT VOLTAGE	IP RATE	FIXTURE SIZE	FIXTURE COLOR
8700-6W-6V	6W(1A-6V)	100-240VAC	6VDC	IP20	2.13" x 0.91" x 1.26"	Black
8700-6W-6V-IP67	6W(1A-6V)	100-240VAC	6VDC	IP67	2.13" x 0.91" x 1.26"	Black

12VDC ADAPTER

8700-12W-12V	12W(1A)	100-240VAC	12VDC	IP20	2.87" x 1.10" x 1.81"	White
8700-36W-12V	36W(3A)	100-240VAC	12VDC	IP20	3.95" x 1.93" x 1.28"	White
8700-36W-12V-Class 2	36W(3A)	100-240VAC	12VDC	IP20	3.81" x 1.93" x 1.18"	White
8700-36W-12V-Wall	36W(3A)	100-240VAC	12VDC	IP20	3.66" x 1.73" x 1.34"	White(Wall)
8700-60W-12V-Class 2	60W(5A)	100-240VAC	12VDC	IP20	4.41" x 1.89" x 1.18"	White
8700-96W-12V	96W(8A)	100-240VAC	12VDC	IP20	5.91" x 2.28" x 1.42"	Black
8710-120W-12V	120W(10A)	100-240VAC	12VDC	IP20	6.69" x 2.76" x 1.57"	Black
8880-12V	222W(18.5A)	90-264VAC	12VDC	IP20	8.66" x 3.74" x 1.81"	Black
8700-60W-12V-IP67	60W(5A)	100-240VAC	12VDC	IP67	7.09" x 1.97" x 1.65"	Black

24VDC ADAPTER

8700-12W-24V	12W(0.5A)	100-240VAC	24VDC	IP20	2.83" x 0.98" x 1.57"	Black
8700-36W-24V-Class 2	36W(1.5A)	100-240VAC	24VDC	IP20	3.95" x 1.93" x 1.28"	White
8700-60W-24V- Class 2	60W(2.5A)	100-240VAC	24VDC	IP20	4.53" x 1.97" x 1.19"	White
8700-72W-24V- Class 2	72W(3A)	100-240VAC	24VDC	IP20	4.72" x 2.28" x 1.5"	Black
8700-96W-24V	96W(4A)	100-240VAC	24VDC	IP20	5.51" x 2.28" x 1.38"	Black
8710-120W-24V	120W(5A)	100-240VAC	24VDC	IP20	6.69" x 2.76" x 1.57"	Black

POWER SUPPLY



6VDC ADAPTER



12VDC ADAPTER



24VDC ADAPTER

DIMMABLE

12V 110-277VAC DIMMABLE



PRODUCT NAME	WATTAGE	INPUT VOLTAGE	OUTPUT VOLTAGE	IP RATE	FIXTURE SIZE	DIM
8400-30W-12V	30W(2.5A)	100-277VAC	12VDC	Damp	6.5" x 3.62" x 1.02"	Yes
8400-60W-12V	60W(5A)	100-277VAC	12VDC	Damp	7.40" x 3.62" x 1.02"	Yes
8400-100W-12V	100W(8.33A)	100-277VAC	12VDC	Damp	8.66" x 3.66" x 1.61"	Yes
8400-120W-12V	120W(10A)	100-277VAC	12VDC	Damp	8.66" x 3.66" x 1.61"	Yes
8400-150W-12V	150W(12.5A)	100-277VAC	12VDC	Damp	10.24" x 4.06" x 1.81"	Yes
8400-180W-12V-C2	180W(15A)	100-277VAC	12VDC	Damp	10.9" x 4.25" x 1.81"	Yes
8400-200W-12V	200W(16.7A)	100-277VAC	12VDC	Damp	10.24" x 4.06" x 1.81"	Yes
8400-300W-12V	300W(25A)	100-277VAC	12VDC	Damp	11.58" x 4.25" x 1.81"	Yes
8400-300W-12V-C2	300W(25A)	100-277VAC	12VDC	Damp	11.58" x 4.25" x 1.81"	Yes

24V 110-277VAC DIMMABLE



8400-30W-24V	30W(1.25A)	100-277VAC	24VDC	Damp	6.5" x 3.62" x 1.02"	Yes
8400-60W-24V	60W(2.5A)	100-277VAC	24VDC	Damp	7.40" x 3.62" x 1.02"	Yes
8400-80W-24V	80W(3.3A)	100-277VAC	24VDC	Damp	7.40" x 3.62" x 1.02"	Yes
8400-96W-24V	96W(4A)	100-277VAC	24VDC	Damp	7.40" x 3.62" x 1.02"	Yes
8400-120W-24V	120W(5A)	100-277VAC	24VDC	Damp	8.66" x 3.66" x 1.61"	Yes
8400-150W-24V	150W(6.25A)	100-277VAC	24VDC	Damp	10.24" x 4.06" x 1.81"	Yes
8400-192W-24V-C2	192W(8A)	100-277VAC	24VDC	Damp	10.9" x 4.25" x 1.81"	Yes
8400-200W-24V	200W(8.33A)	100-277VAC	24VDC	Damp	10.24" x 4.06" x 1.81"	Yes
8400-288W-24V-C2	288W(12A)	100-277VAC	24VDC	Damp	11.85" x 4.25" x 1.81"	Yes
8400-300W-24V	300W(12.5A)	100-277VAC	24VDC	Damp	11.58" x 4.25" x 1.81"	Yes

JUNCTION BOX



8212-12V-JB	12W(1A)	100-120VAC	12VDC	IP20	6.7" x 1.65" x 1.37"	Yes
8212-24V-JB	12W(0.5A)	100-120VAC	24VDC	IP20	6.7" x 1.65" x 1.37"	Yes
8220-24V-JB	20W(0.83A)	100-120VAC	24VDC	IP20	6.7" x 1.65" x 1.37"	Yes
8225-12V-JB	25W(2.08A)	100-130VAC	12VDC	IP20	13.78" x 2.95" x 0.99"	Yes
8225-24V-JB	25W(1.04A)	100-130VAC	24VDC	IP20	13.78" x 2.95" x 0.99"	Yes
8240-12V-JB	40W(3.3A)	100-120VAC	12VDC	IP20	8.46" x 1.85" x 1.38"	Yes
8240-24V-JB	40W(1.66A)	100-120VAC	24VDC	IP20	8.46" x 1.85" x 1.38"	Yes
8250-12V-JB	50W(4.16A)	100-130VAC	12VDC	IP20	13.78" x 2.95" x 0.99"	Yes
8250-24V-JB	50W(2.08A)	100-130VAC	24VDC	IP20	13.78" x 2.95" x 0.99"	Yes
8280-12V-JB	80W(6.67)	100-130VAC	12VDC	IP20	14.84" x 2.95" x 2.17"	Yes
8280-24V-JB	80W(3.3A)	100-130VAC	12VDC	IP20	14.84" x 2.95" x 2.17"	Yes
8290-12V-JB	84W(7A)	100-120VAC	12VDC	IP66	10.3" x 2.6" x 1.37"	Yes
8290-24V-JB	100W(4.2A)	100-120VAC	24VDC	IP66	10.3" x 2.6" x 1.37"	Yes
8296-24V-JB	96W(4A)	100-130VAC	24VDC	IP66	14.84" x 2.95" x 2.17"	Yes
8312-12V-JB	120W(10A)	100-130VAC	12VDC	IP66	14.84" x 2.95" x 2.17"	Yes
8312-24V-JB	120W(5A)	100-130VAC	24VDC	IP66	14.84" x 2.95" x 2.17"	Yes
8315-12V-JB	150W(12.5A)	100-130VAC	12VDC	IP66	16.06" x 3.31" x 2.32"	Yes
8315-24V-JB	150W(6.25A)	100-130VAC	24VDC	IP66	16.06" x 3.31" x 2.32"	Yes
8320-12V-JB	200W(16W)	100-130VAC	12VDC	IP66	16.06" x 3.31" x 2.32"	Yes
8320-24V-JB	200W(8W)	100-130VAC	24VDC	IP66	16.06" x 3.31" x 2.32"	Yes

DIMMABLE WITH AC PLUG-IN

AC PLUG IN

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	OUTPUT VOLTAGE	IP RATE	FIXTURE SIZE	DIM
8225-12V-Plug	25W(2.08A)	100-130VAC	12VDC	IP20	13.8" X 3.03" X 1.02"	Yes-Triac
8250-12V-Plug	50W(4.16A)	100-130VAC	12VDC	IP20	13.8" X 3.03" X 1.02"	Yes-Triac
8225-24V-Plug	25W(1.04A)	100-130VAC	24VDC	IP20	13.8" X 3.03" X 1.02"	Yes-Triac
8250-24V-Plug	50W(2.08A)	100-130VAC	24VDC	IP20	13.8" X 3.03" X 1.02"	Yes-Triac

AC Plug-In with JB

8225-12V-JB-AC Plug	25W(2.08A)	100-130VAC	12VDC	IP20	13.8" X 3.03" X 1.02"	Yes-Triac
8250-12V-JB-AC Plug	50W(4.16A)	100-130VAC	12VDC	IP20	13.8" X 3.03" X 1.02"	Yes-Triac
8225-24V-JB-AC Plug	25W(1.04A)	100-130VAC	24VDC	IP20	13.8" X 3.03" X 1.02"	Yes-Triac
8250-24V-JB-AC Plug	50W(2.08A)	100-130VAC	24VDC	IP20	13.8" X 3.03" X 1.02"	Yes-Triac

POWER SUPPLY



AC PLUG IN WITH JB



AC PLUG IN

TRIAC AND 0-10

12V TRIAC POWER SUPPLY



PRODUCT NAME	WATTAGE	INPUT VOLTAGE	OUTPUT VOLTAGE	IP RATE	FIXTURE SIZE	DIM
8212-12V-ETL	12W(1A)	100-120VAC	12V	IP20	2.95" x 1.38" x 0.99"	Yes-Triac
8225-12V	25W(2A)	100-120VAC	12V	IP20	4.2" x 1.6" x 0.86"	Yes-Triac
8230-12V-ETL	30W(2A)	100-120VAC	12V	IP20	5.24" x 1.85" x 1.18"	Yes-Triac
8240-12V-ETL	36W(3A)	100-120VAC	12V	IP20	5.24" x 1.85" x 1.18"	Yes-Triac
8250-12V	50W(4A)	100-120VAC	12V	IP20	7" x 2.4" x 0.8"	Yes-Triac
8260-12V-ETL	48W(4A)	100-120VAC	12V	IP20	6.69" x 1.97" x 1.18"	Yes-Triac
8270-12V-ETL	66W(5.5A)	100-120VAC	12V	IP20	7.48" x 2.56" x 1.18"	Yes-Triac

24V TRIAC POWER SUPPLY



8209-24V-ETL	9W(0.375A)	100-120VAC	24V	IP20	3.3" x 1.14" x 0.79"	Yes-Triac
8212-24V-ETL	12W(0.5A)	100-120VAC	24V	IP20	2.95" x 1.38" x 0.99"	Yes-Triac
8220-24V-ETL	20W(0.83A)	100-120VAC	24V	IP20	4.2" x 1.6" x 0.86"	Yes-Triac
8225-24V	25W(1A)	100-120VAC	24V	IP20	4.2" x 1.6" x 0.86"	Yes-Triac
8250-24V	50W(2A)	100-120VAC	24V	IP20	7" x 2.4" x 0.8"	Yes-Triac
8260-24V-ETL	60W(2.5A)	100-120VAC	24V	IP20	6.69" x 1.97" x 1.18"	Yes-Triac
8270-24V-ETL	80W(3.33A)	100-120VAC	24V	IP20	7.48" x 2.56" x 1.18"	Yes-Triac

WATERPROOF TRIAC POWER SUPPLY



8212-12V-IP67	12W(1A)	100-120VAC	12VDC	IP67	4.3" x 1.65" x 1.1"	Yes-Triac
8290-12V-IP67	84W(7A)	100-120VAC	12VDC	IP67	8.25" x 2.67" x 1.5"	Yes-Triac
8312-12V	120W(10A)	100-130VAC	12VDC	IP66	8.98" x 2.76" x 1.65"	Yes-Triac
8315-12V	150W(12.5A)	100-130VAC	12VDC	IP66	10.08" x 3.03" x 1.77"	Yes-Triac
8320-12V	200W(16.6A)	100-130VAC	12VDC	IP66	10.08" x 3.03" x 1.77"	Yes-Triac
8212-24V-IP67	12W(0.5A)	100-120VAC	24V	IP67	4.3" x 1.65" x 1.1"	Yes-Triac
8290-24V-IP67	100W(4.2A)	100-120VAC	24V	IP67	8.25" x 2.67" x 1.5"	Yes-Triac
8312-24V	120W(5A)	100-130VAC	24V	IP66	8.98" x 2.76" x 1.65"	Yes-Triac
8315-24V	150W(6.25A)	100-130VAC	24V	IP66	10.08" x 3.03" x 1.77"	Yes-Triac
8320-24V	200W(8.3A)	100-130VAC	24V	IP66	10.08" x 3.03" x 1.77"	Yes-Triac

0-10 12V/24V Dimmable



8915-DIM-12V	150W(12.5A)	90-305V AC	12VDC	8.98" x 2.68" x 1.53"
8924-DIM-12V	192W(16A)	90-305V AC	12VDC	9.61" x 2.68" x 1.53"
8932-DIM-12V	264W(11A)	90-305V AC	12VDC	9.92" x 3.54" x 1.72"
8915-DIM-24V	150W(12.5A)	90-305V AC	24VDC	8.98" x 2.68" x 1.53"
8924-DIM-24V	240W(10A)	90-305V AC	24VDC	9.61" x 2.68" x 1.53"
8932-DIM-24V	320W(13.3A)	90-305V AC	24VDC	9.92" x 3.54" x 1.72"

0 UNDER CABINET



UNDER CABINET

LED SPOT PUCK LIGHT


PRODUCT NAME	WATTAGE	INPUT VOLTAGE	CCT	LUMEN	BEAM ANGLE	FIXTURE COLOR	FIXTURE SIZE	HOLE SIZE	DIM	DESCRIPTION
4302-30K-AL	3W	12VDC	3000K	210LM	120°	ALUMINUM	Φ2.72" X 0.53"	Ø2.28"	YES	3W, 12V, 30K
4302-30K-BK	3W	12VDC	3000K	210LM	120°	BLACK	Φ2.72" X 0.53"	Ø2.28"	YES	3W, 12V, 30K
4302-30K-WH	3W	12VDC	3000K	210LM	120°	WHITE	Φ2.72" X 0.53"	Ø2.28"	YES	3W, 12V, 30K
4302-60K-AL	3W	12VDC	6000K	240LM	120°	ALUMINUM	Φ2.72" X 0.53"	Ø2.28"	YES	3W, 12V, 60K
4302-60K-BK	3W	12VDC	6000K	240LM	120°	BLACK	Φ2.72" X 0.53"	Ø2.28"	YES	3W, 12V, 60K
4302-60K-WH	3W	12VDC	6000K	240LM	120°	WHITE	Φ2.72" X 0.53"	Ø2.28"	YES	3W, 12V, 60K
4302B-30K-AL	3W	12VDC	3000K	210LM	30°	ALUMINUM	Φ2.72" X 0.53"	Ø2.28"	YES	3W, 12V, 30K
4302B-60K-AL	3W	12VDC	6000K	240LM	30°	ALUMINUM	Φ2.72" X 0.53"	Ø2.28"	YES	3W, 12V, 60K
4104-30K-AL	1W	12VDC	3000K	100LM	30°	ALUMINUM	Φ1.29" X 0.84"	N/A	YES	1W, 12V, 30K
4104-60K-AL	1W	12VDC	6000K	115LM	30°	ALUMINUM	Φ1.29" X 0.84"	N/A	YES	1W, 12V, 60K

UNDER CABINET

PUCK 120D

4302C-WWW-WH	3W	12VDC	2700K	220LM	120°	WHITE	Ø2.72"*0.53"	Ø2.28"	YES	3W, 12V, 27K
4302C-WW-WH	3W	12VDC	3000K	230LM	120°	WHITE	Ø2.72"*0.53"	Ø2.28"	YES	3W, 12V, 30K
4302C-WW-BK	3W	12VDC	3000K	230LM	120°	BLACK	Ø2.72"*0.53"	Ø2.28"	YES	3W, 12V, 30K
4302C-WW-AL	3W	12VDC	3000K	230LM	120°	ALUMINIUM	Ø2.72"*0.53"	Ø2.28"	YES	3W, 12V, 30K
4302C-CW-WH	3W	12VDC	6000K	260LM	120°	WHITE	Ø2.72"*0.53"	Ø2.28"	YES	3W, 12V, 60K
4302C-CW-BK	3W	12VDC	6000K	260LM	120°	BLACK	Ø2.72"*0.53"	Ø2.28"	YES	3W, 12V, 60K
4302C-CW-AL	3W	12VDC	6000K	260LM	120°	ALUMINUM	Ø2.72"*0.53"	Ø2.28"	YES	3W, 12V, 60K
4302C-RGB/W-WH	3W	12VDC	RGB/W	N/A	120°	WHITE	Ø2.72"*0.53"	Ø2.28"	YES	3W, 12V, RGB/W
4302C-RGB/WW-WH	3W	12VDC	RGB/WW	N/A	120°	WHITE	Ø2.72"*0.53"	Ø2.28"	YES	3W, 12V, RGB/WW
4302C-RGB/W-AL	3W	12VDC	RGB/W	N/A	120°	ALUMINUM	Ø2.72"*0.53"	Ø2.28"	YES	3W, 12V, RGB/W
4302C-RGB/WW-AL	3W	12VDC	RGB/WW	N/A	120°	ALUMINUM	Ø2.72"*0.53"	Ø2.28"	YES	3W, 12V, RGB/WW

LED SPOT PUCK LIGHT



PUCK 120D


UNDER CABINET

SQUARE - 120D

UNDER CABINET

4302C-WW-WH-SQ	3W	12VDC	3000K	230LM	120°	WHITE	Ø2.75" X 2.75" X 0.53"	Ø2.28"	YES	3W, 12V, 30K
4302C-WW-BK-SQ	3W	12VDC	3000K	230LM	120°	BLACK	Ø2.75" X 2.75" X 0.53"	Ø2.28"	YES	3W, 12V, 30K
4302C-WW-AL-SQ	3W	12VDC	3000K	230LM	120°	ALUMINUM	Ø2.75" X 2.75" X 0.53"	Ø2.28"	YES	3W, 12V, 30K
4302C-CW-WH-SQ	3W	12VDC	6000K	260LM	120°	WHITE	Ø2.75" X 2.75" X 0.53"	Ø2.28"	YES	3W, 12V, 60K
4302C-CW-BK-SQ	3W	12VDC	6000K	260LM	120°	BLACK	Ø2.75" X 2.75" X 0.53"	Ø2.28"	YES	3W, 12V, 60K
4302C-CW-AL-SQ	3W	12VDC	6000K	260LM	120°	ALUMINUM	Ø2.75" X 2.75" X 0.53"	Ø2.28"	YES	3W, 12V, 60K


4302C-SQ-AL



4302C-SQ-WH



4302C-SQ-BK



UNDER CABINET

MINI GIMBAL

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	CCT	LUMEN	BEAM ANGLE	FIXTURE COLOR	FIXTURE SIZE	HOLE SIZE	DIM	DESCRIPTION
4121-WWW-WH	3W	12VDC	2700K	140LM	60°	WHITE	Ø1.96*1.33"	Ø1.65"	YES	3W, 12V, 27K
4121-WWW-AL	3W	12VDC	2700K	140LM	60°	ALUMINUM	Ø1.96*1.33"	Ø1.65"	YES	3W, 12V, 27K
4121-WW-WH	3W	12VDC	3000K	150LM	60°	WHITE	Ø1.96*1.33"	Ø1.65"	YES	3W, 12V, 30K
4121-WW-BK	3W	12VDC	3000K	150LM	60°	BLACK	Ø1.96*1.33"	Ø1.65"	YES	3W, 12V, 30K
4121-WW-AL	3W	12VDC	3000K	150LM	60°	ALUMINUM	Ø1.96*1.33"	Ø1.65"	YES	3W, 12V, 30K
4121-NW-WH	3W	12VDC	4000K	165LM	60°	WHITE	Ø1.96*1.33"	Ø1.65"	YES	3W, 12V, 40K
4121-CW-WH	3W	12VDC	6000K	180LM	60°	WHITE	Ø1.96*1.33"	Ø1.65"	YES	3W, 12V, 60K
4121-CW-BK	3W	12VDC	6000K	180LM	60°	BLACK	Ø1.96*1.33"	Ø1.65"	YES	3W, 12V, 60K
4121-CW-AL	3W	12VDC	6000K	180LM	60°	ALUMINUM	Ø1.96*1.33"	Ø1.65"	YES	3W, 12V, 60K

SLIM RECESSED OR MOUNT

4122-WW-WH	2.2W	12VDC	3000K	180LM	120°	WHITE	Φ2.95" X 0.13"	Ø2.28"	YES	3W, 12V, 30K
4122-WW-BK	2.2W	12VDC	3000K	180LM	120°	BLACK	Φ2.95" X 0.13"	Ø2.28"	YES	3W, 12V, 30K
4122-WW-AL	2.2W	12VDC	3000K	180LM	120°	ALUMINIUM	Φ2.95" X 0.13"	Ø2.28"	YES	3W, 12V, 30K
4122-CW-WH	2.2W	12VDC	6000K	210LM	120°	WHITE	Φ2.95" X 0.13"	Ø2.28"	YES	3W, 12V, 60K
4122-CW-BK	2.2W	12VDC	6000K	210LM	120°	BLACK	Φ2.95" X 0.13"	Ø2.28"	YES	3W, 12V, 60K
4122-CW-AL	2.2W	12VDC	6000K	210LM	120°	ALUMINUM	Φ2.95" X 0.13"	Ø2.28"	YES	3W, 12V, 60K
4124-WW-WH	1.8W	12VDC	3000K	160LM	80°	WHITE	Φ2.51" X 0.29"	Ø2.36"	YES	3W, 12V, 30K
4124-WW-AL	1.8W	12VDC	3000K	160LM	80°	ALUMINUM	Φ2.51" X 0.29"	Ø2.36"	YES	3W, 12V, 30K
4124-NW-WH	1.8W	12VDC	4000K	170LM	80°	WHITE	Φ2.51" X 0.29"	Ø2.36"	YES	3W, 12V, 40K
4124-NW-AL	1.8W	12VDC	4000K	170LM	80°	ALUMINUM	Φ2.51" X 0.29"	Ø2.36"	YES	3W, 12V, 40K
4124-CW-WH	1.8W	12VDC	6000K	180LM	80°	WHITE	Φ2.51" X 0.29"	Ø2.36"	YES	3W, 12V, 60K
4124-CW-AL	1.8W	12VDC	6000K	180LM	80°	ALUMINUM	Φ2.51" X 0.29"	Ø2.36"	YES	3W, 12V, 60K

MINI GIMBAL

SLIM RECESSED OR MOUNT



UNDER CABINET

UNDER CABINET

MINI- PUCK

UNDER CABINET

4105-WW-R	1.5W	12VDC	3000K	90LM	80°	SILVER/ROUND	Φ1.18" X 0.55"	Ø1.02"	YES	3W, 12V, 30K
4105-WW-R-CR	1.5W	12VDC	3000K	90LM	80°	CHROME/ROUND	Φ1.18" X 0.55"	Ø1.02"	YES	3W, 12V, 30K
4105-CW-R	1.5W	12VDC	6000K	100LM	80°	SILVER/ROUND	Φ1.18" X 0.55"	Ø1.02"	YES	3W, 12V, 60K
4105-CW-R-CR	1.5W	12VDC	6000K	100LM	80°	CHROME/ROUND	Φ1.18" X 0.55"	Ø1.02"	YES	3W, 12V, 60K
4105-WW-SQ	1.5W	12VDC	3000K	90LM	80°	SILVER/SQUARE	Φ1.37" X 1.37" X 0.55"	N/A	YES	3W, 12V, 30K
4105-WW-SQ-CR	1.5W	12VDC	3000K	90LM	80°	CHROME/SQUARE	Φ1.37" X 1.37" X 0.55"	N/A	YES	3W, 12V, 30K
4105-CW-SQ	1.5W	12VDC	6000K	100LM	80°	SILVER/SQUARE	Φ1.37" X 1.37" X 0.55"	N/A	YES	3W, 12V, 60K
4105-CW-SQ-CR	1.5W	12VDC	6000K	100LM	80°	CHROME/SQUARE	Φ1.37" X 1.37" X 0.55"	N/A	YES	3W, 12V, 60K

MINI-SQUARE

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	CCT	LUMEN	BEAM ANGLE	FIXTURE COLOR	FIXTURE SIZE	HOLE SIZE	DIM	DESCRIPTION
4130-WW-WH	1W	12VDC	3000K	80LM	20°	WHITE/SQUARE	Φ2.55" X 2.55" X 0.66"	Ø1.96"	YES	3W, 12V, 30K
4130-WW-AL	1W	12VDC	3000K	80LM	20°	SILVER /SQUARE	Φ2.55" X 2.55" X 0.66"	Ø1.96"	YES	3W, 12V, 30K
4130-NW-WH	1W	12VDC	4000K	85LM	20°	WHITE/SQUARE	Φ2.55" X 2.55" X 0.66"	Ø1.96"	YES	3W, 12V, 40K
4130-NW-AL	1W	12VDC	4000K	85LM	20°	SILVER /SQUARE	Φ2.55" X 2.55" X 0.66"	Ø1.96"	YES	3W, 12V, 40K
4130-CW-WH	1W	12VDC	6000K	90LM	20°	WHITE/SQUARE	Φ2.55" X 2.55" X 0.66"	Ø1.96"	YES	3W, 12V, 60K
4130-CW-AL	1W	12VDC	6000K	90LM	20°	SILVER /SQUARE	Φ2.55" X 2.55" X 0.66"	Ø1.96"	YES	3W, 12V, 60K

120V - PUCK - SATIN NICKEL

4306-WW-NK	4W	120VAC	3000K	200LM	80°	SATIN NICKEL	Φ2.75" X 0.98"	Ø1.6"	YES	3W, 12V, 30K
4306-NW-NK	4W	120VAC	4000K	220LM	80°	SATIN NICKEL	Φ2.75" X 0.98"	Ø1.6"	YES	3W, 12V, 40K
4306-CW-NK	4W	120VAC	6000K	240LM	80°	SATIN NICKEL	Φ2.75" X 0.98"	Ø1.6"	YES	3W, 12V, 60K

MINI- PUCK



4105-R



4105-SQ

MINI-SQUARE



4130-AL



4130-WH

120V - PUCK - SATIN NICKEL



4306-NK

CEILING LIGHT



SLIM PANEL

120V SLIM PANEL - ROUND

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	CCT	LUMEN	FIXTURE SIZE	DIM	HOLE SIZE	DESCRIPTION
3003-27K-120V	6W	120VAC	2700K	336LM	Φ3.54" X 0.39"	YES-TRI AC	Ø3.54"	6W, 120V, 27K
3003-30K-120V	6W	120VAC	3000K	336LM	Φ3.54" X 0.39"	YES-TRI AC	Ø3.54"	6W, 120V, 30K
3003-40K-120V	6W	120VAC	4000K	360 LM	Φ3.54" X 0.39"	YES-TRI AC	Ø3.54"	6W, 120V, 40K
3003-60K-120V	6W	120VAC	6000K	360 LM	Φ3.54" X 0.39"	YES-TRI AC	Ø3.54"	6W, 120V, 60K
3001-27K-120V	9W	120VAC	2700K	720LM	Φ4.75" X 0.4"	YES-TRI AC	Ø4.53"	9W, 120V, 27K
3001-30K-120V	8W	120VAC	3000K	650LM	Φ4.75" X 0.4"	YES-TRI AC	Ø4.53"	9W, 120V, 30K
3001-40K-120V	9W	120VAC	4000K	720LM	Φ4.75" X 0.4"	YES-TRI AC	Ø4.53"	9W, 120V, 40K
3001-60K-120V	8W	120VAC	6000K	650LM	Φ4.75" X 0.4"	YES-TRI AC	Ø4.53"	9W, 120V, 60K
3001-CCT-120V	9W	120VAC	30K-60K	700-800LM	Φ4.75" X 0.4"	YES-TRI AC	Ø4.53"	9W, 120V, CCT
3010-27K-120V	12W	120VAC	2700K	940LM	Φ6.9" X 0.4"	YES-TRI AC	Ø6.18"	12W, 120V, 27K
3010-30K-120V	12W	120VAC	3000K	950LM	Φ6.9" X 0.4"	YES-TRI AC	Ø6.18"	12W, 120V, 30K
3010-40K-120V	12W	120VAC	4000K	980LM	Φ6.9" X 0.4"	YES-TRI AC	Ø6.18"	12W, 120V, 40K
3010-60K-120V	12W	120VAC	6000K	1000LM	Φ6.9" X 0.4"	YES-TRI AC	Ø6.18"	12W, 120V, 60K
3010-CCT-120V	12W	120VAC	30K-60K	900-1000LM	Φ6.9" X 0.4"	YES-TRI AC	Ø6.18"	12W, 120V, CCT

120V SLIM PANEL - SQUARE

3001-27K-120V-SQ	9W	120VAC	2700K	540 LM	4.13" X 4.13" X 0.71"	YES-TRI AC	4.13" X 4.13"	9W, 120V, 27K
3001-30K-120V-SQ	9W	120VAC	3000K	540 LM	4.13" X 4.13" X 0.71"	YES-TRI AC	4.13" X 4.13"	9W, 120V, 30K
3001-40K-120V-SQ	9W	120VAC	4000K	580 LM	4.13" X 4.13" X 0.71"	YES-TRI AC	4.13" X 4.13"	9W, 120V, 40K
3001-50K-120V-SQ	9W	120VAC	5000K	580 LM	4.13" X 4.13" X 0.71"	YES-TRI AC	4.13" X 4.13"	9W, 120V, 50K
3010-27K-120V-SQ	12W	120VAC	2700K	820 LM	6.10" X 6.10" X 0.71"	YES-TRI AC	6.1" X 6.1"	12W, 120V, 27K
3010-30K-120V-SQ	12W	120VAC	3000K	820 LM	6.10" X 6.10" X 0.71"	YES-TRI AC	6.1" X 6.1"	12W, 120V, 30K
3010-40K-120V-SQ	12W	120VAC	4000K	900 LM	6.10" X 6.10" X 0.71"	YES-TRI AC	6.1" X 6.1"	12W, 120V, 40K
3010-50K-120V-SQ	12W	120VAC	5000K	900 LM	6.10" X 6.10" X 0.71"	YES-TRI AC	6.1" X 6.1"	12W, 120V, 50K

12V ROUND SLIM PANEL LIGHT

3001-30K-12V	6W	12VDC	3000K	550LM	Φ4.5" X 0.47"	YES	Ø3.77"	6W, 12V, 30K
3001-40K-12V	6W	12VDC	4000K	600LM	Φ4.5" X 0.47"	YES	Ø3.77"	6W, 12V, 40K
3001-60K-12V	6W	12VDC	6000K	600LM	Φ4.5" X 0.47"	YES	Ø3.77"	6W, 12V, 60K
3010-30K-12V	12W	12VDC	3000K	1200LM	Φ7.08" X 0.47"	YES	Ø6.29"	12W, 12V, 30K
3010-40K-12V	12W	12VDC	4000K	1250LM	Φ7.08" X 0.47"	YES	Ø6.29"	12W, 12V, 40K
3010-60K-12V	12W	12VDC	6000K	1250LM	Φ7.08" X 0.47"	YES	Ø6.29"	12W, 12V, 60K
3020-30K-12V	18W	12VDC	3000K	1650LM	Φ9.44" X 0.5"	YES	Ø8.6"	18W, 12V, 30K
3020-40K-12V	18W	12V DC	4000K	1700LM	Φ9.44" X 0.5"	YES	Ø8.6"	18W, 12V, 40K
3020-60K-12V	18W	12V DC	6000K	1700LM	Φ9.44" X 0.5"	YES	Ø8.6"	18W, 12V, 60K

12V SQUARE SLIM PANEL LIGHT

3001-30K-SQ	5W	12V DC	3000K	550LM	4.72" X 4.72 X 0.47"	YES	4.17" X 4.17"	5W, 12V, 30K
3001-40K-SQ	5W	12V DC	4000K	600LM	4.72" X 4.72 X 0.47"	YES	4.17" X 4.17"	5W, 12V, 40K
3001-60K-SQ	5W	12V DC	6000K	600LM	4.72" X 4.72 X 0.47"	YES	4.17" X 4.17"	5W, 12V, 60K
3010-30K-SQ	12W	12V DC	3000K	1200LM	6.69" X 6.69 X 0.47"	YES	6.1" X 6.1"	12W, 12V, 30K
3010-40K-SQ	12W	12V DC	4000K	1250LM	6.69" X 6.69 X 0.47"	YES	6.1" X 6.1"	12W, 12V, 40K
3010-60K-SQ	12W	12V DC	6000K	1250LM	6.69" X 6.69 X 0.47"	YES	6.1" X 6.1"	12W, 12V, 60K



RETROFIT

REGULAR ROUND TYPE



PRODUCT NAME	WATTAGE	INPUT VOLTAGE	LUMEN	CCT	HOLE SIZE
4610-30K-CRI90	13W	120V AC	730LM	3000K	4"
4610-40K-CRI90	13W	120V AC	760LM	4000K	4"
4610-50K-CRI90	13W	120V AC	790LM	5000K	4"
4615-30K-CRI90	16W	120V AC	1028LM	3000K	6"
4615-30K-ECO	12W	120V AC	900LM	3000K	6"
4615-40K-CRI90	16W	120V AC	1100LM	4000K	6"
4615-40K-ECO	12W	120V AC	950LM	4000K	6"
4615-50K-CRI90	16W	120V AC	1148LM	5000K	6"
4615-50K-ECO	12W	120V AC	1000LM	5000K	6"

REGULAR SQUARE TYPE



4610-30K-SQ	10W	120V AC	560LM	3000K	4"
4610-40K-SQ	10W	120V AC	590LM	4000K	4"
4610-50K-SQ	10W	120V AC	630LM	5000K	4"
4615-30K-SQ	15W	120V AC	N/A	3000K	6"
4615-40K-SQ	15W	120V AC	N/A	4000K	6"
4615-50K-SQ	15W	120V AC	N/A	5000K	6"

JUNCTION BOX LIGHTS



PRODUCT NAME	WATTAGE	INPUT VOLTAGE	LUMEN	CCT	HOLE SIZE	DIM	FIXTURE SIZE
4610-30K-JB	10.5W	120V AC	700LM	3000K	4"	YES-TRIAC	Φ5.35" X 4.01"
4610-40K-JB	10.5W	120V AC	800LM	4000K	4"	YES-TRIAC	Φ5.35" X 4.01"
4610-50K-JB	10.5W	120V AC	850LM	5000K	4"	YES-TRIAC	Φ5.35" X 4.01"
4615-30K-JB	15W	120V AC	1000LM	3000K	6"	YES-TRIAC	Φ7.7" X 4.5"
4615-40K-JB	15W	120V AC	1100LM	4000K	6"	YES-TRIAC	Φ7.7" X 4.5"
4615-50K-JB	15W	120V AC	1150LM	5000K	6"	YES-TRIAC	Φ7.7" X 4.5"
4618-30K-JB	25W	120V AC	2000LM	3000K	8"	YES-TRIAC	Φ9.06" X 5.35"



PRODUCT NAME	WATTAGE	INPUT VOLTAGE	LUMEN	CCT	HOLE SIZE	DIM
4610-27K-ID	10W	120V AC	600LM	2700K	4"	YES-TRIAC
4610-30K-ID	10W	120V AC	650LM	3000K	4"	YES-TRIAC
4610-40K-ID	10W	120V AC	700LM	4000K	4"	YES-TRIAC
4615-27K-ID	15W	120V AC	900LM	2700K	6"	YES-TRIAC
4615-30K-ID	15W	120V AC	950LM	3000K	6"	YES-TRIAC
4615-40K-ID	15W	120V AC	1000LM	4000K	6"	YES-TRIAC

RETROFIT

REGULAR ROUND TYPE



4615

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	LUMEN	CCT	HOLE SIZE	DIM
4615-30K-EYEBALL	15W	120V AC	1010LM	3000K	6"	YES-TRIAC
4615-40K-EYEBALL	15W	120V AC	1040LM	4000K	6"	YES-TRIAC
4615-50K-EYEBALL	15W	120V AC	1060LM	5000K	6"	YES-TRIAC

3" SMOOTH FLUSH LENS



4620

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	LUMEN	CCT	CRI	BEAM ANGLE	CERTIFICATE
4620-60K-WS	10W	100-240VAC	870 LM	6000K	80	90°	CE

CEILING LIGHT

RETROFIT *Light*



GIMBAL

CANLESS EYEBALL LIGHT

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	CCT	LUMEN	BEAM ANGLE	FIXTURE SIZE	DIMMABLE	HOLE SIZE	DESCRIPTION
3005-27K-120V	8W	120V AC	2700K	650 LM	36°	Φ3.38" X 1.77"	YES-TRIAC	Ø2.67"	8W, 120V, 27K
3005-30K-120V	8W	120V AC	3000K	665 LM	36°	Φ3.38" X 1.77"	YES-TRIAC	Ø2.67"	8W, 120V, 30K
3005-40K-120V	8W	120V AC	4000K	700 LM	36°	Φ3.38" X 1.77"	YES-TRIAC	Ø2.67"	8W, 120V, 40K
3005-60K-120V	8W	120V AC	6000K	700 LM	36°	Φ3.38" X 1.77"	YES-TRIAC	Ø2.67"	8W, 120V, 60K
3005-30K-120V-SQ	8W	120V AC	3000K	665 LM	36°	3.38" X 3.38"	YES-TRIAC	Ø2.67"	8W, 120V, 30K
3005-40K-120V-SQ	8W	120V AC	4000K	700 LM	36°	3.38" X 3.38"	YES-TRIAC	Ø2.67"	8W, 120V, 40K
3005-60K-120V-SQ	8W	120V AC	6000K	700 LM	36°	3.38" X 3.38"	YES-TRIAC	Ø2.67"	8W, 120V, 60K
3006-27K-120V	12W	120V AC	2700K	950 LM	36°	Φ4.72" X 1.73"	YES-TRIAC	Ø3.93"	12W, 120V, 27K
3006-30K-120V	12W	120V AC	3000K	980 LM	36°	Φ4.72" X 1.73"	YES-TRIAC	Ø3.93"	12W, 120V, 30K
3006-40K-120V	12W	120V AC	4000K	1000 LM	36°	Φ4.72" X 1.73"	YES-TRIAC	Ø3.93"	12W, 120V, 40K
3006-60K-120V	12W	120V AC	6000K	1000 LM	36°	Φ4.72" X 1.73"	YES-TRIAC	Ø3.93"	12W, 120V, 60K

CANLESS GIMBAL SPOT LIGHT

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	CCT	LUMEN	BEAM ANGLE	FIXTURE SIZE	DIMMABLE	HOLE SIZE	FIXTURE COLOR	DESCRIPTION
4622-60K-WS	6W	100-240V	6000K	525LM	36°	Φ3.54" X 1.81"	NO	Ø2.7	WHITE	6W, 100-240V, 60K

HIGH LUMEN CANLESS GIMBAL SPOT LIGHT

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	CCT	HIGH LUMEN	BEAM ANGLE	FIXTURE SIZE	DIMMABLE	HOLE SIZE	FIXTURE COLOR	DESCRIPTION
4625-30K-WS	15W	100-240V	3000K	1000 LM	38°	Φ4.33" X 2.04"	NO	Ø3.7"	SILVER	15W, 100-240V, 30K
4625-50K-WS	15W	100-240V	6000K	1160 LM	38°	Φ4.33" X 2.04"	NO	Ø3.7"	SILVER	15W, 100-240V, 60K



CANLESS EYEBALL LIGHT



HIGH LUMEN CANLESS GIMBAL SPOT LIGHT



CANLESS GIMBAL SPOT LIGHT

CEILING LIGHT

GIMBAL

MINI GIMBAL

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	CCT	LUMEN	BEAM ANGLE	FIXTURE SIZE	DIMMABLE	HOLE SIZE	FIXTURE COLOR	DESCRIPTION
4121-WWW-WH	3W	12VDC	2700K	140LM	60°	Ø1.96*1.33"	YES	Ø1.65"	WHITE	3W, 12V, 27K
4121-WWW-AL	3W	12VDC	2700K	140LM	60°	Ø1.96*1.33"	YES	Ø1.65"	ALUMINUM	3W, 12V, 27K
4121-WW-WH	3W	12VDC	3000K	150LM	60°	Ø1.96*1.33"	YES	Ø1.65"	WHITE	3W, 12V, 30K
4121-WW-BK	3W	12VDC	3000K	150LM	60°	Ø1.96*1.33"	YES	Ø1.65"	BLACK	3W, 12V, 30K
4121-WW-AL	3W	12VDC	3000K	150LM	60°	Ø1.96*1.33"	YES	Ø1.65"	ALUMINUM	3W, 12V, 30K
4121-NW-WH	3W	12VDC	4000K	165LM	60°	Ø1.96*1.33"	YES	Ø1.65"	WHITE	3W, 12V, 40K
4121-CW-WH	3W	12VDC	6000K	180LM	60°	Ø1.96*1.33"	YES	Ø1.65"	WHITE	3W, 12V, 60K
4121-CW-BK	3W	12VDC	6000K	180LM	60°	Ø1.96*1.33"	YES	Ø1.65"	BLACK	3W, 12V, 60K
4121-CW-AL	3W	12VDC	6000K	180LM	60°	Ø1.96*1.33"	YES	Ø1.65"	ALUMINUM	3W, 12V, 60K

MINI-SQUARE

4130-WW-WH	1W	12VDC	3000K	80LM	20°	Ø2.55" X 2.55" X 0.66"	YES	Ø1.96"	WHITE	3W, 12V, 30K
4130-WW-AL	1W	12VDC	3000K	80LM	20°	Ø2.55" X 2.55" X 0.66"	YES	Ø1.96"	SILVER	3W, 12V, 30K
4130-NW-WH	1W	12VDC	4000K	85LM	20°	Ø2.55" X 2.55" X 0.66"	YES	Ø1.96"	WHITE	3W, 12V, 40K
4130-NW-AL	1W	12VDC	4000K	85LM	20°	Ø2.55" X 2.55" X 0.66"	YES	Ø1.96"	SILVER	3W, 12V, 40K
4130-CW-WH	1W	12VDC	6000K	90LM	20°	Ø2.55" X 2.55" X 0.66"	YES	Ø1.96"	WHITE	3W, 12V, 60K
4130-CW-AL	1W	12VDC	6000K	90LM	20°	Ø2.55" X 2.55" X 0.66"	YES	Ø1.96"	SILVER	3W, 12V, 60K

CEILING LIGHT

MINI GIMBAL



4121



4130

MINI-SQUARE

SURFACE MOUNT

DIMMABLE SLIM SURFACE MOUNT - ROUND



PRODUCT NAME	WATTAGE	INPUT VOLTAGE	CCT	LUMEN	FIXTURE SIZE	DIM	DESCRIPTION
3001-30K-SM	6W	120V AC	3000K	360 LM	Φ5.31" X 0.51"	YES-TRIAC	6W, 120V, 30K
3001-40K-SM	6W	120V AC	4000K	400 LM	Φ5.31" X 0.51"	YES-TRIAC	6W, 120V, 40K
3001-50K-SM	6W	120V AC	5000K	400 LM	Φ5.31" X 0.51"	YES-TRIAC	6W, 120V, 50K
3010-30K-SM	12W	120V AC	3000K	840 LM	Φ7.08" X 0.51"	YES-TRIAC	12W, 120V, 30K
3010-40K-SM	12W	120V AC	4000K	900 LM	Φ7.08" X 0.51"	YES-TRIAC	12W, 120V, 40K
3010-50K-SM	12W	120V AC	5000K	900 LM	Φ7.08" X 0.51"	YES-TRIAC	12W, 120V, 50K
3020-30K-SM	18W	120V AC	3000K	1260 LM	Φ8.85" X 0.51"	YES-TRIAC	18W, 120V, 30K
3020-40K-SM	18W	120V AC	4000K	1300 LM	Φ8.85" X 0.51"	YES-TRIAC	18W, 120V, 40K
3020-50K-SM	18W	120V AC	5000K	1300 LM	Φ8.85" X 0.51"	YES-TRIAC	18W, 120V, 50K
3030-30K-SM	24W	120V AC	3000K	1920 LM	Φ11.81" X 0.51"	YES-TRIAC	24W, 120V, 30K
3030-40K-SM	24W	120V AC	4000K	2000 LM	Φ11.81" X 0.51"	YES-TRIAC	24W, 120V, 40K
3030-50K-SM	24W	120V AC	5000K	2000 LM	Φ11.81" X 0.51"	YES-TRIAC	24W, 120V, 50K
3040-30K-SM	30W	120V AC	3000K	2600 LM	Φ16" X 0.51"	YES-TRIAC	30W, 120V, 30K
3040-40K-SM	30W	120V AC	4000K	2800 LM	Φ16" X 0.51"	YES-TRIAC	30W, 120V, 40K
3040-50K-SM	30W	120V AC	5000K	3000 LM	Φ16" X 0.51"	YES-TRIAC	30W, 120V, 50K

MOTION SENSOR SLIM SURFACE MOUNT - ROUND



3020-50K-SM-MOTION	18W	120V AC	5000K	1300 LM	Φ8.85" X 0.51"	YES-TRIAC	18W, 120V, 50K
--------------------	-----	---------	-------	---------	----------------	-----------	----------------

DIMMABLE SLIM SURFACE MOUNT - SQUARE



3020-30K-SQ-SM	18W	120V AC	3000K	1530 LM	8.42" X 8.42" X 0.59"	YES-TRIAC	18W, 120V, 30K
3020-40K-SQ-SM	18W	120V AC	4000K	1600 LM	8.42" X 8.42" X 0.59"	YES-TRIAC	18W, 120V, 40K
3020-50K-SQ-SM	18W	120V AC	5000K	1600 LM	8.42" X 8.42" X 0.59"	YES-TRIAC	18W, 120V, 50K
3030-30K-SQ-SM	24W	120V AC	3000K	2160 LM	11.37" X 11.37" X 0.59"	YES-TRIAC	24W, 120V, 30K
3030-40K-SQ-SM	24W	120V AC	4000K	2250 LM	11.37" X 11.37" X 0.59"	YES-TRIAC	24W, 120V, 40K
3030-50K-SQ-SM	24W	120V AC	5000K	2250 LM	11.37" X 11.37" X 0.59"	YES-TRIAC	24W, 120V, 50K

1 X 1 PANEL LIGHT



3051-30K	18W	120V AC	3000K	1800 LM	11.8" X 11.8" X 0.68"	YES-TRIAC	18W, 120V, 30K
3051-40K	18W	120V AC	4000K	1890 LM	11.8" X 11.8" X 0.68"	YES-TRIAC	18W, 120V, 40K
3051-50K	18W	120V AC	5000K	1980 LM	11.8" X 11.8" X 0.68"	YES-TRIAC	18W, 120V, 50K

RGB CEILING LIGHT

4" RGB+CCT RECESSED PANEL LIGHT

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	CCT	LUMEN	FIXTURE SIZE	HOLE SIZE	DIM
3001-RGB+CCT-120V	6W	120V AC	RGB + 2700K - 6500K	600IM	Φ4.65" X 1.5"	Φ3.6"	YES-CONTROLLER

6" RGB+CCT RECESSED PANEL LIGHT

3010-RGB+CCT-120V	12W	120V AC	RGB + CCT	1100IM	Φ7" X 1.57"	Φ5.9"	YES
-------------------	-----	---------	-----------	--------	-------------	-------	-----

RGB LIGHTS

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	CCT	BEAM ANGLE
4409-3W-RGB	3W	12V DC	RGB	45°
4409-9W-RGB	9 W	24V DC	RGB	45°
4409-10W-RGB	10W	24V DC	RGB	45°
4409-18W-RGB	18W	24V DC	RGB	45°
4409-9W-RGB+CCT-120V	9W	85 - 265V AC	RGB+CCT(2700K - 6500K)	15°
4409-RGB/30K-12W	12 W	12V DC	RGB+3000K	45°
4409-RGB/60K-12W	12 W	12V DC	RGB+6000K	45°



4409-3W-RGB



4409-9W-RGB



4409-10W-RGB



4409-18W-RGB



4409-9W-RGB

RGBW SPOT LIGHT

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	CCT	LUMEN	BEAM ANGLE
4410-RGB/30K-12W	12W	12VDC	RGB+3000K	585LM	45°
4410-RGB/60K-12W	12W	12VDC	RGB+6000K	585LM	45°



4410-RGB




4" RGB+CCT RECESSED
PANEL LIGHT
3001-RGB



3010-RGB
6" RGB+CCT RECESSED
PANEL LIGHT

GARDEN LIGHT



UP LIGHT

RGB/CCT UP LIGHT WITH SPIKE

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	CCT	IP RATE	LUMEN	Fixture Size	CRI	DIM	FIXTURE COLOR	BEAM ANGLE	DESCRIPTION
1709-RGB/CCT-120V	9W	120VAC	RGB+3000K/6000K	IP65	700 LM	Ç 5.35" x 1.37" x 5.31"	>80	YES	BLACK	15°	9W, 120V, 30K/60K
1709-RGB/CCT-24V	9W	24VDC	RGB+3000K/6000K	IP65	700 LM	Ç 5.35" x 1.37" x 5.31"	>80	YES	BLACK	15°	9W, 24V, 30K/60K

SMALL SIZE 3W GARDEN LIGHT WITH SPIKE

1708-3000K	3W	12VAC/DC	3000K	IP67	240 LM	Ç 1.7" x 9.6"	>80	YES	BLACK		3W, 12V, 30K
1708-6000K	3W	12VAC/DC	6000K	IP67	270 LM	Ç 1.7" x 9.6"	>80	YES	BLACK		3W, 12V, 60K

GARDEN LIGHT 5W

1710-CREE-3000K	5W	12VAC/DC	3000K	IP65	420 LM	Ç 2.42" x 11.42"	>75	YES	BLACK	24°	6W, 12V, 30K
1710-CREE-5000K	5W	12VAC/DC	5000K	IP65	480 LM	Ç 2.42" x 11.42"	>75	YES	BLACK	60°	6W, 12V, 50K
1710-R	5W	12VAC/DC	Red	IP65	N/A	Ç 2.42" x 11.42"		YES	BLACK		6W, 12V, Red
1710-G	5W	12VAC/DC	Green	IP65	N/A	Ç 2.42" x 11.42"		YES	BLACK		6W, 12V, Green
1710-B	5W	12VAC/DC	Blue	IP65	N/A	Ç 2.42" x 11.42"		YES	BLACK		6W, 12V, Blue

GARDEN LIGHT 7W

1710-3000K-7W	7W	12VAC/DC	3000K	IP67	510 LM	Ç 2.2" x 10.35"	>80	YES	BLACK	24°	7W, 12V, 30K
1710-6000K-7W	7W	12VAC/DC	6000K	IP67	510 LM	Ç 2.2" x 10.35"	>80	YES	BLACK	60°	7W, 12V, 60K

BIG UP LIGHT 7W 3000K

1717-WW	7W	12VAC/DC	3000K	IP65	560 LM	Ç 3.46" x 7.5"	>80	YES	BLACK	45	7W, 12V, 30K
1717-CW	7W	12VAC/DC	6000K	IP65	560 LM	Ç 3.46" x 7.5"	>80	YES	BLACK	45	7W, 12V, 60K

GARDEN LIGHT 20W 3 LED

1741-WW	20W	12VDC	3000K	IP65	1850 LM	Ç 5.12" x 6"		YES	GREY	15/24/38/60	20W, 12V, 30K
1741-CW	20W	12VDC	5000K	IP65	1950	Ç 5.12" x 6"		YES	GREY	15/24/38/60	20W, 12V, 50K

SPIKE GARDEN LIGHT RGB 9W

1710-RGB	9W	12VDC	RGB	IP65	N/A	Ç 2.95" x 10.23"		YES	BLACK		9W, 12V, RGB
----------	----	-------	-----	------	-----	------------------	--	-----	-------	--	--------------

GARDEN LIGHT



8° CREE LED WALL WASHER

24W IP65

ITEM NO	1742-24V-3000K / 1742-24V-6500K
DESCRIPTION	CREE LED WALL WASHER
POWER	24W
INPUT VOLTAGE	24VAC/DC
CCT	3000K / 6500K
LUMENS	1920 / 2160 LM
DIMENSIONS	Ç 5.9" X 5.1"
IP RATING	IP65
BEAM ANGLE	8°



WELL LIGHTS

IN-GROUND STAINLESS STEEL COB GARDEN LIGHT

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	CCT	IP RATE	LUMEN	FIXTURE SIZE	DIM	BEAM ANGLE	DESCRIPTION
1712	3W	12VAC/DC	3000K / 6500K	IP65	220 / 250 LM	¢ 2.28" x 3.54"	YES	24/60	3W, 12V, 30K/65K

ROUND IN-GROUND

1720		12V - 220VAC/DC		IP67		4" x 5"	YES		FIXTURE ONLY
------	--	-----------------	--	------	--	---------	-----	--	--------------

3W IN GROUND

1723-WW	3W	12VAC/DC	3000K	IP68	180 LM	¢ 3.94" x 2.95"	YES	30	3W, 12V, 30K
1723-CW	3W	12VAC/DC	6000K	IP68	200 LM	¢ 3.94" x 2.95"	YES	30	3W, 12V, 60K

6 LED IN-GROUND LIGHT

1724-3W	3W	12VAC/DC	3000K / 6000K	IP67	240 / 260 LM	¢ 3.94" x 3.54"	YES	60	3W, 12V, 30K/60K
---------	----	----------	---------------	------	--------------	-----------------	-----	----	------------------

SQUARE IN-GROUND

1725		12V - 220VAC/DC	N/A	IP67	N/A	4" x 4" x 5"	N/A		FIXTURE ONLY
------	--	-----------------	-----	------	-----	--------------	-----	--	--------------

1 WINDOW

1729-WW-1WD	1W	12VAC/DC	3000K	IP67	60 LM	¢ 1.65" x 3.15"	YES	15	1W, 12V, 30K
1729-CW-1WD	1W	12VAC/DC	6000K	IP67	70 LM	¢ 1.65" x 3.15"	YES	15	1W, 12V, 60K

1 W FROSTED

1729-WW-R-FROSTED	1W	12VAC/DC	3000K	IP65	80 LM	¢ 1.65" x 2.75"	YES	15	1W, 12V, 30K
1729-CW-R-FROSTED	1W	12VAC/DC	6000K	IP65	90 LM	¢ 1.65" x 2.75"	YES	15	1W, 12V, 60K

ROUND FROSTED IN-GROUND LIGHT FIXTURE

1724-WW-FROSTED	3W	12VAC/DC	3000K	IP68	240 LM	¢ 2.44" x 3.54"	YES	60	3W, 12V, 30K
1724-CW-FROSTED	3W	12VAC/DC	6000K	IP68	270 LM	¢ 2.44" x 3.54"	YES	60	3W, 12V, 60K

GARDEN LIGHT



WELL LIGHTS

1W SQUARE FROSTED

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	CCT	IP RATE	LUMEN	FIXTURE SIZE	DIM	DESCRIPTION
1729-WW-SQ-FROSTED	3W	12VAC/DC	3000K	IP65	80 LM	1.65" x 1.65" x 2.75"	YES	1W, 12V, 30K
1729-CW-SQ-FROSTED	3W	12VAC/DC	6000K	IP65	90 LM	1.65" x 1.65" x 2.75"	YES	1W, 12V, 60K

3 WINDOWS

1729-WW-3WD	1W	12VAC/DC	3000K	IP67	60 LM	Ç 1.65" x 3.75"	YES	1W, 12V, 30K
1729-CW-3WD	1W	12VAC/DC	6000K	IP67	80 LM	Ç 1.65" x 3.75"	YES	1W, 12V, 60K

1W IN GROUND

1729-WW	1W	12VAC/DC	3000K	IP67	70 LM	2.44" x 2.44" x 3.94"	YES	1W, 12V, 30K
1729-CW	1W	12VAC/DC	6000K	IP67	80 LM	2.44" x 2.44" x 3.94"	YES	1W, 12V, 60K

1W SQUARE

1729-WW-SQ	1W	12VAC/DC	3000K	IP67	90 LM	2.44" x 2.44" x 3.94"	YES	1W, 12V, 30K
1729-CW-SQ	1W	12VAC/DC	6000K	IP67	110 LM	2.44" x 2.44" x 3.94"	YES	1W, 12V, 60K

SMALL ROUND IN-GROUND

1729-WW-SM	0.6W	12VAC/DC	3000K	IP65	30 LM	Ç 0.78" x 0.98"	YES	0.6W, 12V, 30K
1729-CW-SM	0.6W	12VAC/DC	6000K	IP65	50 LM	Ç 0.78" x 0.98"	YES	0.6W, 12V, 60K

1W SQUARE IP67

1729-WW-SQ-SV	1W	12VAC/DC	3000K	IP67	60 LM	2" x 2" x 3.2"	YES	1W, 12V, 30K
1729-CW-SQ-SV	1W	12VAC/DC	6000K	IP67	60 LM	2" x 2" x 3.2"	YES	1W, 12V, 60K

4 WINDOWS IN-GROUND

1730		12V - 220VAC/DC	N/A	IP67	N/A	4.25" x 6.1"	N/A	FIXTURE ONLY
------	--	-----------------	-----	------	-----	--------------	-----	--------------

1 WINDOW IN-GROUND

1732-WW-1WD	3W	12VAC/DC	3000K	IP67	180 LM	Ç 3.9" x 3.75"	YES	3W, 12V, 30K
1732-CW-1WD	3W	12VAC/DC	6000K	IP67	200 LM	Ç 3.9" x 3.75"	YES	3W, 12V, 60K

GARDEN LIGHT



WELL LIGHTS

4 WINDOW IN-GROUND LIGHT FIXTURE

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	CCT	IP RATE	LUMEN	FIXTURE SIZE	DIM	DESCRIPTION
1732-WW-4WD	3W	12VAC	3000K	IP67	180 LM	Ç 3.9" x 3.75"	YES	3W, 12V, 30K
1732-CW-4WD	3W	12VAC	6000K	IP67	200 LM	Ç 3.9" x 3.75"	YES	3W, 12V, 60K

3 WINDOWS IN-GROUND

1733-3WD	N/A	12V - 220VAC/DC	N/A	IP67	N/A	Ç 3.9" x 5.3"	N/A	FIXTURE ONLY
----------	-----	-----------------	-----	------	-----	---------------	-----	--------------

ADJUSTABLE 3W

1735-WW	3W	12VAC/DC	3000K	IP67	180 / 200 LM	Ç 6.3" x 4.33"	YES	3W, 12V, 30K
1735-CW	3W	12VAC/DC	6000K	IP67	180 / 200 LM	Ç 6.3" x 4.33"	YES	3W, 12V, 60K

7W IN-GROUND

1749-WW	7W	12VAC/DC	3000K	IP67	420 LM	Ç 6.3" x 4.33"	YES	7W, 12V, 30K
1749-CW	7W	12VAC/DC	6000K	IP67	500 LM	Ç 6.3" x 4.33"	YES	7W, 12V, 60K

7W ANGLED

1750-WW	7W	12VAC/DC	3000K	IP67	420 LM	Ç 9.84" x 8.27"	YES	7W, 12V, 30K
1750-CW	7W	12VAC/DC	6000K	IP67	490 LM	Ç 9.84" x 8.27"	YES	7W, 12V, 60K
1750-BLUE	7W	12VAC/DC	BLUE	IP67	BLUE	Ç 9.84" x 8.27"	YES	7W, 12V, BLUE

6 LED RECTANGLE WELL LIGHT

1752-WW	5W	12VAC/DC	3000K	IP67	300 LM	11.8" x 3.54" x 4.13"	YES	5W, 12V, 30K
1752-CW	5W	12VAC/DC	6000K	IP67	350 LM	11.8" x 3.54" x 4.13"	YES	5W, 12V, 60K

11W PAR36 (AR111)

1336-WW	11W	12V AC/DC	3000K	IP20				30°	11W, 12V, 30K
---------	-----	-----------	-------	------	--	--	--	-----	---------------

GARDEN LIGHT



4 WINDOW
IN-GROUND
LIGHT FIXTURE

1732-4WD



7W
IN-GROUND

1749



11W PAR36
(AR111)

1336



ADJUSTABLE
3W

1735



6 LED RECTANGLE
WELL LIGHT

1752



3 WINDOWS
IN-GROUND

1733-3WD



7W
ANGLED

1750

UNDERWATER LIGHTS

3 LED SMALL STAINLESS STEEL POOL LIGHT

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	CCT	IP RATE	LUMEN	FIXTURE SIZE	DIM	BEAM ANGLE	DESCRIPTION
1713-WW-IP68	3W	24VAC/DC	3000K	IP68	240 LM	Ç 3.15" x 5.9"	YES	SILVER	3W, 24V, 30K

RGB 3W UNDERWATER

1713-RGB	3W	12VDC	RGB	IP68	240 LM	Ç 3.15" x 5.9"	YES	SILVER	3W, 12V, RGB
----------	----	-------	-----	------	--------	----------------	-----	--------	--------------

RGB 9W UNDERWATER

1713-24V-RGB	9W	24VDC	RGB	IP68	240 LM	Ç 3.15" x 5.9"	YES	SILVER	9W, 24V, RGB
--------------	----	-------	-----	------	--------	----------------	-----	--------	--------------

6 LED STAINLESS STEEL POOL LIGHT

1714-WW	6W	24VAC/DC	3000K	IP68	480 LM	Ç 4.7" x 5.9"	YES	SILVER	6W, 24V, 30K
---------	----	----------	-------	------	--------	---------------	-----	--------	--------------



3 LED SMALL
STAINLESS
STEEL POOL LIGHT
1713-IP68



RGB 9W
UNDERWATER
1713-24V-RGB



RGB 3W
UNDERWATER
1713-RGB



6 LED STAINLESS
STEEL POOL LIGHT
1714

GARDEN LIGHT

STEP LIGHTS

RECTANGLE BLACK STEP LIGHT

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	CCT	IP RATE	LUMEN	FIXTURE SIZE	FIXTURE COLOR	DESCRIPTION
1755-WW-3W	3W	12VAC/DC	3000K	IP65	240 LM	5.78" x 3.34" x 1.18"	BLACK	3W, 12V, 30K
1755-CW-3W	3W	12VAC/DC	6000K	IP65	270 LM	5.78" x 3.34" x 1.18"	BLACK	3W, 12V, 60K

RECTANGLE STAINLESS STEP LIGHT

1755-WW-3W-BIG	3W	12VAC/DC	3000K	IP65	240 LM	5.78" x 3.34" x 1.18"	STAINLESS STEEL	3W, 12V, 30K
1755-CW-3W-BIG	3W	12VAC/DC	6000K	IP65	270 LM	5.78" x 3.34" x 1.18"	STAINLESS STEEL	3W, 12V, 60K

SQUARE BLACK STEP LIGHT

1755-2W-BK	2W	12VAC/DC	3000K	IP65	160 LM	3.34" x 3.34" x 1.18"	BLACK	2W, 12V, 30K
1755-2W-BK	2W	12VAC/DC	6000K	IP65	180 LM	3.34" x 3.34" x 1.18"	BLACK	2W, 12V, 60K

SQUARE STAINLESS STEEL STEP LIGHT

1755-WW-4W	4W	12VAC/DC	3000K	IP65	320 LM	4.13" x 4.13" x 2.16"	STAINLESS STEEL	4W, 12V, 30K
1755-CW-4W	4W	12VAC/DC	6000K	IP65	320 LM	4.13" x 4.13" x 2.16"	STAINLESS STEEL	4W, 12V, 60K

GARDEN LIGHT



RECTANGLE BLACK
STEP LIGHT
1755-3W



SQUARE BLACK
STEP LIGHT
1755-2W-BK

RECTANGLE STAINLESS
STEP LIGHT
1755-3W-BIG



SQUARE STAINLESS
STEEL STEP LIGHT
1755-4W

RGB

3 LED SMALL STAINLESS STEEL POOL LIGHT

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	CCT	IP RATE	LUMEN	FIXTURE SIZE	DIM	BEAM ANGLE	DESCRIPTION
1713-RGB	3W	12VDC	RGB	IP68	240 LM	Ç 3.15" x 5.9"	YES	SILVER	3W, 12V, RGB

3 LED SMALL STAINLESS STEEL POOL LIGHT

1713-24V-RGB	9W	24VDC	RGB	IP68	240 LM	Ç 3.15" x 5.9"	YES	SILVER	9W, 24V, RGB
--------------	----	-------	-----	------	--------	----------------	-----	--------	--------------

SPIKE GARDEN LIGHT RGB

1710-RGB	9W	12VDC	RGB	IP65	480 LM	Ç 2.95" x 10.23"	YES	SILVER	9W, 12V, RGB
----------	----	-------	-----	------	--------	------------------	-----	--------	--------------



3 LED SMALL
STAINLESS
STEEL POOL
LIGHT

1713-RGB



3 LED SMALL
STAINLESS STEEL
POOL LIGHT

1713-24V-RGB



SPIKE GARDEN
LIGHT RGB

1710-RGB

GARDEN LIGHT

WALL WASHER

WALL WASHER 20'

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	CCT	LUMEN	FIXTURE SIZE	DESCRIPTION
2051-WW	25W	24V DC	3000K	1250LM	24.2" * 1.8" * 1.85"	25W, 24V, 30K
2051-CW	25W	24V DC	6000K	1480LM	24.2" * 1.8" * 1.85"	25W, 24V, 60K
2051-B	25W	24V DC	BLUE	375LM	24.2" * 1.8" * 1.85"	25W, 24V, BLUE
2052-WW	50W	24V DC	3000K	2500LM	39.4" * 1.8" * 1.85"	50W, 24V, 30K
2052-CW	50W	24V DC	6000K	3000LM	39.4" * 1.8" * 1.85"	50W, 24V, 60K
2052-B	50W	24V DC	BLUE	720LM	39.4" * 1.8" * 1.85"	50W, 24V, BLUE

RGB WALL WASHER 40'

2051-RGB	25W	24V DC	RGB	925LM	24.2" * 1.8" * 1.85"	25W, 24V, RGB
2052-RGB	50W	24V DC	RGB	1850LM	39.4" * 1.8" * 1.85"	50W, 24V, RGB

WALL WASHER 20'

2051




RGB WALL WASHER 40'

2052



LED CONTROLLERS



DIMMERS

LED CONTROLLERS

PRODUCT NAME	INPUT VOLTAGE	OUTPUT CURRENT	OUTPUT POWER	CHANNELS	DIMENSIONS	DESCRIPTION
9060-CCT	12V/24V DC	2 X 6A	12V < 144W / 24V < 288W	2	5" X 1.6" X 1.25"	1 ZONE CCT SYNC CONTROLLER SET, 2X6A
9060-DIM	12V/24V DC	1 X 25A	12V < 300W / 24V < 300W	1	5" X 1.6" X 1.25"	1 ZONE DIMMER SYNC CONTROLLER SET, 1 X 25A
9060-DIM-R	12V/24V DC	1 X 25A	12V < 300W / 24V < 300W	1	5" X 1.6" X 1.25"	1 ZONE DIMMER SYNC CONTROLLER SET, 1 X 25A
9054-A	12V/24V DC	1 X 20A	12V < 240W / 24V < 480W	1	2.5" X 2.1" X .875"	20A KEY CHAIN RF DIMMER, 1 X 20A
9054-B	12V/24V DC	1 X 30A	12V < 360W / 24V < 720W	1	2.5" X 2.1" X .875"	30A KEY CHAIN RF DIMMER, 1 X 30A
9021-30A	12V/24V DC	1 X 30A	12V < 360W / 24V < 720W	1	3.3" X 2.4" X 1.5"	30A SIMPLE KNOB DIMMER, 1 X 30A
9010-DIM	12V/24V DC	2 X 6A	12V < 144W / 24V < 288W	1	3.3" X 1.8" X 1"	MI LIGHT 4 ZONE DIMMER SET, 2 X 6
9010-DIM-M	2 X AAA				4.7" X 2.1" X 0.6"	MI LIGHT 4 ZONE DIMMER MASTER REMOTE
9010-DIM-S	12V/24V DC	2 X 6A	12V < 144W / 24V < 288W	1	3.3" X 1.8" X 1"	MI LIGHT 4 ZONE DIMMER RECEIVER, 2 X 6A
9010-WIFI	5V				3.5" X 2.6" X 0.6"	MI LIGHT WI-FI MODULE
9010-HOLDER					2.44" X 3.14" X 1"	9010-9011 HOLDER LIGHTS

1 ZONE CCT SYNC
CONTROLLER SET



9060-CCT

1 ZONE DIMMER SYNC
CONTROLLER SET



9060-DIM

20A KEY CHAIN
RF DIMMER



9054-A

30A KEY CHAIN
RF DIMMER



9054-B

30A SIMPLE
KNOB DIMMER



9021-30A

4 ZONE DIMMER SET



9010-DIM



9010-DIM-S



9010-HOLDER



9010-WIFI

DIMMERS

LED CONTROLLERS

PRODUCT NAME	INPUT VOLTAGE	OUTPUT CURRENT	OUTPUT POWER	CHANNELS	DIMENSIONS	DESCRIPTION
9034-DIM	12V/24V DC	1 X 8A	12V <96W / 24V <192W	1	4.7" X 2.4" X 1.4"	BLACK SINGLE GANG WALL MOUNT LED DIMMER, 1 X 8A
9222	12V/24V DC	2 X 8A	12V < 192W / 24V < 384W	2	4.7" X 2.4" X 2"	CCT CONTROLLER SET, 2 X 8A
9043-M-D	3V (REMOTE) 12-36VDC (INPUT RECEIVER)	4X5A	4X(60-180)W		3.5" X 2.75" X 2.6"	DESKTOP BLACK ROTARY MASTER CONTROLLER
9007-N	12V/24V DC	1 X 8A	12V <96W / 24V <192W	1	4.8" X 3.35" X 1.65"	KEY CHAIN RF DIMMER, 1 X 8A
9017	12V/24V DC	1 X 6A	12V < 72W / 24V < 144W	1	11" X 0.5" X 0.1"	MINI DIMMER, 1 X 6A
9043-MT-R	3V			1	1.25" X 0.3"	MINI ROUND CONTROLLER
9043-MT-RM	3V			1	1.5" X 0.6"	MINI ROUND MAGNETIC MOUNT CONTROLLER
9043-MT-SQ	3V			1	1.25" X 1.25" X 0.3"	MINI SQUARE REMOTE CONTROLLER
9043-S-1X8A	12V/24V DC	1 X 8A	12V <96W / 24V <192W	1	4" X 1.9" X 0.8"	WIRELESS DIMMER RECEIVER 8A X 1 CH
9043-S-5A	12V/24V DC	4 X 5A	12V < 240W / 24V < 480W	1	6.3" X 1.8" X 0.7"	WIRELESS DIMMER RECEIVER 5A X 4 CH
9043-S-8A	12V/24V DC	4 X 8A	12V < 384W / 24V < 768W	1	6.63" X 2.25" X 1.8"	WIRELESS DIMMER RECEIVER 8A X 4 CH

BLACK SINGLE GANG
WALL MOUNT LED DIMMER



9034-DIM

CCT CONTROLLER SET



9222

DESKTOP BLACK
ROTARY MASTER
CONTROLLER



9043-M-D

KEY CHAIN RF
DIMMER



9007-N

MINI DIMMER



9017

WIRELESS DIMMER
RECEIVER 8A X 1 CH

WIRELESS DIMMER
RECEIVER 5A X 4 CH

MINI ROUND CONTROLLER



9043-MT-R

MINI ROUND MAGNETIC
MOUNT CONTROLLER



9043-MT-RM

MINI SQUARE REMOTE
CONTROLLER



9043-MT-SQ



9043-S-1X8A



9043-S-5A

WIRELESS DIMMER
RECEIVER 8A X 4 CH



9043-S-8A

PRODUCT NAME	INPUT VOLTAGE	OUTPUT CURRENT	OUTPUT POWER	CHAN.	DIMENSIONS	DESCRIPTION
9024	12V/24V DC	1 X 6A	12V < 96W / 24V < 192W	1	11" X 0.5" X 0.1"	MINI WIRELESS DIMMER 6A X 1
9009	12V/24V DC	2 X 4A	12V < 96W / 24V < 192W	1	3.3" X 1.8" X 1"	RF DIMMER W/ DELAY FUNCTION 4A X 2
9021	12V/24V DC	1 X 8A	12V < 144W / 24V < 288W	1	2.25" X 2.5" X 1.38"	SIMPLE KNOB DIMMER 8A X 1
9032-DIM-WALL	12V/24V DC	3 X 4A	4X(60-180)W	1	5" X 2.9" X 1.5"	SINGLE GANG WALL MOUNT LED DIMMER W/ DELAY MODE 4A X 3
9043-M-B RECEIVER	3VDC 12-36VDC	4X5A		1	3.4" X 3.4" X 1.75"	WALL MOUNT BLACK ROTARY MASTER CONTROLLER
9035-DIM-PANEL	12V/24V DC 3VDC	2 X 5A	12V < 120W / 24V < 240W	1	3.4" X 3.4" 1.4"	WALL MOUNT DIMMER W/ DELAY MODE, 2 X 5A
9043-MS-W RECEIVER	12-36VDC 3VDC	4X5A	4X(60-180)W	1	3.4" X 3.4" X 0.4"	WALL MOUNT SLIM WHITE ROCKER MASTER CONTROLLER, 4 X 5A
9043-MF-W RECEIVER	12-36VDC 3VDC	4X5A	4X(60-180)W	1	3.4" X 3.4" X 1"	WALL MOUNT SLIM WHITE ROTARY MASTER CONTROLLER, 4 X 5A
9043-M-W RECEIVER	12-36VDC	4X5A	4X(60-180)W	1	3.4" X 3.4" X 1.75"	WALL MOUNT WHITE ALUMINUM ROTARY MASTER CONTROLLER, 4 X 5A
9022	12V/24V DC	1 X 2.5A	12V < 30W / 24V < 60W	1	6.3" X 1.4" X 1.3"	WHITE INLINE KNOB DIMMER SWITCH, 1 X 2.5A

MINI WIRELESS DIMMER



9024

RF DIMMER W/ DELAY FUNCTION



9009

SIMPLE KNOB DIMMER



9021

SINGLE GANG WALL MOUNT LED DIMMER W/ DELAY MODE



9032-DIM-WALL

WALL MOUNT BLACK ROTARY MASTER CONTROLLER



9043-M-B

WALL MOUNT DIMMER W/ DELAY MODE



9035-DIM-PANEL

WALL MOUNT SLIM WHITE ROCKER MASTER CONTROLLER



9043-MS-W

WALL MOUNT SLIM WHITE ROTARY MASTER CONTROLLER



9043-MF-W

WALL MOUNT WHITE ALUMINUM ROTARY MASTER CONTROLLER



9043-M-W

WHITE INLINE KNOB DIMMER SWITCH



9022

MULTI COLOR

LED CONTROLLERS

PRODUCT NAME	INPUT VOLTAGE	OUTPUT CURRENT	OUTPUT POWER	CHAN.	MODES	DIMENSIONS	DESCRIPTION
9061-RGB	12V/24V DC	3 X 8A	12V < 288W / 24V < 576W	3	18	3.6" X 3.5" X 0.9"	1 ZONE RGB SYNC 8A CONTROLLER SET, 3 X 8A
9060-RGB	12V/24V DC	3 X 6A	12V < 216W / 24V < 432W	3	18	5" X 1.6" X 1.25"	1 ZONE RGB SYNC CONTROLLER, 3 X 6A
9060-RGB-R	12V/24V DC	3 X 6A	12V < 216W / 24V < 432W	3	18	5" X 1.6" X 1.25"	1 ZONE RGB SYNC RECEIVER, 3 X 6A
9010-TH-RGBW-SET	12V/24V DC	4 X 6A	12V < 288W / 24V < 576W	4	6	3.3" X 1.8" X 1"	2.4G RGBW REMOTE AND RECEIVER SET, 4 X 6A
9010-TH-RMT	3V DC		12V < 216W / 24V < 432W	4	6	4" X 2.2" X 0.25"	MASTER DIY COLOR BUTTONS RGB MASTER REMOTE
9010-TH-RCV	12V/24V DC	3 X 6A	12V < 108W / 24V < 216W	4	6	3.3" X 1.8" X 1"	PRE-PROGRAMMED DIY COLOR BUTTONS RGB RECEIVER
9020	12V/24V DC	3 X 3A		3		5.39" X 2.22" X 2.22"	3 COLOR RGB KNOB DIMMER, 3 X 3A
9045-24	12V DC	3 X 2A	72W	3	20	2.5" X 1.4" X 0.9"	24 KEY IR RGB COLOR BUTTONS CONTROLLER, 3 X 2A
9010-WIFI	5V					3.5" X 2.6" X 0.6"	MI LIGHT WI-FI CONTROLLER
9010-RGBW-S	12V/24V DC	4 X 6A	12V < 288W / 24V < 576W		9	3.3" X 1.8" X 1"	MI LIGHT 4 ZONE RGB RECEIVER, 4 X 6A
9035-RGBW PANEL-8G	2 X AAA			3	7	5.75" X 4.2" X 0.8"	8 ZONE WALL MOUNT RGB+CCT MASTER PANEL AAA
9035-RGB/RGBW PANEL-4G	12V/24V DC	3 X 6A (RGB) 4 X 6A (RGBW)	12V < 216W / 24V < 432W (RGB) 12V < 288W / 24V < 576W (RGBW)	4	9		MI LIGHT WALL MOUNT RGB+W MASTER REMOTE AAA
9045-44	12V DC	3 X 2A	72W	4	28	2.5" X 1.4" X 0.9"	44 KEY IR RGB COLOR BUTTONS CONTROLLER, 3 X 2A

1 ZONE RGB SYNC 8A
CONTROLLER SET



9061-RGB

1 ZONE RGB SYNC
CONTROLLER



9060-RGB

2.4G RGBW REMOTE
AND RECEIVER SET



9010-TH-RGBW-SET

3 COLOR RGB
KNOB DIMMER



9020

MI LIGHT WALL MOUNT RGB+W
MASTER REMOTE AAA



9010-WIFI

44 KEY IR RGB COLOR
BUTTONS CONTROLLER

9045-44



24 KEY IR RGB COLOR
BUTTONS CONTROLLER



9045-24

MULTI COLOR

LED CONTROLLERS

PRODUCT NAME	INPUT VOLTAGE	OUTPUT CURRENT	OUTPUT POWER	CHAN.	MODES	DIMENSIONS	DESCRIPTION
9052-RF	12V/24V DC	12V/24V DC	12V <900W / 24V <1800W	3	15	5" X 2.5" X 1"	75A RF RGB COLOR WHEEL CONTROLLER W/ 2 OUTPUTS
9010-IPH	12V/24V DC	12V/24V DC	12V < 216W / 24V < 432W	3	20	4.9" X 2" X 1"	IPHONE BOX RGB COLOR WHEEL CONTROLLER RF, 3 X 6A
9010-RGB-10A	12V/24V DC	12V/24V DC	12V < 360W / 24V < 720W	3	20	4.3" X 3.5" X 1"	HIGH POWER COLOR WHEEL RGB CONTROLLER 2.4G RF, 30A
9010-RGB 120V-SET	90 - 240V AC	90 - 240V AC	120V < 360W	3	11	5.4" X 1.75" X 1"	120V RGB COLOR WHEEL CONTROLLER RF
9059	12V/24V DC	12V/24V DC	12V - 180W/ 24V - 360W	3	22	6" X 3" X 1.1"	RGB MUSIC COLOR WHEEL CONTROLLER
9034-RGB	12V/24V DC	12V/24V DC	12V <144W / 24V <288W	3	19	4.7" X 2.4" X 1.4"	BLACK SINGLE GANG WALL MOUNT RGB CONTROLLER
9033-RGBW	12V/24V DC	12V/24V DC	12V <192W / 24V <384W	4	21	3.4" X 3.4" 1.4"	BLACK SQUARE WALL MOUNT RGBW CONTROLLER
9019-RGB	12V/24V DC	12V/24V DC	12V < 360W / 24V < 720W	3	25	4.75" X 2.9" X 1"	DANCING RGB CONTROLLER
9048	100-120V AC	100-120V AC	120V < 1000W	3	9	6.7" X 4.3" X 2"	HIGH VOLTAGE RGB CONTROLLER

75A RF RGB COLOR WHEEL CONTROLLER W/ 2 OUTPUTS



9052-RF

IPHONE BOX RGB COLOR WHEEL CONTROLLER RF



9010-IPH

HIGH POWER COLOR WHEEL RGB CONTROLLER 2.4G RF



9010-RGB-10A

120V RGB COLOR WHEEL CONTROLLER RF



9010-RGB-120V-SET

RGB MUSIC COLOR WHEEL CONTROLLER



9059

BLACK SINGLE GANG WALL MOUNT RGB CONTROLLER



9034-RGB

BLACK SQUARE WALL MOUNT RGBW CONTROLLER



9033-RGBW

DANCING RGB CONTROLLER



9019-RGB

HIGH VOLTAGE RGB CONTROLLER



9048

MULTI COLOR

LED CONTROLLERS

PRODUCT NAME	INPUT VOLTAGE	OUTPUT CURRENT	OUTPUT POWER	CHAN.	MODES	DIMENSIONS	DESCRIPTION
9010-RGB/RGBW	12V/24V DC	3 X 6A (RGB) 4 X 6A (RGBW)	12V < 216W / 24V < 432W (RGB) 12V < 288W / 24V < 576W (RGBW)	4	9	3.3" X 1.8" X 1"	MI LIGHT 4 ZONE RGB/RGBW SET
9011-RGBW-R	12V/24V DC	10A	12V < 120W / 24V < 240W	4	20	3.3" X 1.8" X 1"	MI LIGHT 4 ZONE RGB+W RECEIVER AND SENDER
9011-RGB-MINI-WIFI	12V/24V DC	4A	12V < 48W / 24V < 96W	3	16	2" X 1.3" X 0.6"	MI LIGHT MINI RGB WIFI LED CONTROLLER
9011-RGBW-MINI-WIFI	12V/24V DC	4A	12V < 48W / 24V < 96W	4	16	2" X 1.3" X 0.6"	MINI WIRELESS RGB CONTROLLER
9037	12V/24V DC	3 X 4A	12V < 144W / 24V < 288W	3	9	6" X 0.5" X 0.1"	MULTIPLE RECEIVER RF CONTROLLER
9042	12V/24V DC	3 X 4A	12V < 144W / 24V < 288W	3	24	5" X 2.6" X 1.25"	MULTIPLE RECEIVER RF CONTROLLER
9055	12V/24V DC	3 X 4A	12V < 144W / 24V < 288W	3	31	5.1" X 2.5" X 1"	RF RGB COLOR BUTTONS CONTROLLER
9011-RGB/RGBW RGBWW-NEW	12V/24V DC	15A	12V < 180W / 24V < 360W	3/4			RGB SMART LED CONTROL SYSTEM
9044-M-V	12V/24V DC	3 X 5A / 3 X 8A					WALL MOUNT RGB WHITE VERTICAL MASTER CONTROLLER
9044-S-5A	12V/24V DC	3 X 5A	12V < 180W / 24V < 360W	4		6.3" X 1.8" X 0.7"	WIRELESS RGB RECEIVER 5A X 3 CH
9044-S-8A	12V/24V DC	3 X 8A	12V < 288W / 24V < 576W	4		6.63" X 2.25" X 1.8"	WALL MOUNT RGB WHITE VERTICAL MASTER CONTROLLER

MI LIGHT 4 ZONE
RGB/RGBW SET



9010-RGB/RGBW

MI LIGHT MINI RGB WIFI
LED CONTROLLER



9011-RGB-MINI-WIFI

MULTIPLE RECEIVER
RF CONTROLLER



9037

MULTIPLE RECEIVER
RF CONTROLLER



9042

RF RGB COLOR
BUTTONS CONTROLLER



9055

RGB SMART LED
CONTROL SYSTEM



9011-RGB/RGBW/RGBWW-NEW

WALL MOUNT RGB
WHITE VERTICAL
MASTER CONTROLLER



9044-M-V

WALL MOUNT RGB+CCT COLOR
WHEEL CONTROLLER



9035-RGB+CCT-PANEL

MULTI COLOR

LED CONTROLLERS

PRODUCT NAME	INPUT VOLTAGE	OUTPUT CURRENT	OUTPUT POWER	CHANNELS	MODES	DIMENSIONS	DESCRIPTION
9035-RGB+CCT-PANEL	12V/24V DC	3 X 5A	12V < 180W / 24V < 360W	5	9	3.4" X 3.4" 1.4"	WALL MOUNT RGB+CCT COLOR WHEEL CONTROLLER
9032-RGB-WALL+M	12V/24V DC	3 X 4A	12V < 144W / 24V < 288W	3	18	5" X 2.9" X 1.5"	WHITE SINGLE GANG WALL MOUNT RGB CONTROLLER W/ REMOTE
9033-RGB	12V/24V DC	3 X 4A	12V < 144W / 24V < 288W	3		3.4" X 3.4" 1.4"	WHITE SQUARE WALL MOUNT RGB CONTROLLER
9011-WIFI-ALEXA	12V/24V DC	5A	12V < 60W / 24V < 120W		39	3.14" X 0.67"	WIFI TOUCH COLOR CHANGING ALEXA CONTROLLER

WHITE SINGLE GANG
WALL MOUNT RGB
CONTROLLER W/ REMOTE



9032-RGB-WALL+M

WHITE SQUARE WALL MOUNT RGB
CONTROLLER



9033-RGB

WIFI TOUCH COLOR CHANGING
ALEXA CONTROLLER



9011-WIFI-ALEXA

MULTI ZONE

LED CONTROLLERS

PRODUCT NAME	INPUT VOLTAGE	OUTPUT CURRENT	OUTPUT POWER	CHAN.	MODES	DIMENSIONS	DESCRIPTION
9043-MS2-W	3V BUTTON BATTERY					3.4" X 3.4" X 0.4"	2 ZONE WALL MOUNT SLIM WHITE ROCKER MASTER CONTROLLER
9043-S-1X8A	12V/24V DC	1 X 8A	12V < 96W / 24V < 192W	1		4" X 1.9" X 0.8"	WIRELESS DIMMER RECEIVER 8A X 1 CH
9043-S-8A	12V/24V DC	4 X 8A	12V < 384W / 24V < 768W	1		6.63" X 2.25" X 1.8"	WIRELESS DIMMER RECEIVER 8A X 4 CH
9010-TH RGBW-SET	12V/24V DC	4 X 6A	12V < 288W / 24V < 576W	4	6	3.3" X 1.8" X 1"	2.4G RGBW REMOTE AND RECEIVER SET
9010-TH-RMT	3V DC		12V < 216W / 24V < 432W	4	6	4" X 2.2" X 0.25"	MASTER DIY COLOR BUTTONS RGB MASTER REMOTE
9010-TH-RCV	12V/24V DC	3 X 6A	12V < 144W / 24V < 288W	4	6	3.3" X 1.8" X 1"	PRE-PROGRAMMED DIY COLOR BUTTONS RGB RECEIVER
9010-DIM	12V/24V DC	2 X 6A	12V < 144W / 24V < 288W	1	1	3.3" X 1.8" X 1"	MI LIGHT 4 ZONE DIMMER RECEIVER
9010-DIM-S	12V/24V DC	2 X 6A	12V < 144W / 24V < 288W	1	1	3.3" X 1.8" X 1"	MI LIGHT 4 ZONE DIMMER RECEIVER
9010-WIFI	5V					3.5" X 2.6" X 0.6"	MI LIGHT WI-FI MODULE
9010-HOLDER				1		2.44" X 3.14" X 1"	9010-9011 HOLDER LIGHTS
9035-DIM PANEL-4G	2 X AAA (REMOTE) 12V 24V DC (RECEIVER)	2 X 6A	12V < 216W / 24V < 432W (RGB) 12V < 288W /	1	1		MI LIGHT WALL MOUNT DIMMER AAA W/ DELAY MODE
9035-RGB/RGBW PANEL-4G	2 X AAA (REMOTE) 12V/ 24V DC (RECEIVER)	3 X 6A (RGB) 4 X 6A (RGBW)	24V < 576W (RGBW)	3/4	9		MI LIGHT WALL MOUNT RGB+W MASTER REMOTE AAA

2 ZONE WALL MOUNT SLIM WHITE
ROCKER MASTER CONTROLLER



9043-MS2-W

2.4G RGBW REMOTE AND RECEIVER SET



9010-TH-RGBW-SET

MI LIGHT 4 ZONE
DIMMER SET



9010-DIM

MI LIGHT WALL MOUNT
RGB+W MASTER
REMOTE AAA



9035-RGB/RGBW-PANEL-4G

MI LIGHT WALL MOUNT DIMMER
AAA W/ DELAY MODE



9035-DIM-PANEL-4G

MULTI ZONE

LED CONTROLLERS

PRODUCT NAME	INPUT VOLTAGE	OUTPUT CURRENT	OUTPUT POWER	CHAN.	MODES	DIMENSIONS	DESCRIPTION
9035-8G	2 X AAA (REMOTE) 12V/24V DC (RECEIVER)	15A	12V < 180W / 24V < 288W	5	7		8 ZONE REMOTE RGB+CCT SET
9035-S-8G	12V/24V DC	15A	12V < 180W / 24V < 288W	5	7	4.88" X 1.5" X 0.9"	8 ZONE RGB+CCT RECEIVER
9035-M-8G	2 X AAA			5	7	6" X 1.85" X 0.75"	8 ZONE MASTER REMOTE RGB+CCT
9010-WIFI	5V			5		3.5" X 2.6" X 0.6"	MI LIGHT WI-FI MODULE
9035-RGBW PANEL-8G	2 X AAA (REMOTE) 12V/24V DC (RECEIVER)	15A	12V < 180W 24V < 288W	5	7		8 ZONE WALL MOUNT RGB+CCT MASTER PANEL AAA
9010-RGB/RGBW	12V/24V DC	3 X 6A (RGB) - 4 X 6A (RGBW)	12V < 216W / 24V < 432W (RGB) 12V < 288W / 24V < 576W (RGBW)	4/5	9	3.3" X 1.8" X 1"	MI LIGHT 4 ZONE RGB RGBW SET
9010-RGB/RGBW-M	2 X AAA			4/5	9	4.7" X 2.1" X 0.6"	MI LIGHT 4 ZONE RGB RGBW MASTER REMOTE
9010-RGBW-S	12V/24V DC	4 X 6A	12V < 288W 24V < 576W	4/5	9	3.3" X 1.8" X 1"	MI LIGHT 4 ZONE RGBW RECEIVER
9010-WIFI	5V					3.5" X 2.6" X 0.6"	MI LIGHT WI-FI CONTROLLER
9011-WIFI-REMOTE	5V DC					1.3" X 1.3" X 2.25"	WIFI ALEXA REMOTE CONTROLLER
9011-WIFI-ALEXA	12V/24V DC	5A				3.14" X 0.67"	WIFI TOUCH COLOR CHANGING ALEXA CONTROLLER

8 ZONE REMOTE
RGB+CCT SET



9035-8G

8 ZONE WALL MOUNT
RGB+CCT MASTER
PANEL AAA



9035-RGBW-PANEL-8G

WIFI TOUCH COLOR
CHANGING ALEXA
CONTROLLER



9011-WIFI-ALEXA

MI LIGHT 4 ZONE
RGB/RGBW SET



9010-RGB/RGBW

WIFI ALEXA REMOTE
CONTROLLER



9011-WIFI-REMOTE

SMART-RGB IC CONTROLLERS

LED CONTROLLERS

PRODUCT NAME	INPUT VOLTAGE	OUTPUT CURRENT	OUTPUT POWER	CHAN.	MODES	DIMENSIONS	DESCRIPTION
9223	12V DC			3		4.8" X 2.8" X 0.9"	1903 and WS2811 RGB IC Controller
9211-6803	12V DC			3	132	3.7" X 2.3" X 1"	Dream Color RGB IC 6803 Controller
9217-17KEY	DC5-24V				358		Ir 17 Key Magic Controller
9217-21KEY	DC5-24V	6A			366		Ir 21 Key Spi Controller
9219(T-1000)	5- 24V	6A					SD Card SPI Controller for RGB-IC LED Strips
9217	12V DC	1 X 6A	12V < 72W		200	2.5" X 1.4" X 0.9"	Small IR SPI Controller

1903 AND WS2811 RGB
IC CONTROLLER



9223

DREAM COLOR RGB IC
6803 CONTROLLER



9211-6803

IR 17 KEY MAGIC CONTROLLER



9217-17KEY

IR 21 KEY SPI CONTROLLER



9217-21KEY

IR 21 KEY SPI CONTROLLER



9217-21KEY

IR 21 KEY SPI
CONTROLLER



9217-21KEY

DMX CONTROLLERS

LED CONTROLLERS

PRODUCT NAME	INPUT VOLTAGE	OUTPUT CURRENT	OUTPUT POWER	CHANNELS	MODES	DIMENSIONS	DIMENSIONS
9201-5A	12V/24V DC	3 X 5A	12V < 180W / 24V < 360W	3		6.8" X 1.7" X 1.3"	3 CH 5A DMX DECODER
9202-4A	12V/24V DC	4 X 4A	12V < 192W / 24V < 384W	4		6.5" X 2.6" X 1.6"	4 CH 4A DMX DECODER
9202-8A	12V/24V DC	4 X 8A	12V < 384W / 24V < 768W	4		6.5" X 2.6" X 1.6"	4 CH 8A DMX DECODER
9205-DMX-5CH	12V/24V DC	5 X 8A	12V < 360W / 24V < 720W	5	31	6.45" X 2.87" X 1.5"	5 CH 8A DMX DECODER
9205-DMX-12CH	12V/24V DC	12 X 5A	12V < 720W / 24V < 1440W	12	4	6.5" X 3.9" X 1.5"	12 CH 5A DMX DECODER
9205-DMX-24CH	12V/24V DC	24 X 4A	12V < 576W / 24V < 1152W	24	4	10.4" X 3.25" X 1.65"	24 CH 4A DMX DECODER

3 CH RGB 5A DMX DECODER



9201-5A

4 CH RGBW 4A DMX DECODER



9202-4A

4 CH RGBW 8A DMX DECODER



9202-8A

5 CH 8A RGB+CCT DMX DECODER



9205-DMX-5CH

12 CH 5A RGBW DMX DECODER



9205-DMX-12CH

24 CH 4A RGBW DMX DECODER



9205-DMX-24CH

AMPLIFIERS AND SENSORS

LED CONTROLLERS

PRODUCT NAME	INPUT VOLTAGE	OUTPUT CURRENT	OUTPUT POWER	CHAN.	DIMENSIONS	DELAY TIME	INDUCTION DISTANCE	DISCRIPTION
9025-120V	110V AC	3 X 5A	110V < 1500W	3	4.7" X 2.5" X 0.9"			120V RGB Amplifier
9215	12V/24V DC	6A/ CHANNEL	12V < 216W / 24V < 432W		5.7" X 3.3" X 1.8"			DMX Amplifier
9035-PA4	12V/24V DC	3 X 6A	5V < 150W / 12V 360W / 24V < 720W	4	3.26" X 3.11" X 1.3"			High Performance RGBW Amplifier 4CH/6A
9025-5A	12V/24V DC	3 X 10A	12V < 288W / 24V < 576W	3	4.3" X 3.5" X 1"			RGB Amplifier 3CH/5A
9029-10A	5-24V DC	24A	12V < 288W / 24V < 576W	3	5.7" X 3.02" X 0.81"			RGB Amplifier Black 3CH/10A
9029-24A	12V/24V DC	4 X 6A	12V < 240W	3	3.3" X 2.5" X 1"			RGB High Speed Power Amplifier Black 3CH/8A
9027-6A	12V/24V DC	1 X 20A	12V - 72W / 24V - 144W	4	3.3" X 2.6" X 1"			RGBW Amplifier 4CH/6A
9036-20A	12V DC	1 X 6A	12V - 96W / 24V - 192W	1	1.75" X 1.5" X 0.65"	15S - 300S		Single Color Amplifier 1CH/20A
9102-R	12V/24V DC	1 X 8A	12V - 72W / 24V - 144W	1	3.38" X 3.38" X 1.18"	30S TO 380S	2M TO 8M	Motion Sensor Switch with Delay Timer
9102-SQ	12V/24V DC	1 X 6A		1	3" X 1.75" X 1.3"	1-10MIN (ADJUSTABLE)	8M	Motion Sensor Switch with Delay Timer
9102	12V/24V DC			1				Motion Sensor Switch with Delay Timer

120V RGB AMPLIFIER



9025-120V

RGB HIGH SPEED POWER
AMPLIFIER BLACK 3CH/8A



9029-24A

MOTION SENSOR SWITCH
WITH DELAY TIMER



9102-SQ

DMX AMPLIFIER



9215

RGBW AMPLIFIER 4CH/6A



9027-6A

MOTION SENSOR SWITCH
WITH DELAY TIMER



9102

HIGH PERFORMANCE
RGBW AMPLIFIER 4CH/6A



9035-PA4

RGB AMPLIFIER 3CH/5A



9025-5A

RGB AMPLIFIER
BLACK 3CH/10A



9029-10A

SINGLE COLOR
AMPLIFIER 1CH/20A




9036-20A

MOTION SENSOR SWITCH
WITH DELAY TIMER



9102-R



INDUSTRIAL FLOOD



INDUSTRIAL FLOOD

SLIM KNUCKLE TYPE



PRODUCT NAME	WATTAGE	INPUT VOLTAGE	CCT	LUMEN	FIXTURE SIZE	DESCRIPTION
2020-15W-WW-KN	15W	100-277V AC	3000K	1500 LM	4.4" X 5.4" X 1.6"	15W, 100-277V, 30K
2020-15W-NW-KN	15W	100-277V AC	4000K	1650 LM	4.4" X 5.4" X 1.6"	15W, 100-277V, 40K
2020-15W-CW-KN	15W	100-277V AC	5000K	1950 LM	4.4" X 5.4" X 1.6"	15W, 100-277V, 50K
2020-30W-WW-KN	30W	100-277V AC	3000K	2900 LM	7.2" X 9.2" X 2"	30W, 100-277V, 30K
2020-30W-NW-KN	30W	100-277V AC	4000K	3400 LM	7.2" X 9.2" X 2"	30W, 100-277V, 40K
2020-30W-CW-KN	30W	100-277V AC	5000K	3900 LM	7.2" X 9.2" X 2"	30W, 100-277V, 50K
2020-50W-WW-KN	50W	100-277V AC	3000K	5300 LM	8.5" X 10.2" X 2.2"	50W, 100-277V, 30K
2020-50W-NW-KN	50W	100-277V AC	4000K	6000 LM	8.5" X 10.2" X 2.2"	50W, 100-277V, 40K
2020-50W-CW-KN	50W	100-277V AC	5000K	6800 LM	8.5" X 10.2" X 2.2"	50W, 100-277V, 50K

SLIM TRUNNION TYPE



2020-15W-WW-TRU	15W	100-277V AC	3000K	1500 LM	4.4" X 4.7" X 1.6"	15W, 100-277V, 30K
2020-15W-NW-TRU	15W	100-277V AC	4000K	1650 LM	4.4" X 4.7" X 1.6"	15W, 100-277V, 40K
2020-15W-CW-TRU	15W	100-277V AC	5000K	1950 LM	4.4" X 4.7" X 1.6"	15W, 100-277V, 50K
2020-30W-WW-TRU	30W	100-277V AC	3000K	2900 LM	7.2" X 7.5" X 1.7"	30W, 100-277V, 30K
2020-30W-NW-TRU	30W	100-277V AC	4000K	3400 LM	7.2" X 7.5" X 1.7"	30W, 100-277V, 40K
2020-30W-CW-TRU	30W	100-277V AC	5000K	3900 LM	7.2" X 7.5" X 1.7"	30W, 100-277V, 50K
2020-50W-WW-TRU	50W	100-277V AC	3000K	5300 LM	8.5" X 8.5" X 1.9"	50W, 100-277V, 30K
2020-50W-NW-TRU	50W	100-277V AC	4000K	6000 LM	8.5" X 8.5" X 1.9"	50W, 100-277V, 40K
2020-50W-CW-TRU	50W	100-277V AC	5000K	6800 LM	8.5" X 8.5" X 1.9"	50W, 100-277V, 50K
2017-150W-NW-TRU	150W	100-277V AC	4000K	17860 LM	13" X 11" X 2.76"	150W, 100-277V, 40K
2017-150W-CW-TRU	150W	100-277V AC	5000K	19074 LM	13" X 11" X 2.76"	150W, 100-277V, 50K

SLIM LED DRIVER ON BOARD FLOOD LIGHT



2010-100W-DOB	100W	100-277V AC	5000K	12,000 LM	12.2" X 8.34" X 2.32"	100W, 100-277V, 50K
---------------	------	-------------	-------	-----------	-----------------------	---------------------

TRUNNION RGB LED FLOOD LIGHTS



2010-10W-RGB-12V	10W	12V DC	RGB	4.5" X 3.3" X 3.3"	10W, 12VDC, RGB
2010-10W-RGB-120V	10W	100-150V AC	RGB	4.5" X 3.3" X 3.3"	10W, 100-150VAC, RGB
2010-20W-RGB	20W	100-150V AC	RGB	7" X 5.5" X 4.1"	20W, 100-150VAC, RGB
2010-30W-RGB	30W	100-150V AC	RGB	8.85" X 7.3" X 5.5"	30W, 100-150VAC, RGB
2010-50W-RGB	50W	100-120V AC	RGB	11.2" X 9.25" X 5.7"	50W, 100-120VAC, RGB
2010-50W-RGB(N)	50W	100-120V AC	RGB	11.2" X 9.25" X 5.7"	50W, 100-120VAC, RGB
2010-150W-RGB	150W	100-150V AC	RGB	16.75" X 12.8" X 7"	150W, 100-150VAC, RGB

INDUSTRIAL FLOOD

TRADITIONAL NON CUT OFF WALL PACK



PRODUCT NAME	WATTAGE	INPUT VOLTAGE	CCT	LUMEN	FIXTURE SIZE	DESCRIPTION
2104-NCW	60W	100-277V AC	5000K	6000 LM	14.2" X 9.5" X 7.9"	60W, 100-277V, 50K
2105-NCW	90W	100-277V AC	5000K	9000 LM	14.2" X 9.5" X 7.9"	90W, 100-277V, 50K

CUT OFF WALL PACK



2106-NW	60W	100-480V AC	4000K	5,300 LM	11.8" X 12.2" X 6.3"	60W, 100-480V, 40K
2106-NCW	60W	100-480V AC	5000K	5,300 LM	11.8" X 12.2" X 6.3"	60W, 100-480V, 50K
2112-NW	120W	100-480V AC	4000K	11,000 LM	11.8" X 12.2" X 6.3"	120W, 100-480V, 40K
2112-NCW	120W	100-480V AC	5000K	11,000 LM	11.8" X 12.2" X 6.3"	120W, 100-480V, 50K

POLE TYPE



2300-150W-NCW	150W	90-277V AV	5000K	21000 LM	23.6" X 17.13" X 7"	150W, 90-277V, 50K
---------------	------	------------	-------	----------	---------------------	--------------------

CANOPY TYPE



2902-45W	45W	100-277V AC	5000K	5300 LM	10.63" X 10.36" X 3.54"	45W, 100-277V, 50K
2902-75W	75W	100-277V AC	5000K	8800 LM	10.63" X 10.36" X 3.54"	75W, 100-277V, 50K

WALL MOUNT (SMALL)



2425-WW-25W	25W	120V AV	3000K	2618 LM	8.4" X 5.5" 3.5"	25W, 120V, 30K
2425-NW-25W	25W	120V AV	5000K	2700 LM	8.4" X 5.5" 3.5"	25W, 120V, 50K
2425-CW-25W	25W	120V AV	6000K	2700 LM	8.4" X 5.5" 3.5"	25W, 120V, 60K

ROUND UP AND DOWN WALL SCONCE



PRODUCT NAME	WATTAGE	INPUT VOLTAGE	LUMEN	CCT	FIXTURE COLOR	FIXTURE SIZE
2512-30K	24W	100 - 277V AC	1920 LM	3000K	BRONZE	Ø4.25" X 11.8"
2512-40K	24W	100 - 277V AC	2160 LM	4000K	BRONZE	Ø4.25" X 11.8"
2512-50K	24W	100 - 277V AC	2160 LM	5000K	BRONZE	Ø4.25" X 11.8"
2530-30K	60W	100 - 277V AC	4800 LM	3000K	BRONZE	Ø6.3" X 11.8"

SQUARE UP AND DOWN WALL SCONCE



INDUSTRIAL FLOOD

ITEM NO	2506-30K
DESCRIPTION	SQUARE UP AND DOWN WALL SCONCE
POWER	12W
CCT	3000K
LUMENS	960 LM
INPUT VOLTAGE	100-277V AC
FINISH	BRONZE
DIMENSIONS	9" X 4.33" X 2.55"
IP RATING	IP65
CERTIFICATE	ETL / CE / ROHS

INDUSTRIAL FLOOD

24VDC WALL WASHER

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	CCT	LUMEN	FIXTURE SIZE	DESCRIPTION
2051-WW	25W	24V DC	3000K	1250LM	24.2" * 1.8" * 1.85"	25W, 24V, 30K
2051-CW	25W	24V DC	6000K	1480LM	24.2" * 1.8" * 1.85"	25W, 24V, 60K
2051-RGB	25W	24V DC	RGB	925LM	24.2" * 1.8" * 1.85"	25W, 24V, RGB
2051-B	25W	24V DC	BLUE	375LM	24.2" * 1.8" * 1.85"	25W, 24V, BLUE
2052-WW	50W	24V DC	3000K	2500LM	39.4" * 1.8" * 1.85"	50W, 24V, 30K
2052-CW	50W	24V DC	6000K	3000LM	39.4" * 1.8" * 1.85"	50W, 24V, 60K
2052-RGB	50W	24V DC	RGB	1850LM	39.4" * 1.8" * 1.85"	50W, 24V, RGB
2052-B	50W	24V DC	BLUE	720LM	39.4" * 1.8" * 1.85"	50W, 24V, BLUE

110-277V AC WALL WASHER

2080-WW	80W	100-277V AC	3000K	5760 LM	19.8" * 2.9" * 6"	80W, 100-277, 30K
2080-B	80W	100-277V AC	BLUE	2760 LM	19.8" * 2.9" * 6"	80W, 100-277, BLUE
2080-CW	80W	100-277V AC	6000K	7200 LM	19.8" * 2.9" * 6"	80W, 100-277, 60K

24VDC WALL WASHER



110-277V AC WALL WASHER

INDUSTRIAL FLOOD

HIGH BAY



MILKY UFO HIGH BAY



PRODUCT NAME	WATTAGE	INPUT VOLTAGE	LUMEN	CCT	FIXTURE COLOR	FIXTURE SIZE
2215-150W-UFO-MILKY	150W	100-277V AC	4000K	19500 LM	12.9"X7"	150W, 100-277V , 40K
2215-150W-UFO-MILKY	150W	100-277V AC	5000K	19500 LM	12.9"X7"	150W, 100-277V , 50K

UFO HIGH BAY



PRODUCT NAME	WATTAGE	INPUT VOLTAGE	CCT	LUMEN	FIXTURE SIZE	DESCRIPTION
2215-NW-UFO-120D	150W	100-277V AC	4000K	19500LM	15" X 9"	150W, 100-277V, 40K
2216-NCW-UFO-60D	160W	100-277V AC	5000K	22400LM	15" X 9"	160W, 100-277V, 50K
2220-NW-UFO-60D	200W	100-277V AC	4000K	26000LM	15" X 9"	200W, 100-277V, 40K
2220-NCW-UFO-60D	200W	100-277V AC	5000K	28000LM	15" X 9"	200W, 100-277V, 50K
2220-NW-UFO-120D	200W	100-277V AC	4000K	26000LM	15" X 9"	200W, 100-277V, 40K

TRADITIONAL HIGH BAY



2215-NW-HP	150W	100-277V AC	4000K	15030LM	20" X 15.75"	150W, 100-277V, 40K
2215-NCW-CREE	150W	100-277V AC	5000K	15030LM	20" X 15.75"	150W, 100-277V, 50K
2220-NW-HP	200W	100-277V AC	4000K	18326LM	20" X 16.9"	200W, 100-277V, 40K
2220-NCW-CREE	200W	100-277V AC	5000K	18326LM	20" X 16.9"	200W, 100-277V, 50K

INDUSTRIAL FLOOD

INDUSTRIAL FLOOD

8° CREE LED WALL WASHER 24W IP65



ITEM NO	1742-24V-3000K / 1742-24V-6000K
DESCRIPTION	CREE LED WALL WASHER
POWER	24W
INPUT VOLTAGE	24VAC/DC
CCT	3000K / 6000K
LUMENS	1920 / 2160 LM
DIMENSIONS	Ç 5.9" X 5.11"
IP RATING	IP65
BEAM ANGLE	8°

INDUSTRIAL FLOOD

CORN 180°



PRODUCT NAME	WATTAGE	INPUT VOLTAGE	CCT	LUMEN	SOCKET TYPE	FIXTURE SIZE	DESCRIPTION
1700-54W-180D-CW-E26	54W	100-277V AC	5000K	6800LM	E26	9.17" X 4.448" X 3.14"	54W, 100-277V, 50K
1700-54W-180D-CW-E39	54W	100-277V AC	5000K	6800LM	E39	9.17" X 4.448" X 3.14"	54W, 100-277V, 50K
1700-115W-180D-CW-E39	115W	100-277V AC	5000K	15000LM	E39	11.69" X 5.43" X 3.42"	115W, 100-277V, 50K

INDUSTRIAL FLOOD

CORN TYPE



PRODUCT NAME	WATTAGE	INPUT VOLTAGE	CCT	LUMEN	SOCKET TYPE	FIXTURE SIZE	DESCRIPTION
1700-10W-CW	10W	85-265V AC	5700K	1150LM	E26	Φ 2" X 4.64"	10W, 85-265V, 57K
1700-10W-WW	10W	85-265V AC	3000K	1150LM	E26	Φ 2" X 4.64"	10W, 85-265V, 30K
1700-12W-CW	12W	100-277V AC	5000K	1320LM	E26	Φ1.77" X 6.5"	12W, 100-277V, 50K
1700-12W-WW	12W	100-277V AC	3000K	1150LM	E26	Φ1.77" X 6.5"	12W, 100-277V, 30K
1700-15W-WW	15W	85-265V AC	3000K	1725LM	E26	Φ2.36" X 5.6"	15W, 85-265V, 30K
1700-15W-CW	15W	85-265V AC	5700K	1725LM	E26	Φ2.36" X 5.6"	15W, 85-265V, 57K
1700-20W-CW	20W	100-277V AC	5000K	2871LM	E26, E39	Φ2.52" X 7.2"	20W, 100-277V, 50K
1700-20W-WW	20W	100-277V AC	3000K	2800LM	E26, E39	Φ2.52" X 7.2"	20W, 100-277V, 30K
1700-36W-CW	36W	85-265V AC	6000K	4140LM	E39	Φ3.66" X 10.25"	36W, 85-265V, 60K
1700-54W-CW	54W	100-277V AC	6000K	7968LM	E39	Φ3.66" X 10.53"	54W, 100-277V, 60K
1700-54W-WW	54W	100-277V AC	3000K	7560LM	E39	Φ3.66" X 10.53"	54W, 100-277V, 30K
1700-100W-CW	100W	100-277V AC	6000K	11,500LM	E39	Φ4.92" X 11.41"	100W, 100-277V, 60K
1700-120W-CW	120W	100-277V AC	6000K	13,800LM	E39	Φ4.92" X 12.2"	120W, 100-277V, 60K
1700-150W-CW	150W	100-277V AC	6000K	20,200LM	E39	Φ4.92" X 13.2"	150W, 100-277V, 60K



CORN TYPE

INDUSTRIAL FLOOD

LINEAR LIGHTS



LINEAR LIGHTS

BATTEN LIGHT



PRODUCT NAME	WATTAGE	INPUT VOLTAGE	CCT	LUMEN	LENGTH	DIM	DESCRIPTION
3140-30K	40W	100-277V AC	3000K	4400 LM	4 FT	NO	40W, 100-277V, 30K
3140-40K	40W	100-277V AC	4000K	4400 LM	4 FT	NO	40W, 100-277V, 40K
3140-50K	40W	100-277V AC	5000K	4400 LM	4 FT	NO	40W, 100-277V, 50K

INTEGRATED LIGHTING




6725-50K-4FT	30W	100-277V AC	5000K	3300 LM	4 FT	NO	30W, 100-277V, 50K
6725-50K-5FT	40W	100-277V AC	5000K	4400 LM	5 FT	NO	40W, 100-277V, 50K
6725-50K-6FT	48W	100-277V AC	5000K	5280 LM	6 FT	NO	48W, 100-277V, 50K
6725-50K-8FT	60W	100-277V AC	5000K	6600 LM	8 FT	NO	60W, 100-277V, 50K

LINEAR LIGHTS



Dimension: mm



L=2FT=609MM
L=3FT=914MM
L=4FT=1219MM
L=5FT=1524MM
L=6FT=1829MM
L=8FT=2438MM



Both Male Design

Features:

- * Double LED lines design
- * Good performance LM-805MD as lighting source: 115LPW/CRI>82Ra, R9+6
- * Aluminum body as best sink
- * Built-in driver; PF>0.95
- * Damp and dry locations
- * Integrated use: connection in series

Accessories:

Design 1: Male - Female holder Design



Male-female connection cable can also be customized



Stainless steel plug connector



Strong and quality clamp to provide rock-solid attachments and fast easy installation in display cabinets, shop windows

Design 2: Tube both ends with same holder



Connection cable for in-rail, available in 0.5m/1.5m/3m for every customer requirement, can also be customized



You can use the plug connector to install various in-rail fittings one after the other in series, only the first fitting requires a power supply



Strong and quality clamp to provide rock-solid attachments and fast easy installation in display cabinets, shop windows



Application:

- * Workbench
- * Goods shelf, etc.



MINI LED LINEAR DOWNLIGHT



LINEAR LIGHTS



MINI LED LINEAR DOWNLIGHT

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	CCT	LUMEN	BEAM ANGLE	CRI	FIXTURE COLOR	DIMMABLE	DESCRIPTION
3007-27K-BLK/BLK	10W	100-277V	2700K	650LM	45D	>90	BLACK/BLACK	TRIAC	10W, 100-277V, 2700K
3007-27K-WHT/BLK	10W	100-277V	2700K	650LM	45D	>90	WHITE/BLACK	TRIAC	10W, 100-277V, 2700K
3007-30K-BLK/BLK	10W	100-277V	3000K	660LM	45D	>90	BLACK/BLACK	TRIAC	10W, 100-277V, 3000K
3007-30K-WHT/BLK	10W	100-277V	3000K	660LM	45D	>90	WHITE/BLACK	TRIAC	10W, 100-277V, 3000K
3007-40K-BLK/BLK	10W	100-277V	4000K	680LM	45D	>90	BLACK/BLACK	TRIAC	10W, 100-277V, 4000K
3007-40K-WHT/BLK	10W	100-277V	4000K	680LM	45D	>90	WHITE/BLACK	TRIAC	10W, 100-277V, 4000K
3007-50K-BLK/BLK	10W	100-277V	5000K	700LM	45D	>90	BLACK/BLACK	TRIAC	10W, 100-277V, 5000K
3007-50K-WHT/BLK	10W	100-277V	5000K	700LM	45D	>90	WHITE/BLACK	TRIAC	10W, 100-277V, 5000K




LINEAR LIGHTS



LINEAR LIGHTS

LED STRIP LIGHT

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	CCT	LUMEN	LENGTH	DIM	DESCRIPTION
1940-40K	36W	100-277V AC	4000K	4200 LM	4 FT	NO	36W, 100-277V, 40K
1940-50K	36W	100-277V AC	5000K	4275 LM	4 FT	NO	36W, 100-277V, 50K
1941-40K	68W	100-277V AC	4000K	7500 LM	8 FT	NO	68W, 100-277V, 40K
1941-50K	68W	100-277V AC	5000K	8020 LM	8 FT	NO	68W, 100-277V, 50K
1940-40K-DIM	36W	100-277V AC	4000K	4459 LM	4 FT	0-10V	36W, 100-277V, 40K
1940-50K-DIM	36W	100-277V AC	5000K	4501 LM	4 FT	0-10V	36W, 100-277V, 50K
1941-40K-DIM	68W	100-277V AC	4000K	7680 LM	8 FT	0-10V	68W, 100-277V, 40K
1941-50K-DIM	68W	100-277V AC	5000K	7723 LM	8 FT	0-10V	68W, 100-277V, 50K



LINEAR LIGHTS

SINGLE RUN LINEAR LIGHT

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	CCT	LUMEN	LENGTH	DIM	FIXTURE COLOR	DESCRIPTION
3145-2-BK-30K	18W	100-277V AC	3000K	1580 LM	2FT	0-10V	BLACK	18W, 100-277V, 30K
3145-2-BK-40K	18W	100-277V AC	4000K	1728 LM	2FT	0-10V	BLACK	18W, 100-277V, 40K
3145-2-BK-50K	18W	100-277V AC	5000K	1720 LM	2FT	0-10V	BLACK	18W, 100-277V, 50K
3145-2-SV-30K	18W	100-277V AC	3000K	1580 LM	2FT	0-10V	SILVER	18W, 100-277V, 30K
3145-2-SV-40K	18W	100-277V AC	4000K	1728 LM	2FT	0-10V	SILVER	18W, 100-277V, 40K
3145-2-SV-50K	18W	100-277V AC	5000K	1720 LM	2FT	0-10V	SILVER	18W, 100-277V, 50K
3145-4-BK-30K	36W	100-277V AC	3000K	3260 LM	4FT	0-10V	BLACK	36W, 100-277V, 30K
3145-4-BK-40K	36W	100-277V AC	4000K	3560 LM	4FT	0-10V	BLACK	36W, 100-277V, 40K
3145-4-BK-50K	36W	100-277V AC	5000K	3526 LM	4FT	0-10V	BLACK	36W, 100-277V, 50K
3145-4-SV-30K	36W	100-277V AC	3000K	3260 LM	4FT	0-10V	SILVER	36W, 100-277V, 30K
3145-4-SV-40K	36W	100-277V AC	4000K	3560 LM	4FT	0-10V	SILVER	36W, 100-277V, 40K
3145-4-SV-50K	36W	100-277V AC	5000K	3526 LM	4FT	0-10V	SILVER	36W, 100-277V, 50K
3145-5-BK-30K	45W	100-277V AC	3000K	3848 LM	5FT	0-10V	BLACK	45W, 100-277V, 30K
3145-5-BK-40K	45W	100-277V AC	4000K	4303 LM	5FT	0-10V	BLACK	45W, 100-277V, 40K
3145-5-BK-50K	45W	100-277V AC	5000K	4093 LM	5FT	0-10V	BLACK	45W, 100-277V, 50K
3145-5-SV-30K	45W	100-277V AC	3000K	3848 LM	5FT	0-10V	SILVER	45W, 100-277V, 30K
3145-5-SV-40K	45W	100-277V AC	4000K	4303 LM	5FT	0-10V	SILVER	45W, 100-277V, 40K
3145-5-SV-50K	45W	100-277V AC	5000K	4093 LM	5FT	0-10V	SILVER	45W, 100-277V, 50K
3145-8-BK-30K	60W	100-277V AC	3000K	6280 LM	8FT	0-10V	BLACK	60W, 100-277V, 30K
3145-8-BK-40K	60W	100-277V AC	4000K	6300 LM	8FT	0-10V	BLACK	60W, 100-277V, 40K
3145-8-BK-50K	60W	100-277V AC	5000K	6300 LM	8FT	0-10V	BLACK	60W, 100-277V, 50K
3145-8-SV-30K	60W	100-277V AC	3000K	6280 LM	8FT	0-10V	SILVER	60W, 100-277V, 30K
3145-8-SV-40K	60W	100-277V AC	4000K	6300 LM	8FT	0-10V	SILVER	60W, 100-277V, 40K
3145-8-SV-50K	60W	100-277V AC	5000K	6300 LM	8FT	0-10V	SILVER	60W, 100-277V, 50K


CONTINUOUS LINEAR LIGHT

3146-4-SV-40K	40W	100-277V AC	4000K	4280 LM	4FT	0-10V	SILVER	40W, 100-277V, 40K
3146-4-SV-50K	40W	100-277V AC	5000K	4320 LM	4FT	0-10V	SILVER	40W, 100-277V, 50K
3146-8-SV-40K	75W	100-277V AC	4000K	7725 LM	8FT	0-10V	SILVER	75W, 100-277V, 40K
3146-8-SV-50K	75W	100-277V AC	5000K	7875 LM	8FT	0-10V	SILVER	75W, 100-277V, 50K
3146-L-SV-40K	40W	100-277V AC	4000K	4120 LM	2 X 2 FT	0-10V	L-CONNECTOR	40W, 100-277V, 40K
3146-L-SV-50K	40W	100-277V AC	5000K	4280 LM	2 X 2 FT	0-10V	L-CONNECTOR	40W, 100-277V, 50K

SINGLE RUN LINEAR LIGHT



CONTINUOUS LINEAR LIGHT



LINEAR LIGHTS

ACCESSORIES FOR LINEAR LIGHTS



3146-AC-CABLE

AC CONNECTOR FOR 3146 LINEAR LIGHTS



3145-CONNECTOR

CONNECTOR FOR 3145 LINEAR LIGHTS



3146-END-CAP

END CAP FOR 3146 LINEAR LIGHTS



3145-SURFACE-KIT

SURFACE MOUNT KIT FOR 3145
LINEAR LIGHTS



3146-SURFACE-KIT

SURFACE MOUNT KIT FOR 3146
LINEAR LIGHTS



3145-WIRE

WIRE KIT FOR 3145 LINEAR LIGHTS




3146-WIRE

WIRE KIT FOR 3146 LINEAR LIGHTS

LINEAR LIGHTS

PANEL LIGHT



PF
>0.9

CRI
>80




PANEL LIGHT

2 X 2 PANEL LIGHT

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	CCT	LUMEN	FIXTURE SIZE	DIM	CRI	CERTIFICATION	DESCRIPTION
3012-NW-PRM	40W	100-277V AC	4000K	5000 LM	24" x 24" x 2"	0-10V	>80	DLC PREMIUM, UL	40W, 100-277V, 50K
3012-NCW-PRM	40W	100-277V AC	5000K	5000 LM	24" x 24" x 2"	0-10V	>80	DLC PREMIUM, UL	40W, 100-277V, 50K

2 X 4 PANEL LIGHT

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	CCT	LUMEN	FIXTURE SIZE	DIM	CRI	CERTIFICATION	DESCRIPTION
3014-NW-PRM	50W	100-277V AC	4000K	6250 LM	24" x 48" x 2"	0-10V	>80	DLC PREMIUM, UL	50W, 100-277V, 40K
3014-NCW-PRM	50W	100-277V AC	5000K	6250 LM	24" x 48" x 2"	0-10V	>80	DLC PREMIUM, UL	50W, 100-277V, 50K



2 X 2 PANEL LIGHT

3012-NW



3012-NCW



2 X 4 PANEL LIGHT


3014-NW

3014-NCW

2 X 2 EMERGENCY BACK UP



3012-NW



3012-CW

2 X 4 EMERGENCY BACK UP

3014-NW



3014-CW

PANEL LIGHT

SLIM PANEL

120V SLIM PANEL - ROUND

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	CCT	LUMEN	FIXTURE SIZE	DIM	HOLE SIZE	DESCRIPTION
3003-27K-120V	6W	120VAC	2700K	336LM	φ3.54" x 0.39"	Yes-Tri AC	Ø3.54"	6W, 120V, 27K
3003-30K-120V	6W	120VAC	3000K	336LM	φ3.54" x 0.39"	Yes-Tri AC	Ø3.54"	6W, 120V, 30K
3003-40K-120V	6W	120VAC	4000K	360 LM	φ3.54" x 0.39"	Yes-Tri AC	Ø3.54"	6W, 120V, 40K
3003-60K-120V	6W	120VAC	6000K	360 LM	φ3.54" x 0.39"	Yes-Tri AC	Ø3.54"	6W, 120V, 60K
3001-27K-120V	9W	120VAC	2700K	720LM	φ4.75" x 0.4"	Yes-Tri AC	Ø4.53"	9W, 120V, 27K
3001-30K-120V	9W	120VAC	3000K	650LM	φ4.75" x 0.4"	Yes-Tri AC	Ø4.53"	9W, 120V, 30K
3001-40K-120V	9W	120VAC	4000K	720LM	φ4.75" x 0.4"	Yes-Tri AC	Ø4.53"	9W, 120V, 40K
3001-60K-120V	9W	120VAC	6000K	650LM	φ4.75" x 0.4"	Yes-Tri AC	Ø4.53"	9W, 120V, 60K
3001-CCT-120V	9W	120VAC	30K-60K	700-800LM	φ4.75" x 0.4"	Yes-Tri AC	Ø4.53"	9W, 120V, CCT
3010-27K-120V	12W	120VAC	2700K	940LM	φ6.9" x 0.4"	Yes-Tri AC	Ø6.18"	12W, 120V, 27K
3010-30K-120V	12W	120VAC	3000K	950LM	φ6.9" x 0.4"	Yes-Tri AC	Ø6.18"	12W, 120V, 30K
3010-40K-120V	12W	120VAC	4000K	980LM	φ6.9" x 0.4"	Yes-Tri AC	Ø6.18"	12W, 120V, 40K
3010-60K-120V	12W	120VAC	6000K	1000LM	φ6.9" x 0.4"	Yes-Tri AC	Ø6.18"	12W, 120V, 60K
3010-CCT-120V	12W	120VAC	30K-60K	900-1000LM	φ6.9" x 0.4"	Yes-Tri AC	Ø6.18"	12W, 120V, CCT

120V SLIM PANEL - SQUARE

3001-27K-120V-SQ	9W	120VAC	2700K	540 LM	4.13" x 4.13" x 0.71"	YES-TRI AC	4.13" X 4.13"	9W, 120V, 27K
3001-30K-120V-SQ	9W	120VAC	3000K	540 LM	4.13" x 4.13" x 0.71"	YES-TRI AC	4.13" X 4.13"	9W, 120V, 30K
3001-40K-120V-SQ	9W	120VAC	4000K	580 LM	4.13" x 4.13" x 0.71"	YES-TRI AC	4.13" X 4.13"	9W, 120V, 40K
3001-50K-120V-SQ	9W	120VAC	5000K	580 LM	4.13" x 4.13" x 0.71"	YES-TRI AC	4.13" X 4.13"	9W, 120V, 50K
3010-27K-120V-SQ	12W	120VAC	2700K	820 LM	6.10" x 6.10" x 0.71"	YES-TRI AC	6.1" x 6.1"	12W, 120V, 27K
3010-30K-120V-SQ	12W	120VAC	3000K	820 LM	6.10" x 6.10" x 0.71"	YES-TRI AC	6.1" x 6.1"	12W, 120V, 30K
3010-40K-120V-SQ	12W	120VAC	4000K	900 LM	6.10" x 6.10" x 0.71"	YES-TRI AC	6.1" x 6.1"	12W, 120V, 40K
3010-50K-120V-SQ	12W	120VAC	5000K	900 LM	6.10" x 6.10" x 0.71"	YES-TRI AC	6.1" x 6.1"	12W, 120V, 50K

4" RGB+CCT RECESSED PANEL LIGHT

3001-RGB+CCT-120V	6W	120V AC	RGB+CCT	600 LM	φ4.65" x 1.5"	YES	φ3.6"	6W, 120V, RGB+CCT
-------------------	----	---------	---------	--------	---------------	-----	-------	-------------------

6" RGB+CCT RECESSED PANEL LIGHT

3010-RGB+CCT-120V	12W	120V AC	RGB+CCT	1100LM	φ7" x 1.57"	YES	φ5.9"	12W, 120V, RGB+CCT
-------------------	-----	---------	---------	--------	-------------	-----	-------	--------------------

120V SLIM PANEL - SQUARE

120V SLIM PANEL - ROUND



3010

3001-SQ



4" RGB+CCT RECESSED PANEL LIGHT

3001



6" RGB+CCT RECESSED PANEL LIGHT

3010-RGB



SLIM PANEL

12V ROUND SLIM PANEL LIGHT

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	CCT	LUMEN	FIXTURE SIZE	DIM	HOLE SIZE	DESCRIPTION
3001-30K-12V	6W	12VDC	3000K	550LM	φ4.5" x 0.47"	YES	Ø3.77"	6W, 12V, 30K
3001-40K-12V	6W	12VDC	4000K	600LM	φ4.5" x 0.47"	YES	Ø3.77"	6W, 12V, 40K
3001-60K-12V	6W	12VDC	6000K	600LM	φ4.5" x 0.47"	YES	Ø3.77"	6W, 12V, 60K
3010-30K-12V	12W	12VDC	3000K	1200LM	φ7.08" x 0.47"	YES	Ø6.29"	12W, 12V, 30K
3010-40K-12V	12W	12VDC	4000K	1250LM	φ7.08" x 0.47"	YES	Ø6.29"	12W, 12V, 40K
3010-60K-12V	12W	12VDC	6000K	1250LM	φ7.08" x 0.47"	YES	Ø6.29"	12W, 12V, 60K
3020-30K-12V	18W	12VDC	3000K	1650LM	φ9.44" x 0.5"	YES	Ø8.6"	18W, 12V, 30K
3020-40K-12V	18W	12V DC	4000K	1700LM	φ9.44" x 0.5"	YES	Ø8.6"	18W, 12V, 40K
3020-60K-12V	18W	12V DC	6000K	1700LM	φ9.44" x 0.5"	YES	Ø8.6"	18W, 12V, 60K

12V SLIM PANEL - SQUARE

3001-30K-SQ	5W	12V DC	3000K	550LM	4.72" x 4.72 x 0.47"	YES	4.17" x 4.17"	5W, 12V, 30K
3001-40K-SQ	5W	12V DC	4000K	600LM	4.72" x 4.72 x 0.47"	YES	4.17" x 4.17"	5W, 12V, 40K
3001-60K-SQ	5W	12V DC	6000K	600LM	4.72" x 4.72 x 0.47"	YES	4.17" x 4.17"	5W, 12V, 60K
3010-30K-SQ	12W	12V DC	3000K	1200LM	6.69" x 6.69 x 0.47"	YES	6.1" x 6.1"	12W, 12V, 30K
3010-40K-SQ	12W	12V DC	4000K	1250LM	6.69" x 6.69 x 0.47"	YES	6.1" x 6.1"	12W, 12V, 40K
3010-60K-SQ	12W	12V DC	6000K	1250LM	6.69" x 6.69 x 0.47"	YES	6.1" x 6.1"	12W, 12V, 60K

12V ROUND SLIM PANEL LIGHT

3001



12V SLIM PANEL - SQUARE

3001-SQ



PANEL LIGHT

DIMMABLE

DIMMABLE SLIM SURFACE MOUNT - ROUND



PRODUCT NAME	WATTAGE	INPUT VOLTAGE	CCT	LUMEN	FIXTURE SIZE	DIM	DESCRIPTION
3001-30K-SM	6W	120V AC	3000K	360 LM	φ5.31" x 0.51"	YES-TRIAC	6W, 120V, 30K
3001-40K-SM	6W	120V AC	4000K	400 LM	φ5.31" x 0.51"	YES-TRIAC	6W, 120V, 40K
3001-50K-SM	6W	120V AC	5000K	400 LM	φ5.31" x 0.51"	YES-TRIAC	6W, 120V, 50K
3010-30K-SM	12W	120V AC	3000K	840 LM	φ7.08" x 0.51"	YES-TRIAC	12W, 120V, 30K
3010-40K-SM	12W	120V AC	4000K	900 LM	φ7.08" x 0.51"	YES-TRIAC	12W, 120V, 40K
3010-50K-SM	12W	120V AC	5000K	900 LM	φ7.08" x 0.51"	YES-TRIAC	12W, 120V, 50K
3020-30K-SM	18W	120V AC	3000K	1260 LM	φ8.85" x 0.51"	YES-TRIAC	18W, 120V, 30K
3020-40K-SM	18W	120V AC	4000K	1300 LM	φ8.85" x 0.51"	YES-TRIAC	18W, 120V, 40K
3020-50K-SM	18W	120V AC	5000K	1300 LM	φ8.85" x 0.51"	YES-TRIAC	18W, 120V, 50K
3030-30K-SM	24W	120V AC	3000K	1920 LM	φ11.81" x 0.51"	YES-TRIAC	24W, 120V, 30K
3030-40K-SM	24W	120V AC	4000K	2000 LM	φ11.81" x 0.51"	YES-TRIAC	24W, 120V, 40K
3030-50K-SM	24W	120V AC	5000K	2000 LM	φ11.81" x 0.51"	YES-TRIAC	24W, 120V, 50K
3040-30K-SM	30W	120V AC	3000K	2600 IM	φ16" x 0.51"	YES-TRIAC	30W, 120V, 30K
3040-40K-SM	30W	120V AC	4000K	2800 IM	φ16" x 0.51"	YES-TRIAC	30W, 120V, 40K
3040-50K-SM	30W	120V AC	5000K	3000 IM	φ16" x 0.51"	YES-TRIAC	30W, 120V, 50K

MOTION SENSOR SLIM SURFACE MOUNT - ROUND

3020-50K-SM-MOTION	18W	120V AC	5000K	1300 LM	φ8.85" x 0.51"	YES-TRIAC	18W, 120V, 50K
--------------------	-----	---------	-------	---------	----------------	-----------	----------------



DIMMABLE SLIM SURFACE MOUNT - SQUARE

3020-30K-SQ-SM	18W	120V AC	3000K	1530 IM	8.42" x 8.42" x 0.59"	YES-TRIAC	18W, 120V, 30K
3020-40K-SQ-SM	18W	120V AC	4000K	1600 LM	8.42" x 8.42" x 0.59"	YES-TRIAC	18W, 120V, 40K
3020-50K-SQ-SM	18W	120V AC	5000K	1600 LM	8.42" x 8.42" x 0.59"	YES-TRIAC	18W, 120V, 50K
3030-30K-SQ-SM	24W	120V AC	3000K	2160 LM	11.37" x 11.37" x 0.59"	YES-TRIAC	24W, 120V, 30K
3030-40K-SQ-SM	24W	120V AC	4000K	2250 LM	11.37" x 11.37" x 0.59"	YES-TRIAC	24W, 120V, 40K
3030-50K-SQ-SM	24W	120V AC	5000K	2250 LM	11.37" x 11.37" x 0.59"	YES-TRIAC	24W, 120V, 50K




PENDANT Light





BULBS



BULBS

BAYONET



PRODUCT NAME	WATTAGE	INPUT VOLTAGE	LUMEN	CCT	DIMMABLE	FIXTURE SIZE	BEAM ANGLE
1103-WW-12V	2.2W	10-20V AC/DC	190	3000K	No	φ0.6" x 2"	300
1103-CW-12V	2.2W	10-20V AC/DC	210	6000K	No	φ0.6" x 2"	300
1103-WW-120V	2.6W	110-130V AC	190	3000K	No	φ0.6" x 2"	300
1103-CW-120V	2.6W	110-130V AC	210	6000K	No	φ0.6" x 2"	300

G4



1035-27K	3W	12V AC/DC	400	2700K	No	φ0.63" x 1.8"	360
1035-30K	3W	12V AC/DC	400	3000K	No	φ0.63" x 1.8"	360
1036-27K	3W	12V AC/DC	265	2700K	Yes	φ0.63" x 1.9"	270
1036-30K	3W	12V AC/DC	265	3000K	Yes	φ0.63" x 1.9"	270
1036-40K	3W	12V AC/DC	265	4000K	Yes	φ0.63" x 1.9"	270
1036-57K	3W	12V AC/DC	265	5700K	Yes	φ0.63" x 1.9"	270
1044-WW-120V	3.5W	120V AC	330	3000K	Yes	φ0.63" x 1.8"	360
1047-WW	1.9W	10-20V AC/DC	160	3000K	Yes	φ0.47" x 1.45"	270
1047-CW	1.9W	10-20V AC/DC	190	6000K	Yes	φ0.47" x 1.45"	270

G9 / E12



1048-27K	4.5W	120V AC	470	2700K	Yes	φ0.63" x 2.5"	300
1048-30K	4.5W	120V AC	470	3000K	Yes	φ0.63" x 2.5"	300
1508-WW-2.4W	2.4W	110-130V AC	180	3000K	No	φ 0.6" x 2"	300

BULBS

MR11



1112-CW	2.5W	12V AC/DC	230	6000K	Yes	φ1.38" x 1.44"	30
1115-NW	3W	12V AC/DC	220	5000K	No	φ1.24" x 1.37"	36
1120-CW	4W	12V AC/DC	250	6500K	Yes	φ1.38" x 1.61"	30
1120-WW	4W	12V AC/DC	200	3000K	Yes	φ1.38" x 1.61"	30

BULBS

MR16



PRODUCT NAME	WATTAGE	INPUT VOLTAGE	LUMEN	CCT	DIMMABLE	FIXTURE SIZE	BEAM ANGLE
1117-WWW-WS	6W	12V AC/DC	485	2700K	No	φ1.96" x 1.93"	24
1117-WW-WS	6W	12V AC/DC	500	3000K	No	φ1.96" x 1.93"	24
1117-NCW-WS	6W	12V AC/DC	535	5000K	No	φ1.96" x 1.93"	24
1119-CW	5W	12V AC/DC	500	6000K	Yes	φ1.96" x 2"	30
1119-WW	5W	12V AC/DC	450	3000K	Yes	φ1.96" x 2"	30
1119-WWW	5W	12V AC/DC	450	2700K	Yes	φ1.96" x 2"	30
1131-CW	5W	12V AC/DC	450	5000K	Yes	φ1.96" x 1.75"	36
1131-NW	5W	12V AC/DC	450	4000K	Yes	φ1.96" x 1.75"	36
1131-WW	5W	12V AC/DC	450	3000K	Yes	φ1.96" x 1.75"	36
1131-WWW	5W	12V AC/DC	450	2700K	Yes	φ1.96" x 1.75"	36
1135-WW	8W	12V AC/DC	610	3000K	Yes	φ1.96" x 2.3"	60
1135-WWW	8W	12V AC/DC	610	2400K	Yes	φ1.96" x 2.3"	60

E - 12 FILAMENT (CANDELEBRA)




1503-WWW	3.5W	120V AC	274	2200K	Yes	φ 1.38" x 5.12"	360
1503-WW	3.5W	120V AC	304	3000K	Yes	φ 1.38" x 5.12"	360
1503-CW	3.5W	120V AC	380	6000K	Yes	φ 1.38" x 5.12"	360
1503-WWW-6W	6W	120V AC	700	2700K	Yes	3.9" x 1.4" x 1.4"	360
1503-WW-6W	6W	120V AC	700	3000K	Yes	3.9" x 1.4" x 1.4"	360
1504-WWW-3.5W	3.5W	120V AC	274	2200K	Yes	φ 1.38" x 4.49"	360
1504-WW-3.5W	3.5W	120V AC	304	3000K	Yes	φ 1.38" x 4.49"	360
1504-CW-3.5W	3.5W	120V AC	380	6000K	Yes	φ 1.38" x 4.49"	360
1504-WWW-6W	6W	120V AC	700	2700K	Yes	3.9" x 1.4" x 1.4"	360
1504-WW-6W	6W	120V AC	700	3000K	Yes	3.9" x 1.4" x 1.4"	360

G-45 FILAMENT (CANDELEBRA)



1507-WW-2W	2W	120V AC	180	3000K	Yes	φ 2" x 3"	360
1507-CW-2W	2W	120V AC	200	6000K	Yes	φ 2" x 3"	360
1507-WWW-4W	4W	120V AC	360	2600K	Yes	φ 2" x 3"	360
1507-WW-4W	4W	120V AC	400	3000K	Yes	φ 2" x 3"	360

MODULES



MODULES

MODULES FOR SIGNAGE



5041



5042



5043

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	LUMEN	CCT	IP RATE	BEAM ANGLE	DESCRIPTION
5041-65K	0.36W	12VDC	33 lm	6500K	IP65	175°	1 LED, 0.36W, 65K
5042-65K-1W	1W	12VDC	90 lm	6500K	IP65	175°	2 LEDs, 1W, 65K
5042-90K-1W	1W	12VDC	90 lm	9000K	IP65	175°	2 LEDs, 1W, 90K
5042-R-1W	1W	12VDC	12.5 lm	Red	IP65	175°	2 LEDs, 1W, Red
5042-G	1W	12VDC	20 lm	Green	IP65	175°	2 LEDs, 1W, Green
5042-B	1W	12VDC	16 lm	Blue	IP65	175°	2 LEDs, 1W, Blue
5042-A	1W	12VDC		Amber	IP65	175°	2 LEDs, 1W, Amber
5043-65K-1W	1W	12VDC	90 lm	6500K	IP65	175°	3 LEDs, 1W, 65K
5043-90K-1W	1W	12VDC	90 lm	9000K	IP65	175°	3 LEDs, 1W, 90K
5043-R	0.72W	12VDC	18 lm	Red	IP65	175°	3 LEDs, 0.72W, Red
5043-30K-1.5W	1.5W	12VDC	120 lm	3000K	IP65	175°	3 LEDs, 1.5W, 30K
5043-40K-1.5W	1.5W	12VDC	135 lm	4000K	IP65	175°	3 LEDs, 1.5W, 40K
5043-65K-1.5W	1.5W	12VDC	135 lm	6500K	IP65	175°	3 LEDs, 1.5W, 65K
5043-90K-1.5W	1.5W	12VDC	132 lm	9000K	IP65	175°	3 LEDs, 1.5W, 90K
5043-Red-1.5W	1.5W	12VDC	38 lm	Red	IP65	175°	3 LEDs, 1.5W, Red

MODULES FOR BOX SIGN



PRODUCT NAME	WATTAGE	INPUT VOLTAGE	LUMEN	CCT	IP RATE	LENGTH	BEAM ANGLE	DESCRIPTION
5045-60K	15W	24VDC	750 lm	6000K	IP20	14.17"	25x60°	Box Sign, 15W, 24V, 60K,
5045-80K	15W	24VDC	750 lm	8000K	IP20	14.17"	25x60°	Box Sign, 15W, 24V, 80K,
5046-4	12W	24VDC	960 lm	6500K	IP65	13.77"	10x30°	Box Sign, 4 LED, 12W, 24V, 60K
5046-6	18W	24VDC	1920 lm	6500K	IP65	19.68"	10x30°	Box Sign, 6 LED, 18W, 24V, 60K
5046-8	24W	24VDC	2560 lm	6500K	IP65	27.55"	10x30°	Box Sign, 8 LED, 24W, 24V, 60K
5046-12	36W	24VDC	2880 lm	6500K	IP65	39.37"	10x30°	Box Sign, 12 LED, 36W, 24V, 60K

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	LUMEN	CCT	IP RATE	FIXTURE SIZE	BEAM ANGLE	DESCRIPTION
5030	2.8W	24VDC	240 lm	6500K	IP65	72 x 34 x 18.4 mm	12x56°	Box Sign, 2.8W, 24V, 65K

COLOR CHANGING MODULE



5013

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	CCT	IP RATE	BEAM ANGLE	DESCRIPTION
5013-2811	0.72W	12VDC	RGB	IP65	120°	Smart RGB Module IC2811
5043-RGB-UL	0.72W	12VDC	RGB	IP65	120°	RGB Changing Color
5044-RGB-ETL	0.96W	12VDC	RGB	IP65	120°	RGB Changing Color 4 LEDs

FLEXIBLE LED SHEET




PRODUCT NAME	WATTAGE	INPUT VOLTAGE	LUMEN	CCT	FIXTURE SIZE	DESCRIPTION
6990-27K-24V-CRI90	26W	24V	2894 LM	2700K	1ft x 2ft	Flexible LED Sheet, 24V, 27K
6990-30K-24V-CRI90	26W	24V	2993 LM	3000K	1ft x 2ft	Flexible LED Sheet, 24V, 30K
6990-40K-24V-CRI90	26W	24V	3205 LM	4000K	1ft x 2ft	Flexible LED Sheet, 24V, 40K
6990-60K-24V-CRI90	26W	24V	3225 LM	6000K	1ft x 2ft	Flexible LED Sheet, 24V, 60K
6990-RGB/27K-24V	46W	24V	1039 LM	RGB/27K	1ft x 2ft	Flexible LED Sheet, 24V, RGB/27K
6990-RGB/60K-24V	46W	24V	1039 LM	RGB/60K	1ft x 2ft	Flexible LED Sheet, 24V, RGB/60K

PRODUCT SPECIFICATIONS

Product Name	6990-RGBW(W)-24V	6990-24V
Limiting Control Method	CV-Constant Voltage	CV-Constant Voltage
Power Consumptions	46.08W/pc	26W/pc
Beam Angle	120°	120°
Cuttable Segments	30"x20" (6 LEDs cuttable)	40"x20" (8 LEDs cuttable)
LED Sheet Size	1'x2' (305x610)	1'x2' (305x610)
Luminous Flux Maintenance	75,000 hrs	75,000 hrs
Dimming	DMX PWN, RF PWM, 0-10V, MLV, Incandescent	DMX PWN, RF PWM, 0-10V, MLV, Incandescent
Warranty	3 Years Limited	3 Years Limited
Certifications	cUL _{us} UL Listed, E467088	cUL _{us} UL Listed, E467088
Operating Temperature	-20°F to 120°F	-20°F to 120°F
Mounting	Non-Porous: 3M double sided tape	Non-Porous: 3M double sided tape
LED Chip Type	High Quality SMD 5050 (4 in 1)	High Quality SMD 2835
LED Density	288 LEDs/pc	288 LEDs/pc
Board Type/Color	2 oz Density, White PCB	2 oz Density, White PCB

TRACK LIGHTS



TRACK LIGHTS

7W MINI TRACK LIGHT

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	CCT	LUMEN	BEAM ANGLE	FIXTURE SIZE	FIXTURE COLOR	FIXTURE COLOR
4807-30K-WHT	7W	110V-240V	3000K	440 lm	30°	88mm x 116mm x 79mm	White	7W, 120V, 30K
4807-30K-BLK	7W	110V-240V	3000K	440 lm	30°	88mm x 116mm x 79mm	Black	7W, 120V, 30K
4807-40K-WHT	7W	110V-240V	4000K	500 lm	30°	88mm x 116mm x 79mm	White	7W, 120V, 40K
4807-40K-BLK	7W	110V-240V	4000K	500 lm	30°	88mm x 116mm x 79mm	Black	7W, 120V, 40K
4807-50K-WHT	7W	110V-240V	5000K	500 lm	30°	88mm x 116mm x 79mm	White	7W, 120V, 50K
4807-50K-BLK	7W	110V-240V	5000K	500 lm	30°	88mm x 116mm x 79mm	Black	7W, 120V, 50K

14W A-TYPE TRACK LIGHT

4814-30K-BLK	14W	120V	3000K	850 lm	15°	3.11" x 4" x 9"	Black	14W, 120V, 30K
4814-30K-WHT	14W	120V	3000K	850 lm	15°	3.11" x 4" x 9"	White	14W, 120V, 30K
4814-40K-BLK	14W	120V	4000K	900 lm	15°	3.11" x 4" x 9"	Black	14W, 120V, 40K
4814-40K-WHT	14W	120V	4000K	900 lm	15°	3.11" x 4" x 9"	White	14W, 120V, 40K

15W B-TYPE TRACK LIGHT

4815-30K-WH	15W	120V	3000K	1200 lm	15°	2.77" x 3.54" x 7"	White	15W, 120V, 30K
4815-30K-BK	15W	120V	3000K	1200 lm	15°	2.77" x 3.54" x 7"	Black	15W, 120V, 30K
4815-40K-WH	15W	120V	4000K	1300 lm	15°	2.77" x 3.54" x 7"	White	15W, 120V, 40K
4815-40K-BK	15W	120V	4000K	1300 lm	15°	2.77" x 3.54" x 7"	Black	15W, 120V, 40K
4815-60K-WH	15W	120V	6000K	1350 lm	15°	2.77" x 3.54" x 7"	White	15W, 120V, 60K
4815-60K-BK	15W	120V	6000K	1350 lm	15°	2.77" x 3.54" x 7"	Black	15W, 120V, 60K



7W MINI
TRACK LIGHT
4807-WH/4807-BK



14W A-TYPE
TRACK LIGHT
4814-WH/4814-BK



15W B-TYPE
TRACK LIGHT
4815-WH/4815-BK

TRACK LIGHTS

TRACK LIGHTS

20W B-TYPE TRACK LIGHT

PRODUCT NAME	WATTAGE	INPUT VOLTAGE	CCT	LUMEN	BEAM ANGLE	FIXTURE SIZE	FIXTURE COLOR	FIXTURE COLOR
4820-30K-WH	20W	120V	3000K	1700 lm	15°	3.4" x 5" x 8.85"	White	20W, 120V, 30K
4820-30K-BK	20W	120V	3000K	1700 lm	15°	3.4" x 5" x 8.85"	Black	20W, 120V, 30K
4820-30K-WH-DIM	20W	120V	3000K-Dimmable	1700 lm	15°	3.4" x 5" x 8.85"	White	20W, 120V, 30K
4820-30K-BK-DIM	20W	120V	3000K-Dimmable	1700 lm	15°	3.4" x 5" x 8.85"	Black	20W, 120V, 30K
4820-40K-WH	20W	120V	4000K	1800 lm	15°	3.4" x 5" x 8.85"	White	20W, 120V, 40K
4820-40K-BK	20W	120V	4000K	1800 lm	15°	3.4" x 5" x 8.85"	Black	20W, 120V, 40K
4820-40K-WH-DIM	20W	120V	4000K-Dimmable	1800 lm	15°	3.4" x 5" x 8.85"	White	20W, 120V, 40K,
4820-40K-BK-DIM	20W	120V	4000K-Dimmable	1800 lm	15°	3.4" x 5" x 8.85"	Black	20W, 120V, 40K
4820-60K-WH	20W	120V	6000K	1900 lm	15°	3.4" x 5" x 8.85"	White	20W, 120V, 60K
4820-60K-BK	20W	120V	6000K	1900 lm	15°	3.4" x 5" x 8.85"	Black	20W, 120V, 60K

30W B-TYPE TRACK LIGHT

4830-30K-WH	30W	120V	3000K	2500 lm	15°	3.9" x 5.7" x 9.5"	White	30W, 120V, 30K,
4830-30K-BK	30W	120V	3000K	2500 lm	15°	3.9" x 5.7" x 9.5"	Black	30W, 120V, 30K
4830-60K-WH	30W	120V	6000K	2800 lm	15°	3.9" x 5.7" x 9.5"	White	30W, 120V, 60K
4830-60K-BK	30W	120V	6000K	2800 lm	15°	3.9" x 5.7" x 9.5"	Black	30W, 120V, 60K



20W B-TYPE TRACK LIGHT

4820-WH / 4820-BK



30W B-TYPE TRACK LIGHT

4830-BK / 4830-WH

TRACK LIGHTS

0 RECESSED FIXTURES



RECESSED FIXTURES

9801

Fully Adjustable White Recessed Fixture Mr16

TRIM : 5.04"
DEPTH : 3.15"
HOLE SIZE : 4.53"
FINISH : WHITE



9803-W

Recessed Fixture W/ Tube White Mr16 Clip In

TRIM : 3.66"
DEPTH : 0.93"
HOLE SIZE : 2.95"
FINISH : WHITE



9803-S

Recessed Fixture w/ Tube Brushed Nickel MR16 Clip In

TRIM : 3.66"
DEPTH : 0.93"
HOLE SIZE : 2.95"
FINISH : NICKEL



9805

White Spotlight Fixture Mr11

TRIM : 2.95"
DEPTH : 0.93"
HOLE SIZE : 2.28"
FINISH : WHITE



9807

Small White Recessed Fixture

TRIM : 2.36"
DEPTH : 0.93"
HOLE SIZE : 1.89"
FINISH : WHITE



9809

White Round Recessed Fixture Spot

TRIM : 3.50"
DEPTH : 0.9"
HOLE SIZE : 2.83"
FINISH : WHITE



9810

White Round Fixture Thin Trim MR16

TRIM : 3.19"
DEPTH : 0.9"
HOLE SIZE : 2.91"
FINISH : WHITE



9811

Square Fixture w/ Silver Ring MR16

TRIM : 3.93" X 3.93"
DEPTH : 1.57"
HOLE SIZE : 3.25"
FINISH : WHITE



9812

White Square Recessed Fixture Spot MR16

TRIM : 3.23" X 3.25"
DEPTH : 0.9"
HOLE SIZE : 2.75"
FINISH : WHITE



9813

Fireproof White Round Deep Fixture MR16

TRIM : 3.66"
DEPTH : 4.25"
HOLE SIZE : 4.53"
FINISH : WHITE



9814-R

Big Round Adjustable Fixture MR16

TRIM : 3.75"
DEPTH : 1"
HOLE SIZE : 2.75"
FINISH : BRUSH SILVER




9814-SQ

Big Square Adjustable Fixture MR16

TRIM : 3.75" X 3.75"
DEPTH : 1"
HOLE SIZE : 2.75"
FINISH : BRUSH SILVER



ACCESSORIES



12V LED STRIP ACCESSORIES

LED STRIP CONNECTORS	COMPATIBLE WITH	PRODUCT NAME
8Mm Strip Coupling	6174, 6274, 6374, 6394,6582	9541-8
8Mm Strip Coupling for 600 LED	6474, 6484, 6494	9541-8-600
10Mm Strip Coupling	6584, 6710, 6712	9541-10
10Mm Strip Coupling for Dot Free	6488	9541-10-600
Coupling for RGB Strips	6546-RGB, 6584-RGB	9541-RGB
Coupling for RGB/W Strips	6584-RGB/W, 6584-RGB/WW	9541-RGBW
8Mm Strip Power Feeder	6174, 6274, 6374, 6394,6582	9542-8
8mm Strip Power Feeder for 600 LED	6474, 6484, 6494	9542-8-600
10mm Strip Power Feeder	6584, 6710, 6712	9542-10
10mm Strip Power Feeder for Dot Free	6488	9542-10-600
Power Feeder for RGB Strips	6546-RGB, 6584-RGB	9542-RGB
Power Feeder for RGB/W Strips	6584-RGB/W, 6584-RGB/WW	9542-RGBW
8mm Coupling with Wire in the Middle	6174, 6274, 6374, 6394, 6582	9543-8
8mm Coupling with Wire in the Middle for 600 LED	6474, 6484, 6494	9543-8-600
10mm Coupling with Wire in the Middle	6584, 6710, 6712	9543-10
10Mm Coupling with Wire in the Middle for Dot Free	6488	9543-10-600
Coupling with Wire in the Middle for RGB Strips	6546-RGB, 6584-RGB	9543-RGB
Coupling with Wire in the Middle for RGB/W Strips	6584-RGB/W, 6584-RGB/WW	9543-RGBW
SMD3528 High Voltage Power Input		9545-3528
SMD5730 High Voltage Power Input		9545-5730
SMD5050 RGB High Voltage Power Input		9545-RGB



9541-8



9542



9541




9543-10



9542-8

120V LED STRIP ACCESSORIES

LED STRIP CONNECTORS	COMPATIBLE WITH	PRODUCT NAME
AC Plug for 120V Strip	6374-120V, 6394-120V	6374-120V-AC PLUG
		6394-120V-AC Plug
AC Plug for 120V Strip	6584-120V	6584-120V-AC PLUG
Pin for AC Plug or Middle Connector (120V)	6374-120V, 6394-120V, 6584-120V	120V-Pin
Input wire for 6584-RGB-120V	6584-RGB	6584-RGB-120V-Input
Connector for 120V Strip	6374-120V, 6394-120V	6374-120V-Connector
		6394-120V-Connector



ACCESSORIES



6394



6374



6584

CONNECTORS

9551-S-BK

Ac Plug W/ Switch For
Black Adapters



9551-S-WH

Ac Plug W/ Switch For
White Adapters



9581

2 Conductor Terminal
Block Connector



9551-BK

Black AC Plug
w/ Switch



9583-W

Crimp Connector
2#22-#20 AWG



9589-S-8

DC Barrel Connector to
8 mm LED Strips



9589-S-10

DC Barrel Connector to
10 mm LED Strip



9584-B-F / 9584-B-M

Female / Male
DC Connector
w/ Clips Gray



9584-G-F / 9584-G-M

Female / Male
DC Connector
w/ Clips Green



9584-O-F / 9584-O-M

Female / Male
DC Connector
w/ Clips Orange



9589-C-F / 9589-C-M

Female / Male
DC Connector
w/ Crimp



9589-F / 9589-M

Female / Male
DC Connector w/ Wire



9587-F

Female
DC Jack



9586-F / 9586-M

Female / Male
DC Push-On Terminal
Connector



ACCESSORIES

CONNECTORS

9590-2

DC Splitter 1 to 2



9590-3

DC Splitter 1 to 3



9590-4

DC Splitter 1 to 4



9751-P

DC Splitter
A-Type Pack



9752-P

DC Splitter
B-Type Pack



9753-P

DC Splitter
C-Type Pack



9582

Quick Connect Male
and Female Connector



9588-F / 9588-M

Female / Male
Screw-in DC
Connector



9551-WH

White AC Plug
W/ Switch



9702-2-IP68 / 9702-3-IP68

2 wire Waterproof
Connector IP68
3 Wire Waterproof
Connector IP68



9703

1 to 3 Waterproof
Terminal Box IP68



9702-4-IP68

4 Wire Waterproof
Connector IP68



9705

Blue Underground
Wire Connector



9701

T Connector
Box IP67



ACCESSORIES

WIRE AND WIRE NUTS

9531-50



9531-100-COVER-18



9534-50-RGB20



9534-500-COVER



PRODUCT NAME	DESCRIPTION
9531-50	DC WIRE 50' WHITE 18 AWG
9531-100	DC WIRE 100' WHITE 18 AWG
9531-250	DC WIRE 250' WHITE 18 AWG
9531-100-COVER-18	DC WIRE 100' WHITE 18 AWG INSULATED
9531-250-COVER-18	DC WIRE 250' WHITE 18 AWG INSULATED
9531-500-COVER-18	DC WIRE 500' WHITE 18 AWG INSULATED
9531-250-COVER-Black	DC WIRE 250' BLACK 18 AWG INSULATED
9534-50-RGB20	RGB WIRE 50' RGB 20 AWG
9534-100-RGB20	RGB WIRE 100' RGB 20 AWG
9534-100-COVER	RGB WIRE 100' 20 AWG WHITE INSULATED
9534-250-COVER	RGB WIRE 250' 20 AWG WHITE INSULATED
9534-500-COVER	RGB WIRE 500' 20 AWG WHITE INSULATED
9546-BK-WP	BLACK WATER-PROOF WIRE NUT 2#18-4#16 AWG
9546-B	BLUE WIRE NUT 2#22-3#16 AWG
9546-G	GRAY WIRE NUT 2#22-2#16 AWG
9546-O	ORANGE WIRE NUT 2#18-4#16 AWG



9546-BK-WP



9546-BK-WP



9546-G



9546-O

DOUBLE SIDED TAPE

9511-N



98' 6MM DOUBLE SIDE
PET RED TAPE

9511-W



98' 8MM DOUBLE SIDE
PET RED TAPE

9512-W



98' 12MM DOUBLE SIDE
PET RED TAPE

9514



98' 24MM DOUBLE SIDE
PET RED TAPE

ACCESSORIES

